

FEB 1 1994

Mr. Michael M. Watts
Kincaid Enterprises, Inc.
P.O. Box 549
Nitro, West Virginia 25143

Dear Mr. Watts:

Subject: Chloroneb Systemic Flowable Fungicide
EPA Reg. No. 41014-8
Your Submission of November 3, 1993

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable. A stamped copy of the label is enclosed for your records.

Note that this labeling does not bear the required Worker Protection statements as outlined in PR Notices 93-7 and 93-11. We note that you have submitted labels in accordance with the instructions in those Notices. The new protective language in those submissions must be melded into this label for any shipments released after the deadlines that have been established. You may opt to do so immediately if you are electing the self-verification option, or after acceptance by the special Agency Worker Protection Standard review group. Finished printed labels should be submitted after acceptance by the WPS group and in accordance with their instructions.

Sincerely yours,

15
Sidney C. Jackson
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (7505C)

enclosure

7505C:C.Gable:cq:2/1/94

20/4

ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 01 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

41014-8



CHLORONEB Systemic Flowable

FUNGICIDE

ACTIVE INGREDIENT:

Chloroneb (1, 4-dichloro-2, 5-dimethoxybenzene) 30.0%
INERT INGREDIENTS 70.0%

EPA Reg. No. 41014-8
EPA Est. 41014-TN-01

(Contains 2.9# Chloroneb Per Gallon)

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water.

SEE ~~THE~~ PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Back

BEST AVAILABLE COPY

FOR PLANTER BOX APPLICATION OR FOR USE ON SEED PRIOR TO PLACEMENT IN PLANTER BOX.

GENERAL INFORMATION—K. E. "Chloroneb" Fungicide is recommended for use as a supplemental seed treatment, for the control of seedling diseases of cotton, beans and soybeans; and as a supplemental seed treatment for sugar beets. It is to be used in conjunction with a standard fungicide seed treatment.

When used as directed, "Chloroneb" can be expected to improve stands and plant vigor through the suppression of seedling blights, soreshin, and pre- and post-emergence damp-off caused by such organisms as Rhizoctonia and Pythium species and Sclerotium Rolfsi. It is highly effective in preventing post-emergence damp-off, especially when used as a supplemental seed coating.

Net Contents: 1 Gallon

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS &
DOMESTIC ANIMALS**

Precautionary Statements: Caution - Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Reclose container after each use. Store in a cool, dry place away from food or feed. If spilled, sweep up and dispose of below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag, then dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of the smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

BEST AVAILABLE COPY

40/4

COTTON - BEANS - SOYBEANS - SUGAR BEETS

Supplemental Seed Treatment

Apply "Chloroneb" Flowable as a slurry at the following rates:

Seed	Ounces Active per cwt seed	Fluid Ounces Flowable/ cwt seed
Cotton (acid de-linted, reginned or fuzzy)		
High Plains area of Texas only	2.6	7.2
East of the Rockies	3.9	10.5
West of the Rockies	6.5	17.0
Bean	3.9	10.5
Soybean	3.9	10.5
Sugar Beet	3.9	10.5

SEED (OVERCOATING PLANTER BOX:

Partially fill planter box or mixing container with the seed to be treated, apply the proper amount at the recommended rate of Chloroneb Flowable evenly over the surface of the seed, stir with a wooden paddle until uniformly coated. Repeat until Planter Box or mixing container is full. Before using shake well to mix contents of container.

Label Treated Seed: This seed (coated with chloroneb fungicide) "Chloroneb." Do not use for food, feed, or oil purposes. Add appropriate information for any other chemical treatments.

NOTE: Do not use treated seed for food, feed, or oil purposes. Do not graze treated beans or soybeans within 45 days of planting.

NOTE: Add Seed Protectant Liquid dye** to each batch and mix for an additional 10 minutes. **21CFR Chapter 1 Section 3.13 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored to prevent their subsequent inadvertent use as food for man or feed for animals.

NOTICE TO BUYER: Purchase of this material does not confer any rights under patents of countries outside of the United States.

NOTICE OF WARRANTY

K. E., Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which, are beyond the control of K.E. In no case shall K.E. be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. K. E., Inc. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

BEST AVAILABLE COPY