1043

For Manufacturing Use Only

ACTIVE INGREDIENT:

*Methoxychlor, Technical ----- 70.01

* - 70% Methoxychlor, Technical is equivalent to 61.6% :

1,1,1-trichloro-2,2-bis (4-methoxyphenyl) ethane and 8.4% other isomers and reaction products.

EPA Reg. No. 41014-12

ZPA Est. No. 41014-TN-1



ACCEPTED

JUL 7 1992

Under the Federal Insecticide.
Fungicide, and Rodenticide Ac
as amended, for the pesticide
registered under
125 Nog. No. 410 4-12

KEEP GUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a Physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water.

SEE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MARLATE 70% Methoxychlor Dust Base can be diluted to various strengths with clay or other non-alkaline inert diluents. Other compatible postibiles may be added. Make sure the mixing is thorough.

Formulators are responsible fct. oqtaining data to support their registration.

Net Weight 50 Lbs. (22.7 KILOS)



Lot No.

Marieta is a registered trademark of Kincaid Enterprises, Inc.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Caution: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not discharge effluint containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from excessive heat. Avoid storage near steam pipes or radiators.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: Reclose container after each use. Store is a cool, dry place away from food or feed. If spilled, sweep up and dispose of as below.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Then dispose of the container in.a. sanitary landfill or by incineration, or, if allowed by... state and local authorities, by burning. If burned; stayout of smoke.

CANADIAN USERS

Canadian users of this product should dispose of unwanted product and containers in accordance with municipal or provincial regulations.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into an insecticide for (1) the following uses:

alfalfa asparages beans, castor beans, snap beets blueberries Bressels sprouts carrots clover corp. sweet cramberries dairy cattle eggplants evergreens flowers goats grain trucks kohlrabies lettuces millet mectarines okra peanets Peppers potatoes, Irish public parks radishes roses sesane ships' holds soybeans stravberries .svine toraips

apples barley beaus, dry beans, velvet blackberries boysenberries cabbages cauliflevers collards cotton (acid delinted) cacuabers dewberries elevator tunnels fare buildings forage grasses gooseberries grapes legunes loganberries ausbroom houses non-agricultural land ornamentals Peanut Warehouses pet bedeing potatoes, seed pauphias raspherries retabaga shade trees shrabs spinach sanner sonash Swiss chard water, standing

apricots beaches beans, lina beef cattle black-eyed peas broccoli cantalogpes cherries corm. field COTPEL currants dunps endire flaz freight cars grain storage bins kale lentils melons nustard oats peaches peas pluss prunes · inces ice TTE sbeep sorqhea squash sweet potato:s tozatoes vaternelons Youngberries;

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) uses for experimental parposes that are in compliance with USEPA requirements.

•

wheat