

12-19-85

34-2-7 SPRAYABLE

WITH

Team™

Active Ingredient

N butyl N ethyl 1,1,1 trifluoro 2,6 dimethyl p toluidine
Inert Ingredients

100%
90%
90.50%
Total: 100.00%

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

WARNING

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.

If swallowed: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled: If breathing difficulty occurs, move individual to fresh air and get medical attention.

Environmental Hazards

Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

E.P.A. REG. NO. 41124-10


E.P.A. EST. NO. 41124-WI-1

NET WT. 50 LBS.

COVERS 16,600 SQ. FT.

Mfg. By
Spring Valley Turf Products
Jackson, Wisconsin 53037

Team™ - the trademark for Elanco Products benefits plus bifluralin.



When **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** is applied as directed, the following established turfgrasses are tolerant:

Kentucky Bluegrass	Fescue	St. Augustinegrass
Perennial Ryegrass	Zoysiagrass	Bahiagrass
Centipedegrass	Bermudagrass	

SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™ will not harm most nearby established ornamental trees and shrubs.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place. Do not store in areas where children and pets play.

Extrude Disposal: Do not mix with other chemicals. Do not pour down drains, into water bodies, or into the ground. Do not use for any other purpose than that for which it is intended.

Container Disposal: Empty bags or other containers should be disposed of by local, state and federal authorities. Do not burn. If burned, stay out of smoke.

APPLICATION DIRECTIONS

Timing of Application

For best pre-emergence control of the annual grass weeds listed on this label requires proper timing of application.

Apply **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** approximately one to two weeks prior to the germination of annual grass weeds. All summer annual grasses do not germinate at the same time. If application timing does not coincide with the normal germination period of any of the annual grass weeds listed on this label, weed control results may be erratic or poor. Optimum weed control performance will be obtained if treated areas are irrigated soon after application.

Any cultural practices that disturb the soil, such as aeration or verticillation, should be done prior to application of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™**.

For germination summer annual grasses—Crabgrasses, Foxtails and Barnyardgrass: One 50 lb. bag of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** will cover 16,600 sq. ft. of turfgrass. Apply at this rate with 1 1/2" of actual irrigation per 1,000 sq. ft. of turfgrass. Annual **Team™** per acre. Do not reseed 12 to 16 weeks after application.

A. Northern (cool season) turfgrasses

For pre-emergence control apply 100 to 133 lbs. per acre (1 1/2 to 2 lbs. active ingredient) of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** in the spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

B. Southern (warm season) turfgrasses

For pre-emergence control apply 133 to 200 lbs. per acre (2 to 3 lbs. active ingredient) of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** in the late winter or early spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

In areas of the United States where germination of the annual weed grass species continues for extended periods of time, a second application of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** at the recommended rate may be made 8 to 10 weeks after initial treatment for continued control.

SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™ Per Acre	Lbs. Per 1,000 Sq. Ft.
100 lbs.	2.2 lbs.
133 lbs.	3.0 lbs.
200 lbs.	4.5 lbs.

GENERAL: This product does not totally dissolve. To keep the undissolved portion of the product in suspension you must have a vigorous agitation system, preferably a mechanical agitation system. Fill the tank with 1/4 of the water that is needed and start agitation, then slowly add the product. After all the product has been added, add the remaining required water. Continue agitation entire time of application and make sure that the tank is empty before shutting off agitation.

If you are spraying 5 gallons per 1,000 sq. ft. (217.5 gal. per acre)

To get 1.5 lbs. active ingredient per acre add 44 lbs. of product/100 gallons water

To get 2 lbs. active ingredient per acre add 60 lbs. of product/100 gallons water

To get 3 lbs. active ingredient per acre add 90 lbs. of product/100 gallons water

If you are spraying 3 gallons per 1,000 sq. ft. (130.5 gal. per acre)

To get 1.5 lbs. active ingredient per acre add 74 lbs. of product/100 gallons water

To get 2 lbs. active ingredient per acre add 100 lbs. of product/100 gallons water

To get 3 lbs. active ingredient per acre add 150 lbs. of product/100 gallons water

PRECAUTIONS

Apply **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** to the turf prior to the germination of weed grasses since **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** will not control established weeds. **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** may thin established annual bluegrass (poa annual) turfs and fine leaved fescues at rates above 100 lbs. per acre (1.5 lbs. active ingredient). **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** should not be applied in the spring to turfgrass planted the previous fall. In Bermudagrass areas that have been overseeded with winter grasses, a spring application of **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** may thin the overseeded grasses. Because of varying cultural practices, **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** should not be used on putting greens. **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** should not be used on dichandra. **SPRING VALLEY'S 34-2-7 SPRAYABLE with Team™** should not be applied to newly swarded areas of Bermudagrass, St. Augustinegrass or Centipedegrass until these turfs are well established.

GUARANTEED ANALYSIS

Nitrogen (N).....	34%
0.4% Ammoniacal Nitrogen	
27.8% Urea Nitrogen	
6.0% Water Insoluble Nitrogen (WIN)	
Available Phosphoric Acid (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	1%

FERTILIZER INGREDIENTS Nitroform™, urea, D.A.P., muriate of potash

NET WT. 50 LBS. COVERS 16,600 SQ. FT.

Mfg. By
Spring Valley Turf Products
Jackson, Wisconsin 53037

Team™ - the trademark for Spring Valley Turf Products and its affiliates