

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 41200-2	DATE OF ISSUANCE SEP 28 1987
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE NAME OF PESTICIDE PRODUCT Rabon 350 Mineral	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="text-align: right; font-size: 1.2em; margin-top: 20px;"> 161-190570 181 </div> <div style="margin-top: 20px;"> <p>Midway Coop Golden Feeds Box 40 Osborne, KS 67473</p> </div>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 41200-2." b. On the Confidential Statement of Formula, you must provide upper and lower certified limits based on the pure active ingredient rather than the technical or concentrate.		
You must also provide the upper and lower certified limits of the individually added inerts.		
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.		
<div style="border: 2px solid black; padding: 5px; display: inline-block;"> BEST AVAILABLE COPY </div>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL	DATE 9/28/87	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

BEST AVAILABLE COPY

**GOLDEN FEEDS
RABON 350 MINERAL**

Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	1.23%*
INERT INGREDIENTS	98.77%**
TOTAL	100.00%

*Each pound of Rabon 350 Mineral contains 5.6 grams RABON

**Refers only to ingredients which are not larvicidal. RABON is the registered trademark of Shell Oil Company

GUARANTEED ANALYSIS

Calcium (Ca), not less than	ACCEPTED	11.00%
Calcium (Ca), not more than	with ELEMENTS	13.00%
Phosphorus (P), not less than	in EPA Feeder Dated:	13.00%
Salt (NaCl), not more than		11.00%
Salt (NaCl), not less than		9.00%
	SEP 28 1987	
Magnesium (Mg), not less than	Under the Fungicide, amende, registered under EPA Reg. No.	.25%
Vitamin A, USP Units Per Pound		200,000
Vitamin D, USP Units Per Pound		40,000
Vitamin E, I Units		20

FEED INGREDIENTS

Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Cane Molasses, Bentonite, Magnesium Sulfate, Potassium Sulfate, Red Iron Oxide, Vitamin A Supplement, Copper Oxide, Iron Carbonate, Manganese Oxide, Zinc Oxide, Cobalt Carbonate, Sulfur, D-Activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement, Mineral Oil, Rabon, Natural and Artificial Flavors.

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists see a physician.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
Hand feed at the rate of 0.2 oz. of Golden Rabon 350 Mineral per 100 lbs. of body weight to provide 70 mgs. Rabon per 100 lbs. body weight. Rabon 350 should be fed free choice while cattle are grazing. Cattle weighing 1000 lbs. should consume 2.0 of Golden Rabon 350. Place in a feeder away from the water to control grazing patterns of pasture.

BEST AVAILABLE COPY

Golden Rabon 350 Mineral may be fed up to slaughter and to lactating dairy cows.

Golden Rabon 350 Mineral prevents the development of horn flies, face flies, house flies and stable flies in manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Golden Rabon 350 Mineral should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place in original container

CONTAINER DISPOSAL: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

NET WEIGHT 50 POUNDS
MIDWAY CO-OP GOLDEN FEEDS
Osborne, Kansas

BEST AVAILABLE COPY