# BAYCIDE 301

ACCEPTED
41246-1
JUL 21 1978

## RECIRCULATING WATER COOLING TOWER BIOCIDE

ACTIVE INGREDIENT
Poly oxyethylene dimethylamino ethylene dimethyl mimic ethylene dichloride 10.0

INERT INGREDIENT 90.0

This product contains 0.85 [illegible] 8.49 lb per gallon

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

### PRECAUTIONARY STATEMENTS
### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION [illegible] with skin eyes [illegible]
FIRST AID [illegible] whites gelatin [illegible] tities of water [illegible]
ENVIRONMENTAL HAZARDS [illegible] lake streams [illegible]

### DIRECTIONS FOR USE
### GENERAL CLASSIFICATION

[illegible]

BAYCIDE 301 [illegible] growth [illegible] robiolo [illegible]

A [illegible] 6.13 [illegible] 15.32 [illegible] BAYCIDE 301 [illegible] concentration of 48 to 120 [illegible] BAYCIDE 301 based on the total weight of water [illegible] Repeat initial dosage [illegible] control [illegible]

[illegible] 53 to 15.32 fluid ounces of BAYCIDE 301 [illegible] 12 to 120 parts per million of BAYCIDE 301 [illegible] 5 days [illegible] as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the [illegible] problem. Slug additions should be made in the sump of water [illegible]

[illegible] when not in use. Do [illegible] storage, disposal [illegible] cleaning [illegible] Triple rinse or equivalent [illegible] an approved landfill [illegible] sed or reprocessed [illegible] pesticides or buried [illegible] dumping is prohibited

[illegible]

Bay Chemical & Supply Company

[illegible]