PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissi-

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as faces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

PRINCETON POOL & PATIO SHOP, INC. 306 Alexander Street Princeton, NJ 08540

EPA REG. NO. 41294-1 EPA EST. NO. **NET CONTENTS**

13 3

1980 APR

UNDER THE FF THE PESCETICIDE FUNCIONE AND CODENTICIDE ACT N. 17 NO

AQUA CHLOR

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional procautions on side panel.

DIRECTIONS ! **GENERAL CLASS**

IT'S A VIOLATION OF FEDERAL LA IN A MANNER INCONSISTENT

IN A MANNER INCONSISTENT
DIRECTIONS FOR SWIMMING:
For a new pool or for spring start-up, superchicle
sodium hypochlorale solution for each 5000 gs/1
to 5 ppm available chrorine by weight.
For Pool Maintenance
A) Adjust pool water ph to 7.6 - 7.2 range am
B) Add manually or by a feeder device this socialistic and available chlorane residual of 6,
ozs.) of this sodium hypochlorate solution 6
vide 1 0 ppm available chlorane will depend on to
1 0 ppm available chlorane will depend on to
Use test ket to make certain the pil and chiDIRECTIONS FOR SISMIFECTION.
FOR HOME WELL WAT
Dilute this sodium hypochlorate solution in the

Dilute this sodium hypochlorite solution in the solution to 11 parts softened water Mix sodium oughly and begin feeding of solution with a hypitain a free saviable chlorine residual of at leas throughout the distribution system, as determiniological sampling must be conducted at a free. The hatford in the majorial interim Primary Drinking Water R with a DPD chlorine test kit.

Contact your local Health Department for furt.

DIRECTIONS FOR SANT?**

DIRECTIONS FOR SAMITIZING OR DAIRY EQU.

Clean equipment in the normal manner. Just before the with this sodium hypochlorite solution contain tain contact with disinfectant for a minimum of after treatment with sodium hypochlorite solution of one fluid or. (2 tiblisps.) of this audium hypochlorite solution of the fluid or. (2 tiblisps.) of this audium hypochlorite solution of the provided proproximately 200 ppm available of NOTE. This product degrades with 200 up a sances any, to poligin the required level of a sances any, to poligin the required level of a sances any, to poligin the required level of a sances and different solutions. The sance of the fluid solution of the sance and earlier than the sance and the policies of the sance and the policies of the sance and the sa

ા

UNDER THE FF THE DISCOTICIDE FUNCIONE AND RODENTICIDE ACT FULL ECONOMIC POLICIA REGISTER.

AQUA CHLOR

ENTAL HAZARDS: This posticide pout of lakes, streams or ponds. Treated efdischarged into lakes, streams, ponds or puba valid discharge permit. For guidance, con-flice of the Environmental Protection Agency. AND CHEMICAL HAZARDS:

Corrosive, may cause severe skin irrita-urns to broken skin. Causes eye damage. Do

n skin or on clothing. Wear goggles or face gloves when handling this product. Wash af-d breathing vapors. Vacate poorly ventilated possible. Do not return until odors have dissi-

UTIONARY STATEMENTS

EARDS TO HUMANS

DOMESTIC ANIMALS

XIDIZING AGENT: Vix only with o label directions. Mixing this product with s feces, urine, etc., or with ammonia, acids, or chemicals may release hazardous gases ungs and mucous membranes.

manufactured by

N POOL & PATIO SH**OP, INC**. 06 Alexander Street Princeton, NJ 08540

41294-1 EPA EST. NO. CONTENTS:

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE... INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING
DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for suring start-up, superchlorinate with one (1) pint (16 flu ozs.) of sodium hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm awaisable chlorine by weight.
For Pool Stailtenance
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add inanually or 2y a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm One-fourth pint (4 flu ozs.) of this sodium hypochlorite solution for each 4000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine pit and chlorine residual are in the proper range.

EIRECTIONS FOR DISINFECTION FOR POTABLE WATER

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 11 parts softend water. Mis sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorineter (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPO chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Dinking Water Regulations. Check water frequently with a DPD chlorine test kit.

**Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING

OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using rinse all surfaces thoroughly with this sodi... in hypochlorine solution containing 200 ppm available chlorine. Maintain a free primary processing 200 ppm available chlorine.

OR DAINY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodi... in hypochlorite solution containing 200 ppm available chlorine. Maintain contact with dispinctant for a minimum of two minutes. Do not mise with victer after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 thisps.) of this sodium hypochlorite solution per 5 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE. This group degrades with 75° Use a chlorine test kit and increase dosage, as necessary to pulpfun the required levih of available chlorine.

STORAGE AND DISPOSAL: Store in accord, dry area away from direct sunlight. In case of Spile fic od area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not container the food or "sed by storage disposal or relaction of accuments."

26