Poly-Cide Blend

ACTIVE INGREDIENT

Poly[oxyethy[illegible]

[illegible]dimeth[illegible]

INERT INGREDIENTS

[illegible]

8.09 lb. per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION [illegible]

[illegible]

FIRST AID [illegible]

[illegible]

[illegible]

ENVIRONMENTAL HAZARDS [illegible]

[illegible]

[illegible]

[illegible]

Age [illegible]

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

[illegible]

[illegible] Poly Cide Blend

[illegible] parts

[illegible] weight of water in the

[illegible] evident

[illegible] of Poly Cide

[illegible] parts per million of Poly Cide

[illegible] be employed every 2 to 5 days or as needed. The

[illegible] the relative amount of bleedoff and

[illegible] problem. Slug additions should be

[illegible] shag tower.

[illegible] used when not in use. Do not

[illegible] feed by storage, disposal or cleaning of

[illegible] must be triple rinsed (or equivalent) and

[illegible] disposal in an approved landfill

[illegible] Rinsate that cannot be used or reprocessed

[illegible] landfill approved for pesticides or buried in

[illegible] Open dumping is prohibited.

[illegible]

[illegible]

EPA REG. NO. 41301-[illegible] EPA EST. NO. 41301-KS-01

[illegible]