

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, will cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not make any chlorine application within 24 hours of discharge.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label instructions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantity of milk, or gelatin solution or water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

SANI-KLOR 125

SODIUM HYPOCHLORITE SANITIZER

EPA REG. NO. 41307-5 EPA EST. NO. 41307-NV-01

ACTIVE INGREDIENTS
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%

DANGER

**KEEP OUT OF REACH OF CHILDREN
FOR PROFESSIONAL USE ONLY
DO NOT MIX WITH OTHER CHEMICALS**

 **The Total
Group of Companies**

3049 Rigel • Las Vegas, NV 89102 • (702) 873-1995

DIRECTIONS

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING**

SWIMMING POOL CHLORINATION: For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fl. ozs.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 6 ppm available chlorine by weight. For maintenance, adjust pool water pH to 7.2 - 7.6 range and maintain. Add SANI-KLOR 125 manually or via feeder device at a rate sufficient to maintain an available chlorine residual of 0.6 to 1.0 ppm. One-half pint (8 fl. ozs.) of this product will provide 1.0 ppm available chlorine by weight.

SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT: Before using equipment clean in the normal manner and rinse. Then rinse all surfaces thoroughly with a solution of this product containing 200 ppm available chlorine. Mixing one (0.8) oz. per four (4) gallons of water will provide approximately 200 ppm available chlorine by weight. Rinse solution must remain in contact with surface for a minimum of two (2) minutes. Do not rinse with water after treatment with this product. Do not soak overnight.

NOTE: This product degrades with age and exposure to heat and light. Use a chlorine test kit and increase dosage as needed to obtain the required p.p.m.

STORAGE AND DISPOSAL: Store in a cool dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage or cleaning of equipment.

NET CONTENTS: 1 GALLON

