



**KARACIDE**  
ALGAECIDE

ACCEPTED  
NOV 19 1980  
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended for the pesticide registered under Reg. No.

KARACIDE is an algaecide, microbicide and fungicide, with demulsifying properties, for usage in the Petroleum Industry. The product is completely soluble in water and slightly soluble in oil. The chemicals are non-corrosive to metal, and compatible to all hydrocarbons.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The normal injection of KARACIDE is 10 parts per million of the total fluid capacity of the system, (Example: For 100,000 gal. contaminated container use 1 gal. KARACIDE). In the event the system is drastically contaminated, with a seasonal infection of algae, bacteria, or fungus, the primary injection should be 30 parts per million. In the event there is not a definite reaction, after 72 hours repeat the 30 parts per million injection.

Basic treatment of 10 parts per million should be injected every 12 weeks to maintain this desirable condition.

KARACIDE should be sprayed on the surface of the container fluid. In the event this cannot be performed, inject during a filling process so it is uniformly mixed with the fluid of the system.

**STORAGE AND DISPOSAL**

Federal Law prohibits the re-use of this container. Do not rinse container. Destroy entire container when empty.

**ACTIVE INGREDIENTS**

n - Alkyl [ 50% C14, 40% C12, 10% C16 ] dimethyl benzyl ammonium chloride..... 2%

**INERT INGREDIENTS** ..... 98%

EPA Registration No. 41399-1  
EPA Establishment No. 41399-NY-01

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination with food. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

**NOTE TO PHYSICIAN:**

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

See side panel for Additional Precautionary Statements.

**NET CONTENTS**  
1 U.S. Gal.

**WEIGHT AND VOLUME**  
440 LBS. NET - 55 U.S. GAL.  
MANUFACTURED BY PARGIL INC.  
HUNTINGTON, N.Y.

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER:  
KEEP OUT OF REACH OF CHILDREN**

Do not get in eyes, on skin or on clothing. Causes severe skin irritation, especially to broken skin. Causes eye damage. Harmful if swallowed. Wear goggles or faceshield and rubber gloves when handling this product. Remove and wash contaminated clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of wastes.



**DISTRIBUTED BY**  
**PARGIL, INC.**  
2 Elm Street  
Huntington, NY 11743