

ACCEPTED
 30 III 1979
 41580-1
 UNITED STATES DEPARTMENT OF AGRICULTURE
 DIVISION OF PESTICIDES
 WASHINGTON, D.C. 20250

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by
B & R Products, Inc.
 P.O. Box 970671
 Miami, FL 33197

EPA REG. NO. 41580-1 EPA EST. NO.
 NET CONTENTS

**SODIUM
 HYPOCHLORITE
 SOLUTION**

**"FOR SWIMMING POOL CHLORINATION
 AND SANITIZING."**

ACTIVE INGREDIENT
 SODIUM HYPOCHLORITE 9.2%
 INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR USE
 GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
 IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For new pools, for spring start-up, superchlorinate with one (1) pint (16 fl. ozs.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

For Maintenance:
 A. Test pool water pH to 7.6 - 7.8 range and maintain.
 B. Maintain pool water by a feeder device this sodium hypochlorite solution at a rate to maintain available chlorine residual of 0.6 to 1.0 ppm. One-half (1/2) fl. ozs. of this sodium hypochlorite solution for each 5000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers.
 C. Test water pH and chlorine residual at the proper range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
 FOR HOME WELL WATER SYSTEMS**

Disinfect home well water by adding one (1) part sodium hypochlorite solution to 100 parts water. Mix a sodium hypochlorite solution and water thoroughly in the feeding of solution with a hypochlorinator (metering pump). Maintain a residual chlorine residual of at least 0.2 ppm and no more than 0.6 ppm. Test the residual chlorine system as determined by a DPD chlorine test kit. Bacteriological testing of the water should be done at a frequency less than that prescribed by the local health department. See Regulatory Check Water frequently.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Sanitize equipment in the normal manner just before using. Rinse all surfaces thoroughly with water. Apply sodium hypochlorite solution containing 200 ppm available chlorine. Maintain a residual chlorine residual of at least 200 ppm for two (2) minutes. Do not rinse with water. Rinse with water. Apply sodium hypochlorite solution. Do not soak overnight. Addition of 1/2 pint (8 fl. ozs.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to maintain the required residual chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by pouring into a restricted area for burning. Do not use for landfill. Product or residue that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not use for food or feed by storage, disposal or cleaning of equipment.