


ACCEPTED

AUG / 0 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 41715-13

DANGER-POISON-PRECAUTIONS



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

POISONOUS if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

MANUFACTURED BY

RIVERSIDE CHEMICAL CO.

A SUBSIDIARY OF COOK INDUSTRIES, INC., MEMPHIS, TN 38117

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP-READ LABEL BEFORE USING!

POISON

See Side Panels
for Antidote &
Precautions



DANGER

Keep Out of
Reach of
Children

**LITTLE JOHN
TOBACCO SPRAY**

Active Ingredients:

*Endosulfan (Hexachlorocycloheximethane - 2, 4, 3-benzodioxathiepin oxide)	12.66%
**Parathion	6.33%
Xylene base aromatic petroleum solvent	76.88%
Inert Ingredients	4.13%
Total	100.00%

*Thiodan, U. S. Patent No. 2,799,685
**O-Diethyl O-p-nitrophenyl thiophosphate

NOT FOR HOME USE

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING:**

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORKING RULES

Keep an unprotected person and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) clinic or hospital - immediately! Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before working, wash the face with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

RESTRICTED USE PESTICIDE
For sale to and use only by Certified Applicators or
under their direct supervision and only for those
uses authorized by the Certified Applicator's certification.

READ LABEL BEFORE USING

ON
panels
note &
ations



DANGER
Keep Out of
Reach of
Children

LITTLE JOHN TOBACCO SPRAY

Ingredients:

(Hexachlorocyclopentadiene - 2, 4, 3-benzodioxathiepin oxide)	12.66%
aromatic petroleum solvent	8.33%
is	76.88%
is	4.13%
Total	100.00%

S. Patent No. 2,799,665
O-p-nitrophenyl thiophosphate

NOT FOR HOME USE

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water-proof pants, coat, hat, rubber boots
or rubber overshoes. (2) Wear safety goggles. (3)
Wear mask or respirator approved by the U.S. Bureau
of Mines for parathion protection. (4) Wear heavy
duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from
treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick
in any way, STOP work and get help right away. Call
a doctor (physician), clinic or hospital—immediately.
Explain that the victim has been exposed to para-
thion and describe his condition. After first aid is
given (see First Aid Treatment Section) and if a doc-
tor cannot come, take victim to clinic or hospital.

IMPORTANT! Before wearing gloves, wash them
with soap and water. Always wash hands, face and
arms with soap and water before smoking, eating or
drinking.

AFTER WORK. Take off all work clothes and shoes.
Shower, using soap and water. Wear only clean
clothes when leaving job. Do not wear contaminated
clothing. Wash protective clothing and protective
equipment with soap and water after each use. Res-
pirator should be cleaned and filter replaced accord-
ing to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly en-
ters the body on contact with all skin surfaces and
eyes. Clothing wet with this material must be re-
moved immediately. Exposed persons must receive
prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are:
• Headache, nausea, vomiting, cramps, weakness,
• blurred vision, pinpoint pupils, tightness in chest,
• labored breathing, restlessness, sweating, watering
• of eyes, drooling or frothing of mouth and nose,
• muscle spasms and coma.

FIRST AID TREATMENT

• Call a doctor (physician), clinic or hospital immedi-
ately. Explain that the victim has been exposed to
parathion and describe his condition.

• If breathing has stopped, start artificial respiration
immediately and maintain until doctor sees victim.
• If swallowed and victim is awake (conscious) make
him vomit quickly (induce vomiting by striking finger
down throat or by giving soap or strong salty water
to drink. Repeat until vomit is clear. Never give any
thing by mouth to an unconscious person. Have victim
lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin
with plenty of water for at least 15 minutes while
removing contaminated clothing and shoes. See doc-
tor immediately.

NOTE TO PHYSICIAN

NOTE TO PHYSICIAN: Active ingredients
are parathion and endosulfan.

ENDOSULFAN is a central nervous system
stimulant. There is no specific antidote.
Barbituric acid derivatives may be used for
convulsions. Treat symptomatically.

PARATHION is a cholinesterase inhibitor.

Antidote: Administer atropine sulfate in large doses,

160 to 400 mg intravenously or intramuscularly as
soon as cyanosis is overcome. Repeat at 5 to 10 min-
ute intervals until signs of atropinization appear.

2 PAM chloride is also antidotal and may be admin-
istered in conjunction with atropine. DO NOT GIVE

MORPHINE OR TRANQUILIZERS. Parathion is a

strong cholinesterase inhibitor affecting the central

and peripheral nervous systems and producing car-

diac and respiratory depression. At first sign of

pulmonary edema, the patient should be given supple-

mental oxygen and treated symptomatically. Con-

tinued absorption of the poison may occur and fatal

relapses have been reported after initial improve-

ment. VERY CLOSE SUPERVISION OF THE PATIENT

IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or
Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE PRECAUTIONS

Use only according to attached label booklet in-
structions.