

PRECAUTIONARY STATEMENTS
STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED . . . drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water.
IF ON SKIN . . . immediately flush with plenty of water for at least 15 minutes. Remove and wash all contaminated clothing before reuse.
IF IN EYES . . . flush eyes with large amounts of water for at least 15 minutes. **CALL A PHYSICIAN.**
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL
STORAGE — Do not contaminate water, food or feed by storage or disposal.
 — Open dumping is prohibited.
 — Do not reuse empty container.
DISPOSAL — Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
CONTAINER DISPOSAL — Triple rinse and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.
GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

CHEMPRO VD

DETERGENT / DISINFECTANT
 Cleaner
 Detergent
 Deodorizer
 Sanitizer

ACTIVE INGREDIENTS:
 n Alky: (60% C₁₄, 30% C₁₅)
 ammonium chloride.....
 n Alkyl (68% C₁₂, 32% C₁₄)
INERT INGREDIENTS.....

KEEP OUT OF REACH OF CHILDREN
DANGER
 Corrosive to tissues, causes severe irritation of skin and eyes, and damage to clothing. Harmful if swallowed. Avoid contamination of surfaces when handling. Avoid contamination of food and feed.
SEE SIDE PANEL FOR ADDITIONAL INFORMATION

38
 Mfg. by CHEMICAL PROCESSING CORPORATION
 EPA REG. NO. 111-111-01
 NET CONTENTS 1.0 LITER (33.8 FL. OZ.)

CHEMPRO VDS

DETERGENT / DISINFECTANT

Cleaner	Disinfectant
Detergent	Fungicide (against pathogenic fungi)
Deodorizer	Virucide
Sanitizer	

ACTIVE INGREDIENTS:

n Alkyl (60% C₁₂, 30% C₁₀, 5% C₁₃, 5% C₁₄) dimethyl benzyl ammonium chloride..... 6.25%

n Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chloride.... 6.25%

INERT INGREDIENTS..... 80.00%

Total: 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive to tissues, causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Mfg. by CHEMICAL PRODUCTS MFG. CORP., St. Joseph, Mo. 64502

EPA REG. NO. 41824-3 • EPA EST. NO. 41824-MO-1

NET CONTENTS: ONE GALLON (3.8 liter)

ACCEPTED
FEB 05 1981
Under the Fungicide, Virucide, and Disinfectant Act as amended, for the pesticide registered under 4/834-3
EPA Reg. No.

DANGER — Hazardous to Humans and Domestic Animals

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION — It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CHEMPRO VDS has been designed specifically for animal hospital quarters and laboratories.

DISINFECTION: To disinfect hard inanimate surfaces such as floors, walls, and furniture, add 1/2 ounce CHEMPRO VDS per gallon of water. Apply solution with sponge, or mechanical sprayer, to wet surfaces thoroughly. Allow to remain wet for 10 minutes, then let air dry. To clean and disinfect surfaces difficult to clean or heavily soiled, a pre-cleaning step is required and recommended. Prepare a fresh solution after each use.

DISINFECTION OF EATING AND DRINKING UTENSILS FOR ANIMALS: Wash with soap and water, then immerse in CHEMPRO VDS solution (1/2 ounce per gallon) for at least 10 minutes. Rinse with clean water.

AS FOOD SOURCES FOR HUMAN CONSUMPTION: Scrape and prewash with soap and water, then immerse in CHEMPRO VDS solution (1/2 ounce per gallon) for at least 10 minutes. Rinse with clean water.

DO NOT MIX WITH SOAP OR ANIONIC DETERGENTS

DISINFECTION: At 1/2 ounce per gallon, CHEMPRO VDS exhibits potent activity, in presence of organic soil (5% blood serum) against

Escherichia coli	Brevibacterium ammoniovolcanicum
Klebsiella pneumoniae	Streptococcus faecalis
Salmonella schuttmuelleri	Shigella dysenteriae
Salmonella choleraesuis	Staphylococcus aureus
Streptococcus salivarius	Enterobacter aerogenes

At this level the product is also fungicidal against the pathogenic filamentous fungi.

VIRUCIDAL ACTIVITY: At use dilutions of 1/2 ounce per gallon, CHEMPRO VDS exhibits activity against environmental inanimate hard surfaces, CHEMPRO VDS exhibits activity against — Canine Distemper virus, Canine herpes virus, virus influenza A₂ asian, Herpes simplex, Adeno virus Type 5, and others.

Disinfectant
Fungicide (against pathogenic fungi)
Bactericide

5% C₁₂ dimethyl benzyl
..... 6.25%
diethylbenzyl ammonium chloride... 6.25%
..... 80.00%
Total: 100.00%

Prevents skin damage. Do not get in eyes, on skin.
Use goggles or face shield and rubber gloves.
3. Remove and wash contaminated clothing.
PRECAUTIONARY STATEMENTS.

MANUFACTURER: MFG. CORP., St. Joseph, Mo. 64502
EPA EST. NO. 41824-MC-1
ONE GALLON (3.8 liter)

ACCEPTED
FEB 05 1981
Under the FIFED Act,
Fungicide Act,
this product is the pesticide
registered under 285-34-3
EPA Reg. No.

DANGER — Hazardous to Humans and Domestic Animals

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION — It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CHEMPRO VDS has been designed specifically for animal hospitals, kennels, animal quarters and laboratories.

DISINFECTION: To disinfect hard inanimate surfaces such as floors, walls, operating tables, cages and furniture, add 1/2 ounce CHEMPRO VDS per gallon of water. Apply solution with mop, cloth, sponge, or mechanical sprayer, to wet surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. To clean and disinfect surfaces difficult to clean or heavily contaminated areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

DISINFECTION OF EATING AND DRINKING UTENSILS FOR ANIMALS NOT CONSIDERED AS FOOD SOURCES FOR HUMAN CONSUMPTION: Scrape and prewash with warm water, soak in CHEMPRO VDS solution (1/2 ounce per gallon) for at least 10 minutes. Rinse with potable water.

DO NOT MIX WITH SOAP OR ANIONIC DETERGENTS

DISINFECTION: At 1/2 ounce per gallon, CHEMPRO VDS exhibits effective disinfectant activity, in presence of organic soil (5% blood serum) against:

- | | |
|---------------------------|-----------------------------|
| Escherichia coli | Brevibacterium ammoniagenae |
| Klebsiella pneumoniae | Streptococcus faecalis |
| Salmonella schuttmuelleri | Shigella dysenteriae |
| Salmonella choleraesuis | Staphylococcus aureus |
| Streptococcus salivarius | Enterobacter aerogenes |

At this level the product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

VIRUCIDAL ACTIVITY: At use dilutions of 1/2 ounce per gallon, when used on environmental inanimate hard surfaces, CHEMPRO VDS exhibits effective virucidal activity against — Canine Distemper virus, Canine herpes virus, and pseudorabies virus. Influenza A, Asian, Herpes simplex, Adeno virus Type 5, and Vaccinia Virus.