

# **DuraKyl** PET DIP

TO KILL FLEAS, TICKS AND LICE  
ON DOGS AND CATS

#### ACTIVE INGREDIENTS:

Permethrin	1.1%
Oil of Clove Extractives	2.2%
Pyrethrin	9.8%
Piperazine Oximate	3.2%
Aromatic Petroleum Solvent	84.7%
<b>INERT INGREDIENTS</b>	<b>6.6%</b>

**PRECAUTIONAL ADVICE:** If used on toy breeds, use extra products from one to six weeks to help side effects subside.  
**PRECAUTIONS:** To the user, if you cannot read English, do not use this product until the label has been fully explained to you.

Keep Out of Reach of Children

### WARNING

See back panel for additional precautionary statements and statement of practical treatment.

Net Contents: 4 FL. Oz. (8 Fl. Oz.)



DERMATOLOGICS FOR  
VETERINARY MEDICINE, INC. (D.V.M.)  
Miami, Florida 33172

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**WARNING:** Hazard if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

##### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or poison control center. Do not induce vomiting. This product contains aromatic petroleum solvent. Absorption may be a hazard. If in eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.

##### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

##### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Flash point minimum 120°F.

##### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Keep diluted spray away from light.

Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not stress. Avoid contact with eyes, nose or mouth of animal. **ON DOGS: DO NOT USE MORE THAN 1 OUNCE PER GALLON ON PUPPIES. ON PLEAS AND LICE, dilute DuraKyl Pet Dip at the rate of 1 oz. (2 Fl. Oz.) per 1 gallon of water for young animals, use 1/2 ounce per gallon of water. FOR TICKS, dilute DuraKyl Pet Dip at the rate of 2 ounces (4 Fl. Oz.) per 1 gallon of water for young animals use 1 ounce per 1 gallon of water.**

**ON CATS: DO NOT USE ON YOUNG KITTENS. ON ADULT ANIMALS, DO NOT USE MORE THAN 1/2 OUNCE PER GALLON. FOR FLEAS, TICKS AND LICE, dilute DuraKyl Pet Dip at the rate of 1/2 ounce (1 Fl. Oz.) per 1 gallon of water. **SYNTHETIC:** Store in a cool, dry place (preferably locked) inaccessible to children and pets and away from heat or open flame. **IMPORTANT:** Do not reuse empty container. Wrap container and put in trash.**

EPA Reg. No. 41205-G  
EPA Est. No. 62475-PL-01

Product No. 6-999  
REV 6/88

LABEL NOTICE 66-6  
DATE MAY 15 1989

PL 171 41205-G  
Pg 1 of 1