

**ACTIVE INGREDIENTS:**

\*Permethrin 0.10%  
Pyrethrins 0.05%  
N-Octyl bicycloheptene  
dicarboximide 0.50%

**INERT INGREDIENTS:** 99.35%  
Total 100.00%

\*(3-Phenoxyphenyl)methyl (+)cis,trans-  
2,2-dichloroethenyl)-2,2-dimethylcyclo-  
propanecarboxylate

cis/trans ratio: Max. 35% (+) cis  
Min. 65% (+) trans.

USE ONLY AS DIRECTED

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans  
& Domestic Animals**

**DANGER:** Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear safety glasses during use. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful if absorbed through skin. Avoid contact with skin. Do not spray on humans. Do not spray where food or drink is exposed.

**Statement of Practical Treatment**

If in eyes, flush with plenty of water. Call a physician. If on skin, wash with soap and water. If irritation develops, get medical attention. If swallowed, call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Rev. 0192

Product No. 9-501

**DuraKyl  
II**

**Flea & Tick Control**

**Pet Shampoo**

**To Kill Fleas and Ticks  
on Dogs and Cats**

**Keep Out of Reach of Children**

**DANGER**

See side panel for additional  
precautionary statements.

**NET CONTENTS: \_\_\_\_ Fl. Oz.**

EPA Reg. No. 41835-9

EPA Est. \_\_\_\_\_

**ACCEPTED**

APR 15

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 41835-9

**FOR USE ON DOGS AND  
TO KILL FLEAS AND TICKS**

**DIRECTIONS FOR USE**

It is a violation of Federal law  
to use this product in a manner inconsistent  
with the labeling.

1. Wet coat thoroughly with water.
2. Apply DuraKyl Shampoo to wet  
area at a time, using 2-3 cc (1/2  
oz) per area and lather well. This amount is  
sufficient to develop a rich lather.  
**SPECIAL ATTENTION SHOULD BE GIVEN TO  
APPLICATION AROUND TAIL / ANUS, PAWS  
(BETWEEN TOES), EARS, AND OTHER  
BODY SURFACES.**

Keep away from pet's eyes.

3. Allow to stand for approximately 5-10  
minutes.

4. Rinse thoroughly with water.

**Note:** Do not use on nursing puppies  
less than 3 months of age. For best results,  
shampoo animal as often as necessary. Do not  
spray animal's bedding and kennel. Do not use  
DuraKyl Spray or DuraKyl Pet Dip, or DuraKyl II  
Total Release Room Fogger. For more information,  
see application of DuraKyl II Shampoo.

**Storage:** Store at temperatures between 40°F  
and 90°F in a place inaccessible to children.

**Disposal:** Do not reuse empty container.  
Wrap container and put in trash can.

**DVM PHARMACEUTICALS**

8785 NW 13th Terrace  
Miami, FL 33172