

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**COLONY POOL SERVICE, INC.**  
3520 PHILADELPHIA PIKE  
CLAYMONT, DE. 19703

EPA REG. NO. 41346-1

EPA EST. NO. 41849-DE-01

NET CONTENTS 5 GALLONS

Not To Be Sold Or Used After

**COL-CHLOR**  
(Sodium Hypochlorite)

"FOR SWIMMING POOL CHLORINATION  
AND SANITIZING."

ACTIVE INGREDIENT  
SODIUM HYPOCHLORITE ..... 12.5%  
INERT INGREDIENTS ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

**ACCEPTED**

FEB 9 1981

54

IT IS A  
For above pool  
hypochlorite solu  
available chlorine  
For Pool Mainte  
A. Adjust pool  
B. Add ma  
ments of  
ozs of  
vide 1 lb.  
to 10 gal  
meas. U  
range

Dilute this sol  
to 11 parts  
feeding of sol  
residual of sol  
determined by  
purity or less  
"ons". Check w  
"Cont. 1 gal to

**DIRECTION:**  
Clean equipment  
this sodium hyp  
with disinfect  
sodium hypoch  
the sodium hyp  
as a disinfect

**NOTE:** This  
residual of sol

**STORAGE:**  
from direct sun  
containers thro  
trash collection  
should be date  
fec. by storage

**CAUTIONARY STATEMENTS  
TO HUMANS & DOMESTIC ANIMALS**

...ve, may cause severe skin irritation or chem-  
...n skin. Causes eye damage. Do not get in eyes.  
...ring. Wear goggles or face shield and rubber  
...ding this product. Wash after handling. Avoid  
...vacate poorly ventilated areas as soon as pos-  
...n until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish,  
streams or ponds. Treated effluent may not be  
...es, streams, ponds or public waters without a  
...mit. For guidance, contact the regional office  
...ntal Protection Agency.

**CHEMICAL HAZARDS: STRONG OXIDIZING**  
...with water according to label directions. Mix-  
...with gross filth such as feces, urine, etc., or with  
...tergents or other chemicals may release haz-  
...ing to eyes, lungs and mucous membranes.

manufactured by

**ANY POOL SERVICE, INC.**  
5520 PHILADELPHIA PIKE  
CLAYMONT, DE. 19703

EPA EST. NO. 41846-DE-01

1 GALLONS

Not To Be Sold Or Used After

**COL-CHLOR**  
(Sodium Hypochlorite)

"FOR SWIMMING POOL CHLORINATION  
AND SANITIZING."

ACTIVE INGREDIENT  
SODIUM HYPOCHLORITE ..... 12.5%  
INERT INGREDIENTS ..... 87.5%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes,  
flush with water for at least 15 minutes. Get medical attention. If  
swallowed, drink large quantities of milk or gelatin solution or, if these  
are not available, drink large quantities of water. Do NOT give vinegar  
or other acids. Do NOT induce vomiting. Get prompt medical atten-  
tion.

**ACCEPTED**  
See additional precautions on side panel

FEB 10 1991

54

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION  
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT  
IN A MANNER INCONSISTENT WITH ITS LABELING**

**DIRECTIONS FOR SWIMMING POOL CHLORINATION**

For a new pool, for spring start up superchlorinate with one (1) pint (16 fl. ozs) of sodium  
hypochlorite solution for each 3000 gallons of water. This dosage is equivalent to 5 ppm  
of available chlorine.

A. Adjust pool water pH to 7.6-7.7 range and maintain.  
B. Add chlorine to pool via a feeder device this sodium hypochlorite solution at a rate to  
maintain a residual chlorine residual of 0.6 to 1.0 ppm. One fourth pint (4 fl. ozs.)  
of this sodium hypochlorite solution for each 4000 gallons of water will pro-  
vide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6  
to 1.0 ppm available chlorine will depend on temperature and number of swim-  
mers. The following table will give the amount of chlorine to be added in the proper  
range.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER  
FOR HOME WELL WATER SYSTEMS**

1. Add the sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution  
to 10 parts of water. Mix sodium hypochlorite solution and water thoroughly and begin  
the flow of water through the system (metering pump). Maintain a free available chlorine  
residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as  
checked with a DPD chlorine test kit. Bacteriological sampling must be conducted at a fre-  
quency of 1 per 1000 gallons of water. The National Interim Primary Drinking Water Regula-  
tions require a minimum of 0.2 ppm available chlorine residual.  
2. For a well with a flow rate of 1000 gallons per minute, the following table will give the amount of chlorine to be added in the proper  
range.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT**  
Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with  
this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact  
with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with  
this sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 lbs) of  
this sodium hypochlorite solution to 1000 gallons of water will give approximately 200 ppm  
of available chlorine.

**NOTE:** This sodium hypochlorite solution is not intended for use as a disinfectant for swimming pools.

**STORAGE AND DISPOSAL:** Store in a cool dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse emul-  
sion containers thoroughly with water and either return to manufacturer or dispose of in a  
trash container or burning in an approved landfill. Product or residue that is not to be used  
should be washed with water and disposed of in a sanitary sewer. Do not use for disposal of  
this product in a public water supply system.

54-A