

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Ventilate poorly ventilated areas as soon as possible. Do not get on clothes. Avoid contact with skin.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, or ponds. Treated effluent may not be discharged into lakes, streams, ponds, or public waters without a valid discharge permit. For information, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: May react with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with other chemicals, detergents, or other chemicals may release hazardous gases relating to eyes, lungs and mucous membranes.

Manufactured by:

A-1 POOL SERVICE CO
34 Madrid Lane
Davie, FL 33314

EPA REG. NO. 11958-1 EPA EST. NO.
NET CONTENTS

TRUE BLUE

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

Available in 50 lb. bags or 42%
90.8%
Net Weight 42.0 lbs.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: In case of contact, wash with plenty of soap and water. In case of eyes, flush with water for at least 15 minutes, and get medical attention. If swallowed, drink large quantities of water. If on skin, wash with plenty of water. If these are inhaled, get fresh air and rest. If water is inhaled, get fresh air and rest. If necessary, get medical attention.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

1. Test the water for pH. Adjust the pH to between 7.4 and 7.6. If the pH is above 7.6, add 1/2 lb. of available chlorine per 10,000 gallons of water. If the pH is below 7.4, add 1/4 lb. of muriatic acid per 10,000 gallons of water. 2. Add the available chlorine to the pool. If the pool is 10,000 gallons, add 1/2 lb. of available chlorine. If the pool is 20,000 gallons, add 1 lb. of available chlorine. If the pool is 30,000 gallons, add 1 1/2 lbs. of available chlorine. If the pool is 40,000 gallons, add 2 lbs. of available chlorine. If the pool is 50,000 gallons, add 2 1/2 lbs. of available chlorine. If the pool is 60,000 gallons, add 3 lbs. of available chlorine. If the pool is 70,000 gallons, add 3 1/2 lbs. of available chlorine. If the pool is 80,000 gallons, add 4 lbs. of available chlorine. If the pool is 90,000 gallons, add 4 1/2 lbs. of available chlorine. If the pool is 100,000 gallons, add 5 lbs. of available chlorine. 3. Wait 30 minutes for the chlorine to mix. 4. Test the water for free chlorine. The free chlorine should be between 1.0 and 1.2 ppm. If it is below 1.0 ppm, add more chlorine. If it is above 1.2 ppm, add more water. 5. Repeat the test every 24 hours until the free chlorine is between 1.0 and 1.2 ppm.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

1. Add 1/2 gallon of hypochlorite solution (one part solution hypochlorite solution to 9 parts softened water) to 100 gallons of water. Mix with hypochlorite solution and water thoroughly. 2. Add 1/2 gallon of hypochlorite solution to 100 gallons of water. Mix with hypochlorite solution and water thoroughly. 3. Let the water stand for 30 minutes. 4. Test the water for free chlorine. The free chlorine should be between 0.2 and 0.4 ppm. If it is below 0.2 ppm, add more chlorine. If it is above 0.4 ppm, add more water. 5. Repeat the test every 24 hours until the free chlorine is between 0.2 and 0.4 ppm.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

1. Wash the equipment thoroughly with soap and water. 2. Rinse the equipment with clean water. 3. Add 1/2 gallon of hypochlorite solution to 100 gallons of water. Mix with hypochlorite solution and water thoroughly. 4. Let the water stand for 30 minutes. 5. Test the water for free chlorine. The free chlorine should be between 0.2 and 0.4 ppm. If it is below 0.2 ppm, add more chlorine. If it is above 0.4 ppm, add more water. 6. Repeat the test every 24 hours until the free chlorine is between 0.2 and 0.4 ppm.

NOTE: This product is not intended for use in swimming pools.

STORAGE AND DISPOSAL:

1. Store in a cool, dry area away from children and pets. 2. Do not store near food, feed, or fertilizer. 3. Do not store near acids, alkalis, or other chemicals. 4. Do not store near heat or fire. 5. Do not store near water. 6. Do not store near electrical equipment. 7. Do not store near machinery. 8. Do not store near vehicles. 9. Do not store near buildings. 10. Do not store near roads. 11. Do not store near highways. 12. Do not store near airports. 13. Do not store near harbors. 14. Do not store near rivers. 15. Do not store near lakes. 16. Do not store near streams. 17. Do not store near ponds. 18. Do not store near wetlands. 19. Do not store near wetlands. 20. Do not store near wetlands.