

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate any ventilated areas as soon as possible. Do not return until vapors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: May react with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

SINGER ISLAND HARDWARE & GIFTS
1217 East Blue Heron Blvd.
Singer Island, FL 33404
EPA REG. NO. 41974-1 EPA EST. NO.
NET CONTENTS

24 AUG 1972

**SINGER ISLAND
HARDWARE & GIFTS**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If inhaled, wash with plenty of water. If on skin, wash with water. If in eyes, flush with water for 15 minutes. If swallowed, drink water. Do not induce vomiting. If symptoms persist, call a physician.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

**IN ACCORDANCE WITH FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER CONSISTENT WITH ITS LABELING**

DIRECTIONS FOR SWIMMING POOL CHLORINATION

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER
FOR HOME WELL WATER SYSTEMS**

DIRECTIONS FOR SANITIZING OR DAIRY EQUIPMENT

NOTE
STORAGE AND DISPOSAL:

BEST DATE

2

ACCEPTED
24 AUG 1978
41974-1
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. ... SUBJECT
TO ATTACHED COMMENTS.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER:

ENVIRONMENTAL HAZARDS:

**PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT**

SINGER ISLAND HARDWARE & GIFTS
217 Eas. Blue Heron Blvd
Singer Island, FL 33404
EPA REG. NO. 11173 EPA EST. NO.
NET CONTENTS

**SINGER ISLAND
HARDWARE & GIFTS**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution if these are not available, drink large quantities of water. **DO NOT** give vinegar or other acids. **DO NOT** induce vomiting. Get prompt medical attention.

See additional precautions on side panel

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
IN A MANNER INCONSISTENT WITH ITS LABEL

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up, superchlorinate with one part of this sodium hypochlorite solution for each 2500 gallons of water available to 5 ppm available chlorine by weight.

For Pool Maintenance:
A) Adjust pool water pH to 7.6 - 7.8 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution to maintain an available chlorine residual of 0.6 to 1.0 ppm. One part of this sodium hypochlorite solution for each 6000 gallons of water provides 1.0 ppm available chlorine by weight. Frequency of additions to maintain 1.0 ppm available chlorine will depend upon temperature and bather load. Use test kit to make certain the pH and chlorine residual are maintained.

**DIRECTIONS FOR DISINFECTION OF POTABLE
FOR HOME WELL WATER SYSTEMS**

Dilute this sodium hypochlorite solution in the ratio of one part solution to 9 parts softened water. Mix sodium hypochlorite solution thoroughly and begin feeding of solution with a hypochlorinator. Maintain a free available chlorine residual of at least 0.2 ppm and throughout the distribution system, as determined by a DPD colorimetric method. Biological sampling must be conducted at a frequent interval by the National Sanitation Primary Drinking Water Regulations. Use with a DPD colorimetric test kit.
*Contact your local Health Department for further details.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DISINFECTING EQUIPMENT

Clean equipment in the normal manner. Just before use, immerse in this sodium hypochlorite solution containing 200 ppm available chlorine for a minimum of two minutes. Do not soak. After treatment with sodium hypochlorite solution, do not soak in one fluid oz. (2 tbsp.) of this sodium hypochlorite solution per provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in original container, away from direct sunlight. In case of spill, flood area with large quantities of water and either return to manufacturer or place in a suitable container for disposal by placing in trash collection or burying in an approved landfill. This product cannot be used, should be diluted with water and disposed of. Do not contaminate food or feed by storage, disposal or cleaning.

BEST COPY AVAILABLE

BEST COPY AVAILABLE

31

ACCEPTED

24 AUG 1978
41974-1
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. ... SUBJECT
TO ATTACHED COMMENTS.

SINGER ISLAND HARDWARE & GIFTS

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with messes such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

SINGER ISLAND HARDWARE & GIFTS
1217 East Blue Heron Blvd.
Singer Island, FL 33404
EPA REG. NO. 41974-1 EPA EST. NO.
NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up, superchlorinate with one (1) pint (16 fl. ozs.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.
For Pool Maintenance:
A) Adjust pool water pH to 7.6 - 7.2 range and maintain.
B) Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 fl. ozs.) of this sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS
Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Test water frequently with a DPD chlorine test kit.
*Contact your local Health Department for further info.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT
Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (29.5735 ml) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.
STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinseate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

BEST DOCUMENT AVAILABLE

BEST COPY AVAILABLE