

41995-20001

05/19/2010

115

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



Office of Pesticide Programs

MAY 19 2010

David Jaffe  
C.E.O.  
Cinderella Inc.  
1215 South Jefferson Avenue  
Saginaw, MI 48601

**FILE COPY**

Subject: Funshine Sanitizer 12  
EPA Reg. No. 41995-20001  
Application Dated: April 15, 2010  
Receipt Date: April 19, 2010

Dear Mr. Jaffe:

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 is acceptable.

**Proposed Notification:**

- Update Storage and Disposal per PR Notice 2007-4

**Comments:**

Based on a review of the material submitted the following comments apply:

This application for notification to revise the storage and disposal section, as referenced above, is acceptable. A copy has been placed in our records for future reference.

Should you have any questions concerning this letter, please contact me at [Henson.Wanda@epa.gov](mailto:Henson.Wanda@epa.gov) or call (703) 308-6345.

Sincerely,

Wanda Henson  
Acting Product Manager (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510P)





## DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Note: This product degrades with age, use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

### SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.5 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Re-entry into treated pools is prohibited above levels of 4 ppm chlorine due to risk of bodily injury.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**WINTERIZING POOLS**-While water is still clear and clean, apply 3 oz. of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.

### SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

**RINSE METHOD**-A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of the product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

### SEWAGE AND WASTEWATER TREATMENT

**EFFLUENT SLIME CONTROL**-Apply a 100 to 1000 ppm available chlorine solution at a location which will allow complete mixing. Prepare this solution by mixing 10 to 100 oz. of the product with 100 gallons of water. Once control is evident, apply a 15 ppm available chlorine solution. Prepare this solution by mixing 1.5 oz. of this product with 100 gallons of water.

**FILTER BEDS - SLIME CONTROL**-Remove filter from service, drain to a depth of 1 ft. above filter sand, and add 80 oz. of product per 20 sq/ft evenly over the surface. Wait 30 minutes before draining water to a level that is even with the top of the filter. Wait for 4 to 6 hours before completely draining and backwashing filter.

\*\*\*DEPOSIT\*\*\*

# Funshin Sanitizer

FOR SWIMMING POOL CHLORINATION

KEEP OUT OF REACH OF CHILDREN  
**DANGER**

**FIRST AID:** IF ON SKIN OR CLOTHING: take off contaminated clothing; rinse call poison control center or doctor for treatment advice. IF IN EYES: hold eye 20 minutes; remove contact lenses, if present, after the first 5 minutes, then doctor for treatment advice. IF SWALLOWED: call poison control center or sip a glass of water if able to swallow; do not induce vomiting unless told to give anything by mouth to an unconscious person. IF INHALED: move person ambulance, then give artificial respiration. Preferable by mouth-to-mouth, if possible treatment advice. Have the product container or label with you when calling a

**NOTE TO PHYSICIAN:** Probable mucosal damage may occur.

(See additional precautions on side panel)

EPA Registration Number: 41995-20001  
EPA Establishment Number: 41995-MI-1

**NOTIFICATION**  
Date Reviewed: 5/19/10  
Reviewed By: [Signature]

4/5

## DIRECTIONS FOR USE

DO NOT USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

For accurate dosage, use a chlorine test kit and increase dosage, if necessary, to the required level of available chlorine.

### SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

2. **RINSE METHOD** - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of the product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine weight.

3. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

### SEWAGE AND WASTE WATER TREATMENT

**EFFLUENT SLIME CONTROL** - Apply a 100 to 1000 ppm available chlorine solution at a location which will allow complete mixing. Prepare this solution by mixing 10 to 100 oz. of the product with 100 gallons of water. Once control is evident, apply a 15 ppm available chlorine solution. Prepare this solution by mixing 1.5 oz. of this product with 100 gallons of water.

**FILTER BEDS - SLIME CONTROL** - Remove filter from service, drain to a depth of 1 ft. above filter sand, and add 30 oz. of product per 20 sq ft evenly over the surface. Wait 30 minutes before draining water to a level that is even with the top of the filter. Wait for 4 to 6 hours before completely draining and backwashing filter.

\*\*\*DEPOSIT\*\*\*

# Funshine Sanitizer 12

FOR SWIMMING POOL CHLORINATION

KEEP OUT OF REACH OF CHILDREN

**DANGER**

**FIRST AID:** IF ON SKIN OR CLOTHING: take off contaminated clothing; rinse skin immediately with plenty of water for 15-20 minutes; call poison control center or doctor for treatment advice. IF IN EYES: hold eye open and rinse slowly and gently with water for 15-20 minutes; remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye; call a poison control center or doctor for treatment advice. IF SWALLOWED: call poison control center or doctor immediately for treatment advice; have person sip a glass of water if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor, do not give anything by mouth to an unconscious person. IF INHALED: move person to fresh air; if person is not breathing, call 911 or an ambulance, then give artificial respiration. Preferable by mouth-to-mouth, if possible; call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

(See additional precautions on side panel)

EPA Registration Number: 41995-20001  
EPA Establishment Number: 41995-MI-1

NET CONTENTS:  
1 GALLON (3.785L)

## NOTE

SHIP AND STORE THIS CONTAINER IN AN UPRIGHT POSITION AT ALL TIMES.



DANG

**HAZARDS TO ANIMALS:**  
Severe skin irritant. Causes eye damage. Wear protective clothing when handling breathing vapors as possible.

**ENVIRONMENTAL:**  
Toxic to fish and aquatic life. Effluent control ponds, estuaries, and the periphyton. This product is a pollutant and the periphyton. This product is a pollutant and the periphyton. This product is a pollutant and the periphyton.

**PHYSICAL/ CHEMICAL:**  
Strongly acidic. According to EPA, this product is a detergent gas irritant.

\*\*\*DEPOSIT\*\*\*

# unshine Sanitizer 12

### NOTE

SHIP AND STORE THIS CONTAINER IN AN UPRIGHT POSITION AT ALL TIMES.



SWIMMING POOL CHLORINATION

KEEP OUT OF REACH OF CHILDREN

### DANGER

ON SKIN OR CLOTHING: take off contaminated clothing; rinse skin immediately with plenty of water for 15-20 minutes; call center or doctor for treatment advice. IF IN EYES: hold eye open and rinse slowly and gently with water for 15-20 minutes; remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye; call a poison control center or doctor for treatment advice. IF SWALLOWED: call poison control center or doctor immediately for treatment advice; have person eat if able to swallow; do not induce vomiting unless told to do so by the poison control center or doctor; do not give mouth to an unconscious person. IF INHALED: move person to fresh air; if person is not breathing, call 911 or an ambulance; provide artificial respiration. Preferable by mouth-to-mouth, if possible; call a poison control center or doctor for further advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

(Additional precautions on side panel)

Phone Number: 41995-20601  
Fax Number: 41995-M1-7

Active Ingredient	
Sodium Hypochlorite.....	12.50%
Inert Ingredients.....	87.50%
TOTAL.....	100.00%
Available Chlorine.....	11.9%

NET CONTENTS:  
1 GALLON (3.785L)

**DANGER: SHIP AND STORE THIS CONTAINER IN AN UPRIGHT POSITION AT ALL TIMES. VENTED CAP MAY LEAK, CAUSING BLEACHING AND DAMAGE.**

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER:** Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

~~**STORAGE AND DISPOSAL:** Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or residues that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.~~

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or regional office of the EPA.

**PHYSICAL AND CHEMICAL HAZARDS:**  
**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents, or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Packaged &  
Distributed by:  
**Cinderella Inc.**  
Saginaw, MI 48601

*Vented cap  
may leak,  
causing  
bleaching  
and damage.*

*Insert amended  
Storage and Disposal  
section - see attached  
sheet.*