



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 03, 2025

SENT BY EMAIL

Georgia Anastasiou
georgia@lewisharrison.com
CELESTE INDUSTRIES CORP

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Adding Optional Marketing Language
Product Name: Sani-Cide EX3 (10X) RTU
Admin Number: 42048-4
EPA Receipt Date: 08/10/2025
Action Case Number: 00666078

Dear Georgia Anastasiou:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Terria Northern via email at northern.terria@epa.gov.

Sincerely,

Terria Northern, RM Team 34
RMB2, AD
Office of Pesticide Programs

SANI-CIDE EX3 (10X) RTU

{Alternate Brand Names: Sani-Cide EX3,

Spray Nine (optional additional Brand names - Disinfecting Automotive Cleaner, Disinfecting Multi-Purpose Cleaner, Multi-Purpose Disinfecting Cleaner, Multi-Purpose Disinfectant, Multi-Surface Cleaner, Automotive Cleaner & Disinfectant, Automotive Disinfecting Cleaner, Automotive Disinfectant & Cleaner, Automotive Cleaner & Disinfectant, Automotive Disinfecting Cleaner)

Ready-to-Use Broad Spectrum Disinfectant and Cleaner

Ready-to-Use Broad Spectrum Disinfectant and Cleaner

For Use on Airplane Hard, Non-Porous Surfaces

For Use on Rail Car Hard, Non-Porous Surfaces

For Use on Hard, Non-Porous Surfaces in Manufacturing, Warehousing and Maintenance Facilities

For Use on Hard, Non-Porous Surfaces in Hospitals And Emergency Vehicles

For Use on Nonfood Contact, Hard, Non-Porous Surfaces in Agricultural Premises and Equipment

For Use on Nonfood Contact, Hard, Non-Porous Surfaces in Food Handling/Storage

Establishments, Premises and Equipment

For Use on Hard, Non-Porous Surfaces in Commercial, Institutional and Industrial Premises and Equipment

For Use on Nonfood Contact, Hard, Non-Porous Surfaces in Residential and Public Access Premises

For Use on Hard, Non-Porous Surfaces in Medical Premises and Equipment

For Use on Hard, Non-Porous Surfaces in Education Buildings, Schools, Universities and Vocational Schools

{Note to Reviewer: this fragrance descriptor may be used for product formulated without fragrances:}
FRAGRANCE FREE

Active Ingredient

L-Lactic Acid 0.40%

Inert Ingredients 99.60%

Total 100.00%

NOTIFICATION

42048-4

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

11/03/2025

KEEP OUT OF REACH OF CHILDREN

CAUTION

[(See) (inside) (back) (side) (panel)(peel away) for Additional Precautionary Statements (and First Aid)]

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Hot Line Number

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

EPA Reg. No. 42048-4

EPA Est. No. 42048-MD-001

Net Contents: _____ 6 fl oz [1 quart][1 gallon][55 gallon]

Master label 10/30/2025

Bracketed Language (“[]”) denotes optional text

{Note to Reviewer: The batch code number may appear on the label or on the individual container}

Batch Code:

Manufactured by: Celeste Industries Corp., [+1.410.822.5775.] 8007 Industrial Park Rd Easton, MD 21601

Precautionary Statements

Hazards to Humans and Domestic Animals

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

[If container size is 5 gallons or greater the following statement will be used:]

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Sani-Cide EX3 can be used to disinfect nonfood contact, hard non-porous surfaces in the home, schools, universities, vocational schools and education buildings as well as institutional, industrial, warehousing, medical and maintenance facilities, hospitals, emergency vehicles, doctors' offices, medical premises and agricultural premises and equipment. Sani-Cide EX3 may also be used to disinfect nonfood contact, hard non-porous surfaces in food handling or storage establishments, residential/public access areas, airplanes, rail cars, boats and other private or commercial transportation vehicles.

[To Refill: Remove trigger sprayer and pour in product from refill container. Replace trigger sprayer]

Sani-Cide EX3 (Alternate Brand Name) is proven effective against the following bacteria† and viruses*

Bacteria†	Contact Time	Pre-Cleaning required
<i>Staphylococcus aureus</i>	3 minutes	No
<i>Salmonella enterica</i>	3 minutes	No
<i>Pseudomonas aeruginosa</i>	3 minutes	No
Methicillin-Resistant <i>Staphylococcus aureus</i>	3 minutes	No
Viruses*		
Influenza A & B virus	3 minutes	No
Feline Calicivirus (surrogate for Norovirus)	3 minutes	No
Human Coronavirus	3 minutes	No
SARS-Related Coronavirus 2	3 minutes	No
SARS-Related Coronavirus 2	1 minute	Yes

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1-Step Cleaning and Disinfection Application Instructions for all listed organisms:

Preclean visibly dirty surfaces prior to disinfection.

To clean and disinfect, spray Sani-Cide EX3 (10X) RTU directly on the hard, non-porous surface. Spray 6-8 inches from surface. Allow surface to remain visibly wet for 3 minutes. After 3 minutes, wipe (dry if desired) with a cloth and let dry.

In the presence of a 5% organic soil load, Sani-Cide EX3 (10X) RTU is an effective disinfectant against †*Staphylococcus aureus* (ATCC 6538), *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), Methicillin Resistant *Staphylococcus aureus* (ATCC 33592), *Human Norovirus (Feline Calicivirus (ATCC VR-782, Strain F9, surrogate for human norovirus), Influenza A virus (ATCC VR-544, Strain A/Hong Kong/8/68), Influenza B virus (ATCC VR-823, Strain B/Hong Kong/5/72), Human Coronavirus (ATCC VR-740, Strain 229E) and SARS-Related Coronavirus 2 (BEI Resources NR-52281, Strain Isolate USA-WA1/2020).

2-Step Cleaning and Disinfection Application Instructions for SARS-CoV-2

Prior to disinfection, pre-clean hard non-porous surfaces by spraying Sani-Cide EX3 (10X) RTU directly on to the surface. Spray 6-8 inches from surface then wipe with a cloth and let dry.

To disinfect, spray Sani-Cide EX3 (10X) RTU directly on to the hard, non-porous surface. Spray 6-8 inches from surface. Treated surfaces must remain visibly wet for 1 minute. After 1 minute, wipe (dry if desired) with a cloth and let dry.

FOR FOOD-PROCESSING ESTABLISHMENTS AND EQUIPMENT: Food products and packaging materials must be removed or carefully protected prior to using this product. After use, thoroughly rinse surfaces with potable water before reuse.

MEDICAL USE STATEMENT: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

AGRICULTURAL USE STATEMENT: Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate the surfaces with the disinfecting solution for [contact time]. Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be scrubbed with soap or detergent and rinsed with potable water before reuse.”

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry, well-ventilated area inaccessible to children. If leak or spill occurs – ventilate area of leak or spill. Remove all sources of ignition. Dilute with water and mop-up or absorb with an inert material (e.g., vermiculite, dry sand, earth) and place in a chemical waste container.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility.

Container Handling:

[Language used for non-Refillable Containers]

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Language used for Refillable Containers]

Refillable container. Do not reuse or refill except as described. Refill this bottle only with this product. If not refilling, offer for recycling, if available. If recycling is not available, place empty container in trash or dispose of in a sanitary landfill.

[Optional Non-Pesticidal Marketing Language]

- Sani-Cide EX3 (10X) RTU will NOT discolor hard, non-porous surfaces in airplane cabins.
- Sani-Cide EX3 (10X) RTU has been tested according to (complies with) Aerospace Material Specification (AMS) 1550B, 1452C and Boeing D6-7127 test specifications.
- Auto Cleaning
 - Surface types: Glass, mirrors, plastic, metal, rubber
 - Surfaces: touchscreen, mirrors, non-leather steering wheel, door handles, non-leather gear shift, dashboard, parking brake, control knobs, rearview mirror, seatbelt buckle, windshield, windshield wiper switch, turn signal switch
- Home Cleaning
 - Surfaces: counter tops, appliance exteriors, handles, door knobs, cell phones, remotes, sealed cabinets, showers, bath tubs, sink, toilet exteriors, faucets, bathroom, hard non-porous surfaces in kitchens & living rooms, garbage cans, stove top, television screen, microwave exterior, outdoor furniture, tools, computer screen, computer mouse, keyboards, floors, refrigerator exteriors & freezer exteriors and handles, touchscreen, mirrors
- Leaves surfaces clean
- Streak free clean
- Streak free
- Leaves surfaces cleans and streak free!
- Will not damage touchscreens or electrical components
- Leaves surfaces streak-free
- Leaves behind no residue or build-up
- Won't discolor surfaces
- Cleans mold and mildew stains
- Removes mold and mildew stains
- Non-toxic
- non-corrosive
- Cleans countertops, appliance exteriors, bathroom tile
- No harsh solvents or bleach

- Bleach free
- No Bleach
- Contains no bleach
- Product should be tested on inconspicuous area for color fastness and compatibility
- Non-flammable
- Non-abrasive
- Contains no quaternary ammonia compounds
- Ready to use
- Easily cleans tough soils
- Cuts grease and grime

[Optional Pesticidal Marketing Language]

- Sani-Cide EX3 (10X) RTU is a broad spectrum disinfectant and All-purpose Cleaner which leaves surfaces with a Streak-Free appearance and leaves a fresh pleasant scent.
- Use Sani-Cide (10X) RTU on hard, non-porous surfaces in airplane cabins where bacteria or strong unpleasant odors are likely to be present.
- Use Sani-Cide EX3 (10X) RTU to disinfect airplane and rail car hard non-porous surfaces such as tray tables, armrests, lavatory door handles, galley workspaces and on any other objects or surfaces which passengers and crew may come in contact with.
- Sani-Cide EX3 (10X) RTU can be used to disinfect hard non-porous surfaces in manufacturing, warehousing and maintenance facilities as well as hard surfaces on boats and other private or commercial transportation vehicles where bacteria or strong unpleasant odors are likely to be present.
- **Auto**
 - Disinfects hard non-porous surfaces:
 - ⊖ Surface types: Glass, mirrors, plastic, metal, rubber
 - ⊖ Surfaces: touchscreen, mirrors, door handles, dashboard, parking brake, control knobs, rearview mirror, seatbelt buckle, windshield, windshield wiper switch, turn signal switch, non-leather steering wheel, non-leather gear shift
- **Home**
 - Disinfects hard non-porous surfaces:
 - ⊖ Surface types: glass, mirrors, plastic, metal, rubber, glazed ceramic, glazed porcelain, sealed fiber glass, stainless steel, linoleum, acrylic, enamel,
 - ⊖ Surfaces: counter tops, appliance exteriors, handles, door knobs, cell phones, remotes, sealed cabinets, showers, bath tubs, sink, toilet exteriors, faucets, bathroom, kitchen, living room, garbage cans, stove top (at room temperature), television screen, microwave exterior, outdoor furniture, tools, computer screen, computer mouse, keyboards, floors, refrigerator exteriors & freezer exteriors and handles, touchscreen, mirrors
- **Antibacterial (hard non-porous surfaces)**
- Eliminates odor causing bacteria†
- Disinfects hard non-porous kitchen surfaces
- Disinfects hard non-porous automotive surfaces
- Disinfects and Cleans hard non-porous surfaces
- Kills Viruses* and Bacteria†
- **Can be used to Disinfect Non-Food Contact, Hard, Non-porous surfaces in:**
 - **Agricultural Premises**
 - **Agricultural Equipment**
 - **Food Handling/Storage Establishments**

- Food Handling/Storage Premises
- Food Handling/Storage Equipment
- Commercial Premises and Equipment
- Institutional Premises and Equipment
- Industrial Premises and Equipment
- Residential Premises
- Public Access Premises
- Medical Premises and Equipment
- Education Buildings
- Schools
- Universities
- Vocational Schools
- Doctor's Offices
- Retail Stores
- Personal and Commercial Transportation Vehicles (cars, trucks, buses, taxis)
- Office Spaces
-
- Use Sani-Cide (10X) RTU {*Alternate Brand Name*} on hard, non-porous surfaces in pet habitats where viruses*, bacteria† or strong unpleasant odors are likely to be present in homes, pet stores, grooming facilities and veterinary clinics.
- Use Sani-Cide (10X) RTU {*Alternate Brand Name*} on hard, non-porous surfaces such as pet crates, pet carriers, vehicle surfaces, floors, examination tables and litter boxes.
- Product should be tested on an inconspicuous area for color fastness and compatibility
- Non-flammable
- Non-abrasive
- Contains no quaternary ammonia compounds
- Virucide*/Disinfectant
- Ready to use
- Contains no bleach
- Kills SARS-CoV-2 in as little as 1 minute on pre-cleaned, hard nonporous surfaces when used as directed
- Kills 99.9% of germs¹ and bacteria†, including cold and flu viruses²
- Kills 99.9% of germs¹ and bacteria†
- Kills cold and flu viruses²
- ¹[Kills] *At least one bacteria and one virus will be listed from the table located on page 2 in support of the germ claim*
- ²[Kills] *Influenza A virus, Influenza B virus, and Human Coronavirus*

[optional marketing language]

(Brand name) effectively removes dirt and soils from automotive hard, non-porous surfaces. It disinfects high touch areas by killing viruses* and bacteria† on hard, non-porous surfaces. The streak-free formulation guarantees there will be no residue or build up, making this product the “all-in-one” choice for keeping every vehicle fresh and clean.

(Brand name) is the all-in-one cleaning solution that is tough on dirt but gentle on hard, non-porous surfaces. It disinfects high touch areas by killing viruses* and bacteria† on hard, non-porous surfaces. The streak-free formulation guarantees there will be no residue or build up, keeping every vehicle fresh and clean inside and out.

Back Label – Sani-Cide EX3 (10X) RTU {*Alternate Brand Name*}

Sani-Cide EX3 (10X) RTU {*Alternate Brand Name*} is the all-in-one cleaning solution that is tough on dirt but gentle on hard, non-porous surfaces. It disinfects high touch areas by killing viruses* and bacteria† on hard, non-porous surfaces. The streak-free formulation guarantees there will be no residue

or build up, keeping every vehicle fresh and clean inside and out.

Disinfects: Glass, mirrors, plastic, metal, rubber, touchscreens, and other hard, non-porous surfaces

Application Instructions:

Directions for Use:

1-Step Cleaning and Disinfection Application Instructions for all listed organisms:

Preclean visibly dirty surfaces prior to disinfection.

To clean and disinfect, spray Sani-Cide EX3 (10X) RTU directly on the hard, non-porous surface. Spray 6-8 inches from surface. Allow surface to remain visibly wet for 3 minutes. After 3 minutes, wipe (dry if desired) with a cloth and let dry.

In the presence of a 5% organic soil load, Sani-Cide EX3 (10X) RTU is an effective disinfectant against †*Staphylococcus aureus* (ATCC 6538), *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), Methicillin Resistant *Staphylococcus aureus* (ATCC 33592), *Human Norovirus (Feline Calicivirus (ATCC VR-782, Strain F9, surrogate for human norovirus), Influenza A virus (ATCC VR-544, Strain A/Hong Kong/8/68), Influenza B virus (ATCC VR-823, Strain B/Hong Kong/5/72), Human Coronavirus (ATCC VR-740, Strain 229E) and SARS-Related Coronavirus 2 (BEI Resources NR-52281, Strain Isolate USA-WA1/2020).

2-Step Cleaning and Disinfection Application Instructions for SARS-CoV-2

Prior to disinfection, pre-clean hard non-porous surfaces by spraying Sani-Cide EX3 (10X) RTU directly on to the surface. Spray 6-8 inches from surface then wipe with a cloth and let dry.

To disinfect, spray Sani-Cide EX3 (10X) RTU directly on to the hard, non-porous surface. Spray 6-8 inches from surface. Treated surfaces must remain visibly wet for 1 minute. After 1 minute, wipe (dry if desired) with a cloth and let dry.

Back Label – Sani-Cide EX3 (10X) RTU {Alternate Brand Name}

Sani-Cide EX3 (10X) RTU {Alternate Brand Name} effectively removes dirt and soils from automotive hard, non-porous surfaces. It disinfects high touch areas by killing viruses* and bacteria† on hard, non-porous surfaces. The streak-free formulation guarantees there will be no residue or build up, making this product the “all-in-one” choice for keeping every vehicle fresh and clean.

Disinfects: Glass, mirrors, plastic, metal, rubber, and touchscreens

Application Instructions:

Directions for Use:

1-Step Cleaning and Disinfection Application Instructions for all listed organisms:

Preclean visibly dirty surfaces prior to disinfection.

To clean and disinfect, spray Sani-Cide EX3 (10X) RTU directly on the hard, non-porous surface. Spray 6-8 inches from surface. Allow surface to remain visibly wet for 3 minutes. After 3 minutes, wipe (dry if desired) with a cloth and let dry.

Master label 10/30/2025

Bracketed Language (“[]”) denotes optional text

In the presence of a 5% organic soil load, Sani-Cide EX3 (10X) RTU is an effective disinfectant against †*Staphylococcus aureus* (ATCC 6538), *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), Methicillin Resistant *Staphylococcus aureus* (ATCC 33592), *Human Norovirus (Feline Calicivirus (ATCC VR-782, Strain F9, surrogate for human norovirus), Influenza A virus (ATCC VR-544, Strain A/Hong Kong/8/68), Influenza B virus (ATCC VR-823, Strain B/Hong Kong/5/72), Human Coronavirus (ATCC VR-740, Strain 229E) and SARS-Related Coronavirus 2 (BEI Resources NR-52281, Strain Isolate USA-WA1/2020).

2-Step Cleaning and Disinfection Application Instructions for SARS-CoV-2

Prior to disinfection, pre-clean hard non-porous surfaces by spraying Sani-Cide EX3 (10X) RTU directly on to the surface. Spray 6-8 inches from surface then wipe with a cloth and let dry.

To disinfect, spray Sani-Cide EX3 (10X) RTU directly on to the hard, non-porous surface. Spray 6-8 inches from surface. Treated surfaces must remain visibly wet for 1 minute. After 1 minute, wipe (dry if desired) with a cloth and let dry.

Emerging Viral Pathogen Claims

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging pathogen claims from the following viral category[ies]:

-Enveloped Viruses

-Large Non-Enveloped Viruses

<i>For an emerging viral pathogen that is a/an...</i>	<i>...follow the directions for use for the following organisms on the label:</i>
Enveloped Virus	Feline calicivirus, Strain F-9, ATCC VR-782 (Surrogate for Norovirus)
Large, non-enveloped virus	Feline calicivirus, Strain F-9, ATCC VR-782 (Surrogate for Norovirus)

[Product name] has demonstrated effectiveness against viruses similar to **[name of emerging virus]** on hard, **[non-porous surfaces]**. Therefore, **[product name]** can be used against **[name of emerging virus]** when used in accordance with the directions for use against **[name of supporting virus(es)]** on **[hard, non-porous surfaces]**. Refer to the **[CDC or OIE]** website at **[pathogen-specific website address]** for additional information.

[Name of illness/outbreak] is caused by **[name of emerging virus]**. **[Product name]** kills similar viruses and therefore can be used against **[name of emerging virus]** when used in accordance with the directions for use against **[name of supporting virus(es)]** on **[hard, porous/non-porous surfaces]**. Refer to the **[CDC or OIE]** website at **[website address]** for additional information.