

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (HIF-567)
WASHINGTON, D.C. 20461

EPA REGISTRATION NO.

DATE OF ISSUANCE

107 5 1974

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION

(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

For insecticide protection of poultry: Treat track boots, box caps, and other holds before loading. For extended protection and control in and around poultry food products storages, treat exposed surfaces, as recommended above, and spray heavily into cracks, crevices, recesses, hiding and nesting areas. Thoroughly treat walls, floors, shelves and other pieces of nests, and lightly spray each layer of cartons or containers as stacked.

AS A CONTACT SPRAY Pyrethrin General Purpose Spray is also very effective when used as a contact spray against mosquitoes, gnats, wasps, hornets, skippers, scorpions and chigger mites. When these insects are present, contacting them with a fine mist will provide immediate kill. Spraying walls, ceilings, lights, moldings, screen doors and door frames, beams and light bulbs will make these locations unfavorable as resting or hiding places for these insects.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE DISPOSAL: Insecticide spray container or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe spray mist. Wear a mask or respirator of a type recommended for protection against this type insecticide. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Remove pets, birds and cover fish aquaria before spraying.

Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above, food processing operations may continue. Foods should be removed or covered before treatments. In food processing areas all surfaces must be washed and rinsed with potable water after spraying.

When using in animal quarters, do not apply directly to food, water or food supplements. Wash teats of dairy animals before milking.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Contact a physician or Poison Center. Do not induce vomiting unless directed. Vomiting may cause aspiration pneumonia.
- If Inhaled: Remove affected person to fresh air and respiration if indicated.
- If In Eyes Or On Skin: Flush affected areas with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Do not apply directly where runoff is likely to occur. Do not apply where drift from areas treated. Do not contaminate water or disposal of wastes. Shrimp and crabs may be recommended on this label. Do not apply where t

Buyer assumes all risks of use, storage or handling in strict accordance with directions given hereon.

ACCEPTED
W.P. COMMENTS
In EPA Letter Draft

OCT 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, 26 USC 1601 et seq., and Executive Order 11737, 38 FR 12609 (1973), this pesticide is registered under the Act.

42050-3

BATCH

EPA Reg. No.

EPA Est. No.

Pyrethron® General Purpose Spray is an Effective, Fast-Acting Insecticide That KILLS the Accessible or Exposed Stages of: ANTS, BEETLES, CHEESE MITE, CLOSER MITES, COLEOPTERANS, CRICKETS, FLYING MOTH, FRUIT FLIES, GRATS, HORNETS, HOUSE FLIES, MOSQUITOES, SCORPIONS, SHARPTAIL, SPIDERS and WASPS

and these Common STORED GRAIN Pests

Angoumois Grain Moths	Grain Mites	Rice Weevils
Carpet Beetles	Granary Weevils	Red-Headed Flour Beetles
Cheese Skippers	Indian Meal Moths	Saw-toothed Grain Beetles
Cigarette Beetles	Meal Worms	Spider Beetles
Confused Flour Beetles	Mediterranean Flour Moths	Tobacco Weevils
Drugstore Beetles		

Pyrethron General Purpose Spray is highly useful for insect control in Residences, Institutions, Public Buildings, Hospitals, Hotels, Restaurants, Stores, Theaters, Food Processing Plants, Bakeries, Grain Mills, Dairies, Bowries, Weaving Plants, Warehouses, Trucks and other situations where an insecticide with a high degree of effectiveness is required.

The insecticidal components Piperonyl Butoxide and Pyrethrins are classified as food additives, and when this product is used as directed, all safe tolerance levels will not be exceeded.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.15%
*Piperonyl Butoxide, Technical.....	1.50%
INERT INGREDIENTS	98.35%
	100.00%

*Equivalent to 1.23 (butylcarbitol)(6-propylpiperonyl) ether and 0.31 related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
See rear panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For maximum insect control, a combination localized surface application and space treatment is recommended.

SPACE SPRAY For rapid control of house flies, fruit flies, mosquitoes, flying moths and gnats. Close doors and windows and shut off ventilating system. Use a good sprayer adjusted to deliver a fine mist, directing spray toward the upper portions of the enclosure and filling the room with mist. Use 1/2 to 1 oz. of spray for each 1000 cu.ft. of space. Keep area closed for at least 10 minutes after spraying. Vacate area after treatment and ventilate before reoccupancy.

NET CONTENTS _____

VAPOR SPRAY: Pyrethron General Purpose Spray is a potent spray that permits its use as a fog or vapor treatment in special electric, steam or compressed air equipment. Use in accordance with manufacturer's directions for the individual type of applicator selected. Dosages vary with different generators, but many such applicators are designed to give most effective results when the material is used at 1 pint to each 8,000 - 15,000 cu. ft. of space. In all cases, dosages should be sufficient to thoroughly fill the enclosure with fog or vapor. Insects controlled will be the same as given for Space Spray above.

SURFACE SPRAY To control cockroaches, silverfish, crickets, spider beetles, mites, scorpions, cheese mites, house weevils, spider beetles, and other pests. General Purpose Spray is a good surface spray to deliver a coarse mist of spray using approximately 1 gal. of material to each 750 sq. ft. of surface. Spray intended areas thoroughly and direct the spray toward cracks, crevices, cabinets, shelves, under door and trunk frames, pipes, electrical wiring and dark corners and into cracks, recesses, recesses and similar hiding places, contacting insects wherever possible.

Against Ant Infestation: Treat shelves, cabinets and storage areas, cracks and runs, trails, baseboards, thresholds and other places of entry and treat nests liberally.

To Control Bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray frames and frames, directing the liquid into all cracks and ledges. Treat the baseboards, moldings, floors, of walls, bed-room furniture and picture frames with particular attention to protectors, shoe hiding and brooding places.

To control Carpet Beetles effectively, apply to floor areas and trunks. Spray directly into cracks, crevices and under carpets where insects may be found. Treat both the underside and top side of infested carpets. Spray inside of trunks, closets and infested areas of molding.

Stored Grain or Flour Pests: Pyrethron General Purpose Spray is also useful in mills, elevators, granaries, warehouses, food storage and other situations where an effective, fast-acting insecticide is required for control of the exposed stages of granary weevils, rice weevils, cigarette beetles, furniture beetles, carpet beetles, saw-toothed grain beetles, red-headed flour beetles, confused flour beetles, Angoumois grain moth, Indian meal moths, tobacco meal worms and grain mites. As a space or vapor spray, it provides rapid kill of flying and crawling stages. In cracks and crevices of floors, it is effective in the control of grain insects.

For Treatment of Floors and Walls: Pyrethron General Purpose Spray not only gives initial kill of the accessible stages of most stored grain and food product pests listed in the previous paragraph, but gives some continued protection in cracks and crevices where insects hide. Apply with a good sprayer adjusted to deliver a coarse-dispersion spray using approximately 1 gal. of material to each 750 sq. ft. of surface. Repeat applications as needed.

In Mills, Elevators and Granaries: Thoroughly spray floors, walls and other surfaces of large storage and handling areas with particular attention to cracks, crevices and similar protected locations. Waste grain, dirt, chaff and debris should be removed and discarded and storage area cleaned before spraying. Treat and clean handling and processing areas and apply the insecticide to conveying, processing and handling equipment, the inside of rock chutes, pulleys, conveyors, sifters, mill bearings and bearings, pick-up conveyors, etc. Spray thoroughly around the bases of heavy machinery and equipment.

SEE REVERSE SIDE