

PM 17 42050-6 ps 1/2

OCT 01 1990

300 / 244, 244
17

Mr. Nathaniel L. Degges
J&B Industries
2100 J&B Drive
San Benito, TX 78586

Dear Mr. Degges:

Subject: EPA Registration No. 42050-6
Labeling Submitted with Your Letter Dated May 8, 1989

The labeling referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you submit revised labeling for Agency review that specifies the dispenser type for pet use.

Sincerely yours,

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (8750-50)


BEST AVAILABLE COPY

51273:1:EP5.0:Hendelsohn:C. H. S. :K2100:09/07/90:CL:MO:TX:CL

CONCURRENCES

SYMBOL ▶	SURNAME ▶	DATE ▶					

292



BUG - OFF

EPA Reg. No. 42050-6 EPA Est. No. 42050-TX-1

— Clear — Stage — Leave no oily or detectable residue

Effects: Fast Acting Insecticide

For use in home, institutions, restaurants

Food Processing Plants, hotels, taverns and outdoors for mosquito control

For control of flies and brown dog ticks on premises and on pets

Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:	
Pyrethrin	0.1%
*Pyrethrin Butoxide, Technical	1.0%
INERT INGREDIENTS	
	98.9%
	100%

*Equivalent to max. 0.8% (pyrethrin) (0.800/0.000) other and 0.2% inert compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

BATCH

NET CONTENTS.....

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION
The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. Food contact surfaces and equipment must be washed with an effective cleaning detergent followed by a potable water rinse after treatment.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness a combination of spot, surface treatment and fogging is recommended.

SURFACE SPRAYING. To control mosquitoes, petting bugs, flies, sewer flies, scorpion, cockroach, silver moth, house flies, granary weevil, rice weevil, confused flour beetle, red and blue beetles, common green beetles, spider beetles, cigarette beetle, drugstore beetle, mealyworm, grain mites and gnats. Use a good sprayer adjusted to a coarse mist spray. Direct the spray into hiding places, cracks and crevices under patios, around the base of machinery, behind shelves and drawers. For protection, spray mosquitoes. For ants spray trails, nests and points of entry. If surface application only it is to be used, spray floors and other surfaces applying a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of curtains and under carpeting and rugs. Make localized application to heavy infestations. Spray directly into cracks, crevices and missed areas of flooring. Repeat treatment as needed.

TO CONTROL BEDBUGS: Spray mattresses lightly, particularly around tufts and seams. Tilt beds apart and spray on all joints. Treat headboards, headings and footers. Repeat treatment as needed. To control flies and brown dog ticks, thoroughly spray treated areas, pet beds, resting quarters, nearby cracks and crevices along and around headboards, headings, window and door frames and other areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control stable flies: Remove any soiled articles from storage, wash thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chest, manure, burrows and other passages directing the spray into cracks, joints and openings. After drying treated articles may be treated lightly blowing nozzle at least three feet from fabric to avoid staining.

SPACE SPRAYING. Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. If no mist control of insect flies, fly traps, glass magazines, insect traps, insect boards, Anquarium glass, medicine bottles, medicine bottles, medicine bottles. Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING. To eliminate or eradicate swarms of the above named flying insects, use a rate of 1 gallon to 30,000 to 40,000 cubic feet of space. Contact insects directly whenever possible.

ON LIVESTOCK. To protect cattle and horses from horse flies, fly, and mosquitoes and gnats, apply a light mist surfactant to wet surface of the hair. To control stable flies, horse flies, and deer flies, spray at a rate of 2 ounces per adult cow or horse, surfactant to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection. To control head-sucking lice, apply to the treated areas of the animal, using a soft brush to

BEST AVAILABLE

get the spray to the base of the hair. Repeat every 2 to 3 weeks.

ON PETS. Start spraying at the top, moving the sprayer rapidly in a circular pattern over the body of the animal, including the legs and underbody. Move so that the spray will penetrate to the skin. Make sure spray will reach the top of the head. Avoid contact with genitalia. Repeat as necessary.

OUTDOOR APPLICATION

ADULT MOSQUITO CONTROL. Apply as a fine mist to thoroughly wet best results. Treat when the wind velocity does not exceed 5 miles per hour. Vegetation where mosquitoes may rest. (Law mowing grass, stop, spray areas once). Apply at a rate of 2.5 gallons per acre (0.1 ounce per 100 sq ft). Using truck-mounted conventional mixing equipment such as Model 100 HT traveling at 5 mph to treat a 300 feet swath requires equipment per minute.

STORAGE AND DISPOSABLE

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES. Store upright. Avoid exposure to extreme temperatures in case of spill or leak. Absorbent material such as sand, sawdust, earth, litter or earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL. Pesticide spray mixture or rinse water that will not be used should be disposed of or air by an approved method.

CONTAINER DISPOSAL. Triple rinse or equivalent then offer for recycling or puncture and dispose of in a sanitary landfill or by other approved procedures.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid contamination of food and feedstuffs and cover fish aquarium before space spraying or surface application.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED. Drink one or two glasses of water and induce vomiting. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED. Remove victim to fresh air. Apply artificial respiration if ON SKIN. Remove contaminated clothing and wash affected areas.

IF IN EYES. Flush eyes with plenty of water. Call a physician for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to streams, marshes or estuaries. Do not contaminate water by cleaning of equipment.

Buyer assumes all risks of use, storage or handling of the product not directed by these directions.

J & B INDUSTRIAL
2100 J & B DRIVE SAN BENTO, TEXAS
PHONE: (512) 399-6000

ACCEPTED

OFFICE

Under the authority of the Federal Insecticide, Fungicide and Rodenticide Act, as amended.

EPAR 42050-6