DEC 10 2002

Kim Davis Consultant/Agent Buckman's Inc. c/o RegWest Company 30856 Rocky Road Greeley, CO 80631-9375

Subject:

Buckman's Liquid Shock

EPA Registration No. 42052-20001 Application Date: November 15, 2002 Receipt Date: November 20, 2002

Dear Ms. Davis:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

addition of alternate brand name:

"Baystate Pool™ Super Shock"

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422.


Sincerely,

Wanda Mitchell Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510C)

CONCURRENCES OFFICIAL FILE COPY

Printed on Recycled Parer

Please read instructions on reverse before completing form.			Form Ap		ИВ No. 2070-0060.
United States		Rec	istration	OPP Iden	tifier Number
Environmental Protection Ag		l `	endment		
1200 Pennsylvania Avenue, N.\		=			
Washington, DC 20460-0001		Otl			
	on for Pesticide –				
1. Company/Product Number EPA Reg. No. 42052-20001	Rol	duct Manager be <mark>rt Brenn</mark> i		roposed Cla	assification
Company/ Product (Name) Buckman's Liquid Shock	PM #	32		None	Restricted
Name and Address of Applicant (Include ZIP Code)					FIFRA Section
Buckman's, Inc.			t is similar or id	lentical in	composition and
c/o RegWest Company 30856 Rocky Road	labeling to:				
Greeley, CO 80631-9375	EPA Reg. !	No			
Check if this is a new address	Product Na	ame			
Check it this is a new address	Section – II				
·					
Amendment – Explain below.	l		response to Agen	cy letter dat	ted
Resubmission in response to Agency letter dated	 "Me Too"	" Application.			
Notification – Explain below.	Other -	Explain below			<u> </u>
Explanation: Use additional page(s) if necessary. (For S	Section I and Section II.)				
Cushmit additional bas	ud nama natification	nos DD Na	4inn 00 40		
Submit additional bra	nd name notification	i per PR No	tice 98-10.		
have been made to the labeling or the confidential state Sec. 1001 to willfully make any false statement to the E of PR Notice 98-10 and 40 CFR § 152.46 this product penalties under sections 12 and 14 of FIFRA.	PA. I further understan	d that if this	notification is no	ot consiste	ent with the terms
	Section - III				
Material This Product Will Be Packaged In:					
Child Resistant Packaging Unit Packaging	Water Soluble Pack	aging	2. Type of C	Container	
☐ Yes* ☐ Yes	☐ Yes		☐ Metal		
Ì No ☐ No	□ No		☐ Plastic☐ Glass		
*Certification must If "Yes" No. Pe		No. Per Container	Donos		
be submitted Unit Packaging Wgt. Contai	ner Packaging Wgt.	Container	Other (S	Specify):	
Location of Net Contents Information 4. Size(s)	Retail Container		5. Location of Lab		ns
		[On Label		
☐ Label ☐ Container			On Labeling A	ccompanyi	ng Product
6. Manner in Which Label is Affixed to Product	Lithograph	Stenciled			
	Paper glued	Other_			
	Section - IV				
1. Contact Point (Complete items directly below for iden		be contacted,	if necessary, to	process th	is application).
Name Title			elephone No. (Inc		
Kim Davis, CC, APC	Consultant/Agent		(979) 352-9611		
Certific	ation	<u> </u>	4 4 2 7 7		F.pplication
I certify that the statements I have made on the accurate and complete. I acknowledge that any kingurishable by fine or imprisonment or both under a	nowingly false or misl			Rere	Stamped)
2. Signature	3. Title				
() /-	Coneul	tant/Agent		1	
4. Typed Name	5. Date	rannwagent		- '	
Kim Davis, CC, APC	Novemb	er 15, 2002	2	1	



DIRECTIONS FOR USE



Storage and Disposal

Do not contaminate food or feed by storage, disposal or deaning of equipment. Storage: Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product that cannot be used should be diluted with water before disposal in a sanitary sewer. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available, if partly filled: Call your local solid wate agency or 1.800-CLEANUP for disposal instructions. Never place unused undituted product down any indoor or outdoor drain.

Swimming Pool Water Disinfection

the alkalinity of the pool to between 50 to 100 ppm.

For a New Peol or Spring Start-Up: Superchlorinate with 52 to 104 or of product for each 10,000 gallons of water to yield a 5 to 10 ppm available chlorine by weight. Check the level of problable chlorine with test kit, adjust and maintain pool water of to between 7.2 to 7.6. Adjust and maintain

To Maintain the Pools

Add manually or by a feeder device, 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0,6 to 1.0 ppm by weight.

It is a violation of federal law to use this product in a manner inconsistent with its labeling,
Note: This product degrades with age. Use a chlorine test lat and increase dosage, as necessary,
to obtain the required level of available chlorine.

Stabilized Pools:

Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pt1 available chlorine residual and alkalinity of the water frequently with appropriate test kils. Frequency, of water treatment will depend upon temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 az. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not enter the pool until the chlorine residual is between 1.0 to 3.0 ppm. AT THE END OF THE SWIMMS HE POOL SEASON OR WHEN WATER IS TO BE DEMANDE PROM THE POOL, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinote the pool within 24 hours prior to discharge.

Winterizing Pools:

While water is still clear and clean, apply 3 oz. of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufactures instructions.

Snas/Hot Tubs:

Apply 5 az. of product per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain paol water pH jo between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause fooming or cloudy water os well as reduce the efficiency of the product.

To maintain the water, apply 5 az. of product per 1,000 galloris of water over the surface to maintain a chlorine concentration of 5 ppm. After each use, shock freat with 8 az. of this product per 500 gallons of water to control odor and olgae. During extended periods of disuse, add 3 az. of product daily per 1,000 gallons of water to maintain a 3 ppm chlorine concentration.

PRECAUTIONARY STATEMENTS AND ROBESTIC ANIMALS.

DANGERS: Corrosive; may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or paggles and rubber glaves when handling this product. Wash after handling. Avoid bro

ENVIRONMENTAL HAZARDS: This product is toxic to Beh and aqualic organisms.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT! Mix only with water occording to label directions. Mixing this product with chemicals (e.g. ammania, acids, detergents, etc.) or organic matter (e.g. unine, faces, etc.) will release chlorine gas which is irritating to eyes lungs and mucaus membranes.

Manufactured For Boyston Pool Supplies, Inc. For Buckman's Inc. PO. Ber 159 Puridomouvilla, PA 18074

> EPA Reg. No. 42052-20001 EPA Est 34743-MA-2

Ship And Store This Container in An Upright Position At All Times. Yented Cap May Leak Cousing Bleaching And Damage.

14

HAT AL

l**i in Eyes**e in

(all 1 payre ton

Have person up a so by the passon so Have the product

ar gaing for trea