

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

March 22, 2004

Kim Davis
RegWest Company, LLC
30856 Rocky Road
Greeley, CO 80631-9375

Subject: Buckman's Inc.
Buckman's Liquid Shock
EPA Registration No. 42052-20001
Application Date: February 25, 2004
Receipt Date: February 27, 2004

Dear Ms. Davis:

This acknowledges receipt of your notification, submitted under the provisions of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

- Additional Brand Name (Omega Pools & Spa Chemicals Super Chlor)

Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Mitchell
Product Reviewer - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL	7510C							
SURNAME	Mitchell							
DATE	3-22-04							

285

United States Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460-0001	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	--	-----------------------

Application for Pesticide – Section I

1. Company/Product Number EPA Reg. No. 42052-20001	2. EPA Product Manager Robert Brennis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/ Product (Name) Buckman's Liquid Shock	PM # 32	
5. Name and Address of Applicant (Include ZIP Code) Buckman's, Inc. c/o RegWest Company, LLC 30856 Rocky Road Greeley, CO 80631-9375 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section – II

<input type="checkbox"/> Amendment – Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other – Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Submit additional brand notification per PR Notice 98-10.

The additional brand name is: Omega Pools & Spa Chemicals Super Chlor

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR § 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR § 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section – III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify): _____	
*Certification must be submitted		If "Yes" Unit Packaging Wgt.	No. Per Container	If "Yes" Packaging Wgt.	No. Per Container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling Accompanying Product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Stenciled <input type="checkbox"/> Paper glued <input type="checkbox"/> Other _____					


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).		
Name Kim Davis, CC, APC, Manager	Title Consultant/Agent	Telephone No. (Include Area Code) (970) 353-0611

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

2. Signature 	3. Title Consultant/Agent
4. Typed Name Kim Davis, CC, APC, Manager	5. Date February 25, 2004



February 25, 2004

Product Manager 32
Document Processing Desk - **NOTIF**
Office of Pesticide Programs - **7504C**
U.S. Environmental Protection Agency
1921 Jefferson Davis Highway
Crystal Mall 2, Room 266A
Arlington, VA 22202-4501

Dear Sir or Madam:

Subject: Buckman's, Inc.
Buckman's Liquid Shock
EPA Reg. No. 42052-20001

On behalf of its client **Buckman's, Inc.**, RegWest Company, LLC is submitting the attached materials as notification of an additional brand name for subject product. RegWest Company will act as sole agent in this endeavor.

Attached are the following:

- 1. Application for Pesticide: Other
- 2. Two market labels

Please be advised the labeling submitted herewith does not contain all the language accepted by the Agency for this product.


Please contact me at (970) 353-0611 or kim@regwest.com if you have any questions or require additional information.

Regards,
RegWest Company, LLC

Kim Davis, CC, APC, Manager
Consultant/Agent

Attachments

cc: BMI - Fusco, M.



30856 Rocky Road
Greely, CO 80631-9375
970-353-0611
970-353-0613 Fax
Kim@regwest.com

**HAZARD STATEMENTS
AND DOMESTIC ANIMALS**

may cause severe skin and eye irritation or skin. Causes eye damage. Wear safety rubber gloves when handling this product. breathing vapors. Vacate poorly ventilated areas. Do not return until strong odors have

PRECAUTIONS: This product is toxic to fish and

HAZARDS: STRONG OXIDIZING AGENT: Follow label directions. Mixing this product with acids, detergents, etc.) or organic materials will release chlorine gas which is irritating to mucous membranes.

Product No. 42052-20001
Est. 34743-MA-2

Baystate Pool Supplies, Inc.
Buckman's Inc.
Pottstown, PA 19464-3438



ΩMEGA

POOL & SPA CHEMICALS

SUPER CHLOR

Keep Out of Reach of Children

DANGER

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-451-8346 (Group Code 5942) for emergency medical treatment information.

See additional precautions on back panel.

NET CONTENTS: 1 GALLON (3.79 L)

Active Ingredient:

Sodium Hypochlorite.....12.5%
Other Ingredients.....87.5%
Total.....100.0%

NOTIFICATION
Date Reviewed: 5/22/04
Reviewed By: [Signature]

485

17.875" MAXIMUM PRINT AREA – 9.1875" LAYFLAT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Note: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. **Storage:** Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused undiluted product down any indoor or outdoor drain.

Swimming Pool Water Disinfection

For a New Pool or Spring Start-Up:

Superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield a 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To Maintain the Pool:

Add manually or by a feeder device, 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight.

Stabilized Pools:

Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm. Re-entry into treated pools is prohibited above levels of 4 ppm due to risk of bodily harm.

AT THE END OF THE SWIMMING POOL SEASON OR WHEN WATER IS TO BE DRAINED FROM THE POOL,

chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

Winterizing Pools:

While water is still clear and clean, apply 3 oz. of product per 1,000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufactures' instructions.

Spas/Hot Tubs:

Apply 5 oz. of product per 1,000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product. To maintain the water, apply 5 oz. of product per 1,000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm. After each use, shock treat with 8 oz. of this product per 500 gallons of water to control odor and algae. Re-entry into treated pools is prohibited above levels of 5 ppm due to risk of bodily harm. During extended periods of disuse, add 3 oz. of product daily per 1,000 gallons of water to maintain a 3 ppm chlorine concentration.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive; may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.


EPA Reg. No. 42052-20001
EPA Est. 34743-MA-2

Manufactured For Baystate Pool Supplies, Inc.
For Buckman's Inc
105 Airport Road, Pottstown, PA 19464-3438



Ship And Store This Container In An Upright Position At All Times.

Vented Cap May Leak Causing Bleaching And Damage.



575