

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 42056-10	DATE OF ISSUANCE
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT THRIRAM-MOLY FL	

JAN 29 1987

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Trace Chemical Co.
839 Breckman Drive
P.O. Box 518
Pekin, IL 61555-0518

188297 / 18 1 / 161

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 42056-10" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi
Lois A. Rossi
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

T C I
Trace Chemicals, Inc.

Protector-L
Planter Box Seed Treatment
for Soybeans

Active Ingredients:
*Thiram 14.29%
Inert Ingredients. 85.71%
*Tetramethyl-thiuram disulfide

This product contains 4.76% molybdenum derived from sodium molybdate.

SHAKE WELL BEFORE EACH USE


WARNING

Statement of Practical Treatment

- If swallowed: Induce vomiting and see a physician
- If inhaled: See a physician if an abnormal reaction occurs
- If on skin: Wash thoroughly with soap and water
- If in eyes: Immediately flush eyes with plenty of water.
See a physician

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 42056-RN	Net Contents: 32 fl oz (946 milliliters)
EPA Est. No. 42056-IL-1	Net Weight: 2.10 lbs. (952 grams)



Manufactured by:
Trace Chemicals, Inc.
Pekin, Illinois 61555-0518

ACCEPTED
with COMMENTS
EPA Letter Dated

JAN 29 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for the pesticide registered under EPA Reg. No. 42056-10

Precautionary Statements

Hazards to Humans and Domestic Animals

WARNING

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid inhaling of spray mist or dust. Do not use or store near food or feed.

Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work; wash all clothing with soap and water before reusing.

Consumption of alcoholic beverages increases the toxic effects of thiram.

Environmental Hazards

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL

PROHIBITIONS - Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE - Do not store at temperatures below 32°F.

PESTICIDE DISPOSAL - Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse(or equivalent). Then offer for recycling or reconditioning, or puncture and dispose off in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



DIRECTIONS FOR USE

Protector-L seed treatment is a ready-to-use product. Each dosage provides 0.6 ounce of thiram per bushel of seed to control seed and soil-borne fungi-causing seed decay, damping-off and seedling blights. Protector-L also provides 0.2 ounce of molybdenum per bushel of seed to aid in nitrogen fixation.

SHAKE WELL BEFORE EACH USE. Planter-box Application: Use Protector-L at the rate of 4.0 fl. oz. per bushel of soybean seed (6.7 fl. oz. per 100 lbs. of soybean seed). Fill the planter-box or mixing vessel with seed, pour the required amount of Protector-L evenly on top of the seed. Stir thoroughly with a stick or paddle so that all seeds are covered.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seed beyond planting time. Do not use excess treated seed for food, feed, or oil purposes.

Note: Regularly inspect planter plates and mechanisms and clean as required for proper seeding. At the end of each day of use, clean out the electric eye monitors according to the manufacturer's directions.

CONDITIONS OF SALE

TRACE CHEMICALS, INC. warrants that this material conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions. But neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product, contrary to label instructions. Since other factors such as, but not limited to, planter malfunctions, herbicide injury, fertilizer injury, floods and drought can affect seed germination and emergence, even when this material is used according to label directions, Buyer assumes all risks incident thereto. Trace's and Seller's liability shall be limited to return of the purchase price.

TRACE CHEMICALS, INC.
Pekin, Illinois 61555-0518

