



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JAN 3 1 1994

Tim McArdle
TRACE CHEMICALS, INC.
P.O. Box 518
pEKIN, il 61555

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Label Amendment Submission of 09/08/93 in Response to PR Notice 93-7

EPA Reg. No. 42056-11 KERNEL GUARD

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
 AND
- WITHIN one year from date of this acceptance.



Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

346

TCI

ACCEPTED
with COMMENTS
In EPA Lever Dotel
JAN 3 1 1904

Planter Box Seed Treatment Under the Federal Insec Fundicide, and Redesticide

KERNEL-GUARD

Under the Foderal Insecticide, Fundicide, and Redesticide Act as amended, for the posticide registered under EPA Reg. No. 42056 -- 11

Diazinon - Lindane - Captan

For the protection of seeds and seedlings of Field Corn, Sweet corn, Peas and Beans against damping off, seed decay, seedling blights; also against seed corn Beetle, seed corn Maggots and Wireworms.

Active Ingredients	By Wt.
*Captan	14.67%
Related Derivatives	. 33%
**Diazinon	15.00%
***Lindane	25.00%
Inert Ingredients	45.00%
Total	100.00%
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
**0,0 Diethyl 0-(2-isopropyl-6-methyl-4-	
pyrimidinyl)phosphorothioate	
***Gamma isomer of benzene hexachloride	

THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT RHODAMINE B.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

Si usted no entiende la etiqueta, busque a algulen para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT ORGANOPHOSPHATE

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See Back Panel for Additional Precautions

EPA Reg. No. 42056-11

EPA Est. No. 42056-IL-1

Manufactured by TRACE CHEMICALS, INC. Pekin, Illinois 61555-0518

Right Back Panel

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 days. "Exception: For the last 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below." "Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated."

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, protective eyewear.

RATES: Field Corn, Sweet Corn, Peas, Beans: Use at a rate of one pouch per 50 pounds of seed (2 ounces per bushel) as a dry mixture in the planter box as a seed treatment prior to planting.

MIXING INSTRUCTIONS: For best results, fill planter box only half full of seed, add half the required amount of KERNEL-GUARD and mix thoroughly with a stick or paddle. Add the remainer of the seed and KERNEL-GUARD and mix again so that all seeds are covered. DO NOT MIX WITH BARE HANDS.

PRODUCT INFORMATION

KERNEL-GUARD may be used on seed previously treated with a full dosage of protective fungicide, to give added protection against seedling blight damp-off or seed decay.

NOTE - Adjust the seed drill or planter to give the required rate of seed delivery with treated seed. Regularly inspect planter plates and clean as required. At the end of each day, clean out the electric eye monitors as directed by the manufacturer.

NOTE - This product is not recommended for use on inbred lines.

Left Back Panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS) DANGER

Treat outdoors or in a well-ventilated area. Causes irreversible eye damage. May be fatal if swallowed or absorbed through skin. Harmful if inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing dust. Avoid contamination of feed and foodstuffs. Do not use treated seeds for food, feed or oil purposes.

Applicators and other handlers must wear; long-sleeved shirt and long pants, waterproof gloves, shoes plus socks, protective eyewear, chemical-resistant apron when cleaning equipment, mixing or loading, Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturers's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Exposed treated seed may be hazardous to birds and other wildlife. Birds feeding on treated seeds may be killed. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

STORAGE AND DISPOSAL

PROHIBITIONS - Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE - Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Protect from excessive heat. Do not store or transport near feed or food. For help with any spill, leak, fire or exposure involving this material, call Chemtrec (800) 424-9300.

PESTICIDE DISPOSAL - This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smale.

Right Back Panel Continued

IMPORTANT - Treated seed must not be used for or mixed with food or animal feed or processed for oil. Treat only those seed needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

CONDITIONS OF SALE

TRACE CHEMICALS, INC. warrants that this material conforms to its label description and is reasonably fit for use if used strictly in accordance with label directions. But heither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product, contrary to label instructions. Since other factors such as, but not limited to, planter malfunctions, herbicide injury, fertilizer injury, floods and drought can affect seed germination and emergence, even when this material is used according to label directions, Buyer assumes all risks incident thereto. Trace's and Seller's liability shall be limited to return of the purchase price.

TRACE CHEMICALS, INC.
Pekin, Illinois 61555-0518