


SORGHUM GUARD





CAPTAN-LINDANE-GRAPHITE

For the protection of germinating seeds and seedlings of sorghum against wireworms, damping off, seed decay and seedling blights.

ACTIVE INGREDIENTS:	By Wt.
*Captan	. 32 75%
Related Derivatives	. 75%
**Lindane	. 16 60%
INERT INGREDIENTS	. 49 90%
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide	
**Gamma isomer of benzené hexachloride	

KEEP OUT OF REACH OF CHILDREN DANGER

SEE BACK PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 42056-14 EPA Est. No. 42056-IL-1

Net. Wt. 2.67 oz.

TRACE CHEMICALS, INC.

PRECAUTIONARY STATEMENTS

Hezards to Humans and Domestic Animals

DANGER

Treat outdoors or in a well-vertilated area. Causes inteversible eye demage. May be total if swallowed or absorbed through stin. Harmfur if inhaled. May cause altergic stun reactions. Do not get in eyes. Wear goggles or face sheld when handing. Avoid contact with ston and clothing. Remove and separately leunder colding before reuse. Avoid contamination of feed and foodbarfs. Do not use treated seeds for food, feed or of purposes. Apply this product only as specified on the label.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician

If eveillowed: Drink promptly a targe quantity of water and induce vormiting by bucching the back of the throat with finger. Repeat unit vormit Ruid is clear. Do not induce vormiting or give anything by mouth to an unconscous person.

If Inhalial: Remove victim to fresh air. Apply artificial respiration if indicated

If on older: Permove contaminated clothing and wash affected areas with soon and water

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish, birds and other wildlife. Do not contaminate water when deposing of equipment wishwaters. Exposed freated seeds may be hiszardous to birds and other wildlife. Birds feeding on triteted seed may be luited in the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

DIRECTIONS FOR USE

It is a wolution of Federal Law to use this product in a manner inconsistent with its liabeling READ ENTIRE LABEL USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS

Weer goggles or face shield when handling. Weigh thoroughly with soop and water after handling. Remove contaminated coffling and separately leunder coffling before reuse.

Mixers/loaders when moning and loading this product must were a long-steawed shirt and long perits or a coveral that covers all parts of the body except the head, hands and led! Weter offernical resistant gloves, goggles or a face shelld, a chemically resistant aprior, and a paper dust mask covering at least 11.3 of the face.

Field workers and harvesters must weer charmosi resistant gloves. Leether or fabric gloves are not acceptable.

AFTER WORK. Take off all clothes and shoes. Shower using soep and water. Do not weer contaminated clothing. Wash protective clothing and equipment with soep and water after each use. Personal clothing worn during use must be laundwed separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captain must be destroyed according to state and local regulations.

Plate: Sorghum: Use at a rate of one pouch per 50 bs. of seed (3 ounces per bushel). Apply as a dry mixture in the planter or drill box as a seed freetment onor to planters.

Mixing Instructions: For but results, fill planter or drill box only half full of seed, and half the required amount of Sergham Gained. Seed Treatment and mix throughly with a stok or peddle. Add the remainder of the seed and Sergham Gained. Seed Treatment and mix again so that all seeds are covered. DO NOT MIX WITH BARE MANDS.

PRODUCT INFORMATION

TCI Serghum Quenti* Seed Treatment is a specially tormulated combination of Indene for protection against well-worms and captain for protection against fungus diseases of seeds and seedings.

Note: Adjust the seed drift or planter to give the required rate of seed delivery with treated seed. Regularly majorist the seed-inconventionment and clean as necured.

Important: Treated seed must not be used for or mixed with food or animal fixed or processed for oil. Treat only those seeds needed for simmediate use, minimizing the interval betimen treatment and planting. Do not store excriss treated seeds beyond planting time.

STORAGE AND DISPOSAL

PRO: PRITICHE: Do not contaminate with water, food or feed by storage: disposel or cleaning of equipment. Open dumping is prohibited. To not reuse empty container.

STORAGE: Keep restords in original container. Do not put concentrate or dish, who food or divis containers. Store in cool, dry face Protect, from excessive frest. Do not store or transport near feed or 2nd. For help with any spill, leak, fire or exposure shooking this meternal, call Chemirec (800) 424-9300.

PESTICIDE DISPOSAL: This pruriud is acutely hazardous improper disposal of excess pesticical spriny mosture, or introsale is a voletion of Federal Law III thurse insetic connot be disposed of by use according to label a shudons, contact your State Pesticide or Environmental Contr. Agency, or the Hazardous Waste representative at the reserse. "PA Regional Office for guidance."

CONTAINER UNIFOBAL: Completely empty bag in a septication equipment. Then dispose of empty bag in a septiary lendfill or by increasing, or, if allowed by State and local aptrontes, by burning it burned, stay out of smoke.

CONDITIONS OF SALE

TRACE CHEMICALS, INC. werrants that this material conforms to its light description and is reasonably fit for use if used strolly in accordance with label directions. But neither this werranty nor any other werranty of merchantability or fitness for a particular purpose, expressed or explicit, extends to the use of this product, contany to label instructions. Since other factors such as, but not limited to, planter mediunctions, harboods many, brillizer many, floods and dought one affect seed germanation and envergence, year when the material is used according to label directions, Buyer assumes all risks incotant threato. Trace's and Salter's liability shall be limited to return of the curchase once.

TRACE CHEMICALS, INC., Pakin, Minois \$1555-0518