

CAUTIONS

Avoid skin contact. Harmful if swallowed. May cause skin irritation or sensitization. Wash thoroughly in case of contact. Avoid inhalation of spray mist.

DO NOT TAKE INTERNALLY.

Avoid contamination of food and feedstuffs. Do not mix with oil or oil-based sprays. Do not spray when daytime temperatures are over 90°F.

KEEP OUT OF REACH OF CHILDREN

DO NOT REUSE EMPTY CONTAINER. Wash thoroughly with water and detergent. Discard in a safe place.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or by disposal of wastes.

WARNING — FLAMMABLE!

KEEP AWAY FROM HEAT OR OPEN FLAME.

NON WARRANTY Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of the product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.

EPA Est. 168-U1-1

MORGRO

MILDU-CURE

CONTROLS POWDERY MILDEW & SPIDER MITES ON
ORNAMENTALS, FLOWERS, SHRUBS AND FRUIT CROPS

**CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON SIDE PANEL**

Sprayer Settings: Morgro Super Sprayer and Hose Master—
set at 4 tspns per gallon water. For other kinds of sprayers mix
4 tspns per gallon of water.

FOR BEST RESULTS:

1. Spray top and underside of all foliage and stems or branches
to point of runoff. Make first application when mildew or
mites appear.
2. Best spray time is in early morning hours on a calm day
at temperatures under 50°F.
3. Wash sprayer thoroughly after use.
4. READ CAUTIONS listed on left panel.

[DIRECTIONS FOR USE]

ROSES, FLOWERS, SHRUBS, NON-BEARING FRUIT TREES
EVERGREENS

Mix 4 tspns per gallon of water. Repeat in 7 to 10 days and con-
tinue as long as the mildew or mites appear.

FRUITS

Apricots, Peaches: Can be sprayed up to 45 days from
harvest. Mix at 4 tspns per gallon of water. Repeat at 7 to 10
day intervals, as needed.

Apples, Grapes, Pears: Can be sprayed up to 21 days from
harvest. Mix at 4 tspns per gallon of water. Repeat at 7 to 10
day intervals, as needed.

**Cantaloupes, Watermelons, Muskmelons, Honeydew
Melons, Cucumbers, Pumpkins, Squash:** Can be sprayed
up to 7 days from harvest. Mix at 4 tspns per gallon of water.
Repeat at 7 to 10 day intervals, as needed.

BEST AVAILABLE COPY

ACCEPTED

OCT 27 1977

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered for the pesticide
EPA Reg. No. 168-88