

(front Panel)

42057-13

PM12

Date: 02/16/83



MORGRO

MILDU-CURE

CONTAINS KARATHANE*

ACCEPTED
 JUL 10 1983
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 42057-13

CONTROLS POWDERY MILDEW & SPIDER MITES ON
ORNAMENTALS, FLOWERS, SHRUBS, AND FRUIT CROPS

**CAUTION: KEEP OUT OF REACH OF CHILDREN
 SEE OTHER CAUTIONS ON SIDE PANEL**

ACTIVE INGREDIENTS:

| | |
|--|---------|
| 2,4-Dinitro-6-octyl*phenyl crotonate | |
| 2,6-Dinitro-4-octyl*phenyl crotonate | 2.28% |
| Nitrooctyl*phenols (principally dinitro) | 0.16% |
| INERT INGREDIENTS: | 97.56% |
| TOTAL | 100.00% |

*A mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers.

KARATHANE is a registered trademark of Rohm & Haas Company.

EPA Reg. No. 42057-13

EPA Est. No. 42057-UL-1

NET CONTENTS: ONE PINT (16 Fl. Oz.)/
(0.473 l.)

Manufactured by MORGRO CHEMICAL COMPANY

P.O. Box 151048 · 145 West Central Avenue · Salt Lake City, Utah 84115

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Wear rubber gloves when using indoors. When using outdoors wear long pants, long-sleeved shirt, and rubber gloves. Outdoors, spray with the wind to your back. Wash and disposable gloves thoroughly with soap and water before removing.

Avoid skin contact. Harmful if swallowed. May cause skin irritation or sensitization. Wash thoroughly in case of contact. Avoid inhalation of spray mist.

DO NOT TAKE INTERNALLY.

Avoid contamination of feed and foodstuffs. Do not mix with oil or oil based sprays. Do not spray when daytime temperatures are over 90°F.

KEEP OUT OF REACH OF CHILDREN.

Use of this product may be hazardous to your health. This product has been determined to cause birth defects in laboratory animals.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or by disposal of wastes.

WARNING - FLAMMABLE!

KEEP AWAY FROM HEAT OR OPEN FLAME!

NON-WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.

Sprayer Settings: Morgro Super Sprayer and Hose Master - set at 4 tspns. per gallon water. For other kinds of sprayers mix 4 tspns. per gallon of water.

FOR BEST RESULTS:

1. Spray top and underside of all foliage and stems or branches to point of runoff. Make first application when mildew or mites appear.
2. Best spray time is in early morning hours on a calm day at temperatures under 90°F.
3. Wash sprayer thoroughly after use.
4. READ CAUTIONS listed on left panel.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Store in a cool, dry place. Keep container closed when not in use. Store in a locked storage area.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

ROSES, FLOWERS, SHRUBS, NON-BEARING FRUIT TREES, EVERGREENS:

Mix 4 tspns. per gallon of water. Repeat in 7 to 10 days and continue as long as the mildew or mites appear.

FRUITS

Apricots, Peaches: Can be sprayed up to 45 days from harvest. Mix at 4 tspns. per gallon of water. Repeat at 7 to 10 day intervals, as needed.

Apples, Grapes, Pears: Can be sprayed up to 21 days from harvest. Mix at 4 tspns. per gallon of water. Repeat at 7 to 10 day intervals, as needed.

Cantaloupes, Watermelons, Muskmelons, Honeydew Melons, Cucumbers, Pumpkins, Squash: Can be sprayed up to 7 days from harvest. Mix at 4 tspns. per gallon of water. Repeat at 7 to 10 day intervals, as needed.