BEST AVAILABLE COPY

BOX FRONT

MORGRO LOGO & LEAF DESIGN

MORGRO

BOLD TITLE

PEST MEAL

SMALL HEAD

ATTRACTS & KILLS:

BOLD COPY

SLUGS, SNAILS, SOWBUGS, EARWIGS, ANTS, GRASSHOPPERS, CUTWORMS, MILLIPEDES AND ADULT STRAWBERRY ROOT WEEVILS

LINE ART DRAWING

Picture (Bugs & Insects)

BOLD HEAD

ONE POUND TREATS 850 SQ. FT.

ACTIVE INGREDIENTS STMT

ALTIVE INGREDIENTS:

(SMALL COPY)

Carbaryl (I-Naphthyl N-methylcarbamate)*.....4.00%

Metaldehyde.....1.00%

100.00%

APR 2 71987

*Also <nown as Sevin®, a registered trademark of the Union Carbide Corporation, U.S. Patent No. 2,903,478

42057-39

EPA Est. No. 42057-01-1 EPA Reg. No. 42057-39

WARNING STMT IN BOX BOLD TITLE

WARNING:

BOLD COPY

1

KEEP OUT OF REACH OF CHILDREN. READ AND FOLLOW ALL DIRECTIONS. SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

SMALL HEAD

NET WEIGHT: 3 LBS./1.36 kg.

BOX BACK (BOLD HEAD) BOLD COPY

MORGRO PEST MEAL

KILLS SLUGS, SHAILS, SOUBUGS, EARHIGS, ANTS, GRASSFOPP CUTWORMS, MILLIPEDES, AND ADULT STRAUBERRY ROOF WEFVILS

BOLD COPY BOXED

PRECAUTION ARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

WARNING: (READ BEFORE USING)

May be fatal if swallowed or inhaled. DC NOT BREATHE DUST OR VAPORS. Avoid contact with skin, eyes or

clothing. Wash thoroughly after using. KEEP NIT OF REACH OF CHILDREN AND PETS. This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. NO NOT

USE INSIDE THE HOUSE. This product may be attractive to dogs. Keep dogs away from treated areas.

(Precautionary Statement cont. pg.2)

SMALL HEAD SMALL COPY MORGRO PEST MEAL Box Copy Label Mock (cont.)

11/86

rev. 3/11/87

page 2

(Precautionary Statement Cont.)

BOX BACK (cont.)

SMALL COPY

Avoid contamination of feed and foodstuffs. DO NOT APPLY DIRECTLY TO EDIBLE CROPS. Use and store under conditions where there will not be a hazard.

.,^.

į.

BOLD COPY SMALL COPY STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by administration of syrup of ipecac or under medical supervision, call a physician. If in eyes or on skin, flush eyes thoroughly with water; wash skin thoroughly with soap and water. If inhaled, remove from exposure and seek medical atten-

Note to Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor, Atropine is antidotal. Do

not use 2-PAM, opiates or cholinesterase inhibiting drugs.

BOLD COPY

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Birds feeding in treated areas may be killed. Do not apply directly to water. Do not contaminate water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

BOLD COPY

DIRECTIONS FOR USE

"MALL COPY

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

BOLD HEAD BOXED

SMALL COPY

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

SMALL COPY

Scatter Morgro PEST MEAL around annual flowers and perennial shrubs bothered by slugs, snails, earwigs, ants, grasshoppers, cutworms, millipedes or sowbugs. Apply at the rate of 1# per 850 square feet. Bait in early spring before pests cause damage. Repeat every 2 to 3 weeks as necessary to control slugs, snails or cutworms. DO NOT APPLY TO FOLIAGE or other plant parts.

BOLD COPY SMALL COPY FOR ADULT STRAWBERRY ROOT WEEVIL:

Apply 1 teaspoon of PEST MEAL around the base of Etrawberry plants, Rhododendrons, Camellias, Primroses, and Azaleas. Broadcast lightly on soil surface using 1# per 850 square feet. (DO NOT APPLY DIRECTLY TO PLANTS.) Apply in April or May only, or when weevil is in pupae stage. Repeat treatment in 2 to 3 weeks if hatching weevils continue to appear.

MORGRO PEST MEAL Box Copy Label Mock (cont.) 11/86 pg.3

BOX BACK (cont.)

BOLD COPY SMALL COPY NON-WARRANTY:

Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandlin or any application not specifically described and recommended on the label.

STD MORGRO SIG. BOLD COPY

Manufactured by MORGRO CHEMICAL COMPANY P.O. Box 151048 - 145 West Central Avenue - Salt Lake City, Utah 84115-1048