

Reg # 42057-47

PM-14

173

in a manner

ore  
n

p  
er

urning

o

gallon of

ake internally.

Wash

ing daily.

OF REACH OF

ish, aquatic

Do not

marshes,

aquatic

contaminate

ct treatment on

or allow it to

the treat-

om your Co-

se inhibition.


ty, expressed

than for the


ler is not

ct due to

ly described



**MORGRO**




Malathion: 0,0-dimethyl phosphorodithioate  
of diethyl mercaptosuccinate . . 57.00%



Manufactured by **MORGRO CHEMICAL COMPANY**  
P.O. Box 151048 • 145 West Central Avenue • Salt Lake City, Utah 84115

**BEST AVAILABLE COPY**



**DIRECTIONS**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:** Keep product in original container. Store in a cool, dry place. Keep container closed when not in use. Store container in a locked storage area.

**DISPOSAL:** Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

**FOR BEST RESULTS**

1. Apply on first calm day after pests appears. (Morning application is preferred.)
2. Repeat at 7 to 10 day intervals, if needed.
3. Spray plant to point of runoff.
4. Be sure to spray underside of leaves as well as tops.
5. READ CAUTIONS BELOW

**SUPERSPRAYER & HOSEMASTER SETTINGS:** 2 teaspoons per gallon of water.

**DANGER:** Keep away from heat or open flame.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic  
Animals**

**CAUTION:** Harmful if swallowed or inhaled. Do not take internally. Avoid breathing spray mist. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. **KEEP OUT OF REACH OF CHILDREN.**

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**NOTE TO PHYSICIAN:** Malathion may cause Cholinesterase inhibition. Atropine is antidotal.

**Non-Warranty:** Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

**BEST AVAILABLE COPY**

0 76235 63085 5

(Numbers indicate days to event in period after spraying with Difenololon)

[illegible]

**• This treatment may help decrease the risk of Crohn's disease in some cases, or delay, prevent, and possibly**