

CHILL THON STORY CENTER OF THE CONTROL OF THE CONTR

Malathion: 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate . . 57.00%



Manufactured by MORGRO CHEMICAL COMPANY
P.O. Box 151048 • 145 West Central Avenue • Salt Lake City, Utah 84115

BEST AVAILABLE CE

	ke I	Backberry, Baylandarry, Dyarbarry Bustony, Linguisterry	I -	•	1	1	ı	۰	۳	1-	ı	1 1	ı	i) (ı	1 1	h	1 1		1 (1 1	1	ŧ	į
INSECTS CONTROLLED	20	Sir partition (g)	F	T	r	Ľ	r	٦	Г	F	Ļ	T	Ľ	П	Т	H	L	Ī	Ħ	П	L		_	ı	ì
		Raspitries	Ē		Г	П	۲	7	Н	Г	H	П	П	П	П	Ħ	h		H	Г	Ħ	П	1	I	ł
		Proce / Physic	F		Г	П	F				Γ	П	П	П	Ī	П		Ī	I	Г	ï	٦	Π	t	i
	L	Plan	E		Г																Ĭ			ž	į
	Ž.	Patthe*;rept	L				$\Box L$					7			7									5	Ì
	- Ameri Vani	€ spen	L	L	L	L		£	£	L		Ц		•	9	3				-1				1	1
	١	Olimes	r	يا	L	Ц	L	Ċ	£	L	Ц	Ц	Ц	Ц	Ц	Ц	Ц	Ц	Ц		Ú	Ц	Ц	i	î
	l	Appres	Ĺ	7	ב	Ц	Ĺ	Ц	2			Ĺ	Ц				Ц	Ľ	Ы	Ľ	J	Ц	Ц	3	Į
	MICK S		5	*	PACS SCAP	Personal Contract	Super State	June Plants	VIDENCE BELLY	Ladhangers	10000	Lateral Schie	Legal be	And last	Part Later	Specific Services	Part Sec.	4674 4684	WAX K T WE	44 X 44	1	Total Sec	1	1 1 1 2	****
		Entripreers Shrake & Franc	F	ŕ	Г		F	F	7	-	F	Ŧ		F		7		Γ	-	П	Ĭ	П	П	i	Í
	*	Figures Guigen Prairie annuare & Progentie S	F	-	Γ		Г	-	-	-	Г	¥	ī	•	Ī	×	-		F	П	Ť	П	П	1	3
			1	7.5	Sendan)	(less & bear)	10.00	Jag car)	1	(Canada)	((September)	May / gage		100	Section 1	and the same of	Part drawer	And he best	Observen.					***	•
	[[Spider Miles			Γ	Γ			E		E		L		-	I		Ε		Г	Ĭ	П		3	
	U	Mest But	L	L	L	Ц	L				Ы	\Box	Γ	П		L							J		
		Marie Landidos	L	Ľ	L	Ц	L	1	Ц	Ц	Ŀ	4	Ц	Ц	Ŀ	Ц	Ц	Ц	Ц	L		Ц			
	STATE LATER S	Lace Augs. Thrups	F	ŀ	L	H	L	L	Ľ	H	Ė	Н	П	Ц	Ц	Ц	Ц	H	Ц	Ц	Ц	Ц	Н	ĺ	
	*	A faile Corps & Jobant Lotter	H	-	H	Н	H	H	Н	μ	Ц	Н	Н	Н	Ц	Н	Н	Н	Н	Н	Ц	Н	Н		
	ì	Appropri	F	۲	F	Н	Η	-	H	Н	-	1	Н	Н	Е	Н	î	Н	Ц	μ	Ц	Н	Н		
	۱ ۱		H	١.	F	Н	Ŀ	μ	Ρ	F	F	Ĥ	Н	-	Ц	Ч		R	H	F	Ц	Н	Н		
			Alex Speci	-	Ì	3	Table St.	Separate Separate	Š	,	Cure merri	Lertice	1	E P		0	Tarent .	Carb attents	į						

0 76235 63085

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

FOR BEST RESULTS

- 1. Apply on first calm day after pests appears. (Morning application is preferred.)
- 2. Repeat at 7 to 10 day intervals, if needed
- 3. Spray plant to point of runoff.
- Be sure to spray underside of leaves as well as tops.
- 5. READ CAUTIONS BELOW

SUPERSPRAYER & HOSEMASTER SETTINGS: 2 teaspoons per gallon of water.

CANGER: Keep away from heat or upen flame.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. To not take internally. Avoid breathing spray mist. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of feed and foodstuffs. KEEP OUT OF REACH OF CHILDREN.

ENVIRONMENTAL HAZARCS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to d. ect treatment on blooming crops of weeds. Do not apply this product or allow it to drift to blooming crops of weeds if bees are visiting the treat ment area. Erotective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE TO PHYSICIAM: Mainthion may cause Cholinesterase inhibition.

Atropine is antidotal.

Mon-Marranty: Hanufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described on the label.

BEST AVAILABLE CO