

(front panel)

**MORGRO
HOUSE & PATIO SPRAY
CONTAINS BAYGON®**

LASTS FOR WEEKS * READY TO USE * SURFACE SPRAY ONLY

KILLS ANTS, ROACHES, SPIDERS ... *IN AND OUTSIDE* THE HOUSE

WARNING: KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON LEFT SIDE PANEL

ACTIVE INGREDIENT:

o-isopropoxyphenyl methylcarbamate.....1.0%

INERT INGREDIENTS*.....99.0%

TOTAL.....100.0%

* contains petroleum distillates

BAYGON® is a Reg. TM of the Patent Company of Farbenfabriken Bayer GmbH, Leverkusen.

U.S. Patent No. 3,111,539

EPA Reg. No. 42057-59


EPA Est. No. 12057-UT-1

NET CONTENTS: ONE QUART (32 FL. OZ.) / 0.947 L.

Manufactured by MORGRO CHEMICAL COMPANY

P.O. Box 651048 * 145 West Central Avenue * Salt Lake City, UT 84107

ACCEPTED
JAN 25 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 42057-59



(Right Panel)

**READ ENTIRE LABEL BEFORE USE.
USE STRICTLY IN ACCORDANCE WITH
LABEL, CAUTIONS AND DIRECTIONS.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOUSE AND PATIO SPRAY is a highly effective formulation which gives a rapid-kill of insects listed, including crawling insects resistant to other types of insecticides:

Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Flies, Millipedes, Roaches, Scorpions, Silver Fish, Sowbugs, Spiders, and Mosquitoes.

HOW TO USE

Spray infected surface until wet, moving spray rapidly to avoid wasting material or over-wetting. DIRECT the spray AWAY from children, pets, plants, and restricted surfaces.

INSIDE THE HOUSE

To control Ants, Cockroaches, Crickets, Silverfish, Spiders, Earwigs, Flies, Mosquitoes, Water bugs...direct the spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed if pests appear.


SPRAYING ANIMAL SLEEPING QUARTERS

For control of Brown Dog Ticks, remove the pets and keep them away until spray has thoroughly dried. Spray around baseboards, windows and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in the animal's quarters after spraying. DO NOT SPRAY ANIMALS.

OUTDOOR AREAS

Ants, Earwigs, Flies, Scorpions, Millipedes, Clover Mites, and Sowbugs...spray infested areas thoroughly, including surfaces of screens, door, window frames, foundations, patio areas, or other places where insects may be found. For Ants, spray the hills and runways. Repeat as necessary. DO NOT SPRAY ANY VEGETATION.

RESTRICTIONS: Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber and asphalt surfaces, such as tiles and floor coverings.



(left panel)

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING: May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils, and food preparation areas. Remove pets and cover fish aquariums before spraying. If misuse results in illness, get prompt medical aid. **KEEP CHILDREN AND PETS OFF** treated areas until area is thoroughly dry.

STATEMENT OF PRACTICAL TREATMENT

In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

If on skin, wash immediately with soap and warm water. If irritation occurs, get medical attention. If eyes are contaminated, wash with plenty of water. Get medical attention.

If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferable mouth to mouth. Get medical attention.

If swallowed, call a physician or Poison Control Center. Do not induce vomiting. Vomiting may cause an aspiration hazard.

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame. Do not use in vicinity of pilot lights or while smoking.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Store in a cool, dry place. Keep container closed when not in use. Store container in a locked storage area.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NON WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically described and recommended on the label.