

CENTER PANEL

MORGRO

SOIL AND BULB DUST

INSECTICIDE - FUNGICIDE - MITICIDE

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

SEE CAUTION ON LEFT PANEL

ACCEPTED

DEC 11 1967

UNDER FEDERAL REGULATION AS AN INSECTICIDE, FUNGICIDE AND MITICIDE. REGISTERED UNDER THE FEDERAL INSECTICIDE ACT FOR ECONOMIC PEST CONTROL. REGISTERED UNDER NO. 168-X SUBJECT TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS:

*CARRABYL (1-naphthyl N-methylcarbamate).....	5.0%
ROTEHONNE.....	1.5%
OTHER CURE PESINS.....	1.5%
**ZINEB.....	5.0%

INERT INGREDIENTS..... 87.0%

TOTAL..... 100.0%

*"Sevin" is a trademark of Union Carbide Corp.
1-naphthyl N-methylcarbamate, U.S. Pat. #2,903,478

**Zinc Ethylene Bisdithiocarbamate - Rohm & Haas Co.

U.S.D.A. Reg. No. 168-X

Net Contents: 1 pound

A MORGRO GARDEN PRODUCT

BEST AVAILABLE COPY

507 7- 285 W

LEFT PANEL
MORGRO SOIL AND BULB DUST
INSECTICIDE - FUNGICIDE - MITICIDE

TO USE AS DUSTER:

Punch out lid liner. Hold container in horizontal position and squeeze container. Changing the position of the container varies the amount discharged.

FOR BEST RESULTS AS A FOLIAGE DUST:

1. Apply the dust to the underside, as well as top side of all plants treated where pests first appear. Repeat if needed per directions and cautions at 7 - 10 day intervals.
2. Apply the dust until you see a light film appear on all surfaces of the treated plants.
3. Read the caution on usage of this product.
4. After application, wash all exposed skin surfaces with soap and water.
5. Take cap off and pour into duster when using the refill container.

CAREFUL:

Keep out of reach of children.
Harmful if swallowed or inhaled.
Do not take internally.
Avoid breathing dust.
Avoid prolonged and repeated contact with skin.
Wash thoroughly after handling.
Change contaminated clothing.
Avoid contamination of feed and foodstuffs.

NO WARRANTY: Manufacturer or seller is not liable for any injury or damage caused by this product due to misuse, mishandling or any application not specifically recommended on this label.

Manufactured by:
WASATCH CHEMICAL COMPANY
2225 So. 5th East
SALT LAKE CITY, UTAH
84106

Code 1-1525-1265-766-10,000-02

BEST AVAILABLE COPY

RIGHT PANEL

MORGRO SOIL AND BULB DUST

INSECTICIDE - FUNGICIDE - MITICIDE

FOLIAGE DUSTING: Control of Botrytis gray mold, Curvularia, Sclerotinia (Leaf Spot) on Gladiolus; Botrytic Leaf Blight on tulips, dahlias, iris, and to control Aphids, Oyster, and Black Scale Crawlers, Mealy Bugs, Tarnished Plant Bugs, Spider Mites, Pill-bugs, Spittle Bugs, Rose Slugs, Exposed Thrips, Grasshoppers, Leafminer and Leafrollers. Dust the plants before the diseases or pests appear. Repeat at 7-10 day intervals or more frequently during periods of prolonged rainfall or high humidity.

AFTER DIGGING AND IN PREPARING FOR STORAGE: Clean the bulb or rhizome of dirt and debris. Prepare storage according to local Experimental Station or Extension Service authorities. Apply a light film of Soil and Bulb Dust to all areas of the bulb or rhizome for protection against overwintering Fungus of the gray mold disease and store in cool storage not on Dahlias, Tulips, Gladiolus.

Resubmitted 10-20-67

BEST AVAILABLE COPY