

MORGRO

SOIL BULB ACCEPTED

DUST

Insecticide - Miticide

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTI	VE INGREDIENTS															
SEVI	N* (1-naphthyl 1	N-methyl	car	bam.	ate)	•	•	-		•	•	•	•	•	•	. 5.00%
	ROTENONE															. 1.50%
	OTHER ASSOCIATED	RESINS	•				•	•					٠	•		. 1.50%
INER	T INGREDIENTS .		-			٠.	•				•	•				. 92.00%
	TOTAL		•	• •		-	•	•	•	•	•	•	•	•	-	.100.00%

SEVIN* is a registered trademark of Rhône-Poulenc for carbaryl insecticide.

EPA Est. 42057-UT-1 EPA Reg. No. 42057-73 NET CONTENTS: 1 LB. (0.45 Kg.)

MAR 1 6 1990

Manufactured by MORGRO CHEMICAL COMPANY

P.O. Box 651048 · 145 West Central Avenue · Salt Lake City, Utah 84165-1048

- HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed or inhaled.
Do not take internally.
Avoid breathing dust.
Avoid contact with skin.
Wash thoroughly after handling.
Change contaminated clothing daily.
Avoid contamination of feed and foodstuffs.
KEEP OUT OF REACH OF CHILDREN.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

TO USE AS A DUSTER: Punch-out lid liner. Shake container to sprinkly MORGRO SOIL & BULB DUST where needed.

. SOIL TREATMENT: Flower Gardens, Ornamental Plant Beds, Ornamental Nursery Beds, Greenhouse Benches for Ornamental Plants only:

BEFORE PLANTING (worked into soil):

- Spread uniformly over soil in two directions.
- 2. Work (spade, plow, rototil) into top soil to a depth you normally work the soil. For best results mix to a depth of 6 inches.

AFTER PLANTING (Top soil treatment):

- Dust lightly and uniformly between and around plants: ...
- 2. Do not work into soil.
- If application is followed by heavy rain, repeat very light application.

ESTABLISHED PLANTINGS:

- Dust lightly and uniformly between and around plants.
- 2. Work into top soil. Do not injure feeder roots.

STORAGE AND DISPOSAL

STORAGE: Keep product in original container. Store in a cool, dry place. Keep container closed when not in use. Store container in a locked storage area.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

READ ENTIRE LABEL BEFORE USE. USE STRICTLY IN ACCORDANCE LABEL CAUTIONS AND DIRECTIONS.

APPLICATION DIRECTIONS FOR FLOWER GARDENS, ROSES, SHRUBS, FLOWERING TREES (except Magnolias)
Insects controlled: Strawberry Root Weevils, Cutworms, Ants, Earwigs, Thrips.

SOIL TREATMENT BEFORE PLANTING:

1. Use 1 lb. per 200 sq. ft. of soil area.

- 2. Follow "Worked into Soil" directions under General Directions.
- 3. When planting, also dust planting hole or furrow very lightly. Do not mix with soil.
- 4. For thrips on plants, follow standard spray or dust program. TREATMENT AROUND ESTABLISHED PLANTS:
- 1. Use 1 lb. per 400 sq. ft. of soil area.
- 2. Follow directions as listed under General Directions.
 APPLICATION DIRECTIONS FOR BULBS (Daffodils, Gladiolus, Dahlias,
 Hyacinths, Begonias, Iris, Lilies, Tulips, Crocus, Snowdrops)
 Insects controlled: Thrips, Wireworms, Narcissus Bulb Fly (larvae)
 STORAGE TREATMENT: (Helps control thrips)
- 1. Avoid bruising bulbs when dipping and cleaning.
- 2. Discard and destroy all diseased, scarred or broken bulbs.
- Dip bulbs after cleaning and again before planting as recommended by State Extension Service Specialists.
- 4. After bulbs are cleaned and cured and before storage, dust as follows: Shake in sack or container with sufficient amount of dust to thoroughly coat bulbs.
- 5. Do not treat bulbs that are scarred or broken or that have their husk or covering removed.

SOIL TREATMENT BEFORE PLANTING:

- Use 1 lb. per 200 sq. ft. of soil area.
- 2. Treat only actual planting area.
- 3. Follow "Worked into Soil" directions as under General Directions.
- 4. For thrips on plants, follow standard spray or dust program. PLANTING TREATMENT:
- 1. Dust bulbs just before planting. See Storage Treatment.
- Dust planting hole or furrow lightly but evenly (approx. 1 oz. of dust per 2 sq. ft. of planting soil area).
- 3. Do not mix dust into soil. Close hole or furrow in usual manner.

CROP ROTATION: Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

NON-WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or Lamage caused by this product: the transfer mishandling or any application not specifically described and recommended on the label.