

PM 12 42057-100 %  
12-31-89

Reviewed. Product of ...

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**  
**WARNING:** MAY BE FATAL IF SWALLOWED. Do not smoke while using. May be absorbed through skin. Avoid breathing spray mist or vapors. **DO NOT GET IN EYES OR ON SKIN.** If in eyes, flush with plenty of water and get medical attention. Wash thoroughly after handling. Wash contaminated clothing before using again.  
**DO NOT SPRAY VEGETABLE GARDENS OR OTHER EDIBLE CROPS.**  
 Keep away from food, feedstuffs, and domestic water supplies. Handle concentrate in ventilated areas.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED** — Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water. Do not induce vomiting because of possible aspiration hazards. **IF INHALED** — Remove victim to fresh air. Apply artificial respiration if indicated. **IF ON SKIN** — Remove contaminated clothing and wash affected areas with soap and water. **IF IN EYES** — Flush eyes with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIANS:** Chlorpyrifos is a cholinesterase inhibitor. Atropine is antidotal. Treat symptomatically.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on label. Do not apply where runoff is likely to occur nor when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.  
 This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**PHYSICAL OR CHEMICAL HAZARDS**

**FLAMMABLE. KEEP AWAY FROM HEAT OR OPEN FLAME.**

**STORAGE AND DISPOSAL**

**STORAGE:** Keep product in original container. Store in a cool, dry place. Keep container closed when not in use. Store container in a locked storage area.  
**DISPOSAL:** Do not reuse container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.

**NON-WARRANTY:** Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by the product due to misuse, rehandling, or any application not specifically described and recommended on the label.



Manufactured by MORGRO CHEMICAL COMPANY  
 P.O. Box 151048 • 145 West Central Avenue • Salt Lake City, Utah 84115

**READ ENTIRE LABEL CAREFULLY BEFORE USE.**  
**OBSERVE ALL WARNINGS.**  
**USE ONLY AS DIRECTED ON THIS LABEL.**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**Controls the following insects:** ants, chinch bugs, cutworms, brown dog ticks, earwigs, grasshoppers, and sod webworms (lawn moths) infesting lawns and other ornamental and recreational turf grass areas.  
**WOOD-BORING INSECTS INFESTING ORNAMENTAL SHRUBS AND TREES:** Use at the rate of 2.7 ozs. in 1 gallon of water to control Dogwood Borer, Lace Borer, Ash Borer, and Rhododendron Borer. Apply Durban® to the trunks and lower limbs of trees and shrubs when adults begin to emerge.  
**PEACH TREE BORERS INFESTING PEACH TREES:** Mix 7.8 ozs. in 1 gallon of water and apply as a coarse, low pressure spray. Make application before newly hatched borers enter the tree. Thoroughly wet all bark areas from ground level to scaffold limbs. Do not allow spray to contact fruit.

**FOR BEST RESULTS**

Water lawn before application. Carefully measure area to be treated and apply proper amount uniformly over the area. Mix with water according to table below and apply as coarse spray (large droplets). Use a low pressure sprayer such as knap-sack or hose-end sprayer.  
**For CHINCH BUGS:** Apply when yellowing or damage appears. To prevent damage apply as soon as daily temperatures reach 80° F and repeat every two months.

*"This product contains the toxic inert ingredient Xylene."*

AREA TO BE TREATED	DOSAGE RATE AMOUNT OF DURBAN INSECTICIDE	DILUTE WITH WATER TO MAKE
100 sq ft	2/3 fl oz (4 tspns)	3 gals
150 sq ft	1 fl oz (2 tblsps)	5 gals
500 sq ft	3 fl oz + 2 tspns	15 gals
1 000 sq ft	6 fl oz + 4 tspns	30 gals
1 200 sq ft	8 fl oz	40 gals
2 400 sq ft	1 pint	75 gals

94.00

1 fluid ounce = 6 teaspoons or 2 tablespoons  
 Spray when insects first appear. Repeat treatment as needed.  
**IMPORTANT:** Keep children and pets off treated area until spray has dried.

**BEST AVAILABLE COPY**