

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	42 01 117	JAN 12 1990
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Borgre Services Company
 145 West ...
 P.O. Box ...
 Salt Lake City, UT 84116-1048

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or for its use if it has been covered by others.

1. The registrant shall comply with the requirements of section 3(c) of the Act when the Agency requires all registrants of similar products to submit data.
 2. The registrant shall change the label to show a ...
- ... word "acid" and 2,4-dichlorophenoxyacetic acid in the active ingredients statement.

Do not use near ...
 pesticides or soil. To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash. Do not reuse empty bag, fold and discard in trash.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE 1/11/90

c. Add to the Caution statement:

- If Swallowed: Get medical attention.
- If In Eyes: Flush with water for 15 minutes.
- If On Skin: Wash skin with soap and water.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 previously mailed to you for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller
Acting Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

(front panel)

(LOGO)

(LINE ART DRAWING)

CONTROLS DANDELION, CHICKWEED, BLACK MEDIC
AND MANY OTHER PROBLEM WEEDS.

MORGRO

20-2-2 WEED & FEED

EPTEO
MORNING
12 1990

JAN 12 1990

UP
P
42057-112

ACTIVE INGREDIENT: Dimethylamine salt of	
2,4-Dichlorophenoxyacetic	1.22%
INERT INGREDIENTS: Relative to herbicidal content	98.78%
TOTAL	100.00%

Equivalent to: 2,4-Dichlorophenoxyacetic Acid 1.01%

EPA REG. NO. 42057
EPA EST. NO. 42057-UT-1

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON BACK PANEL

NET WEIGHT: 20 LBS. (9.07 Kg.)

FEEDS 5,000 SQ. Ft. (464.5 Sq. Meters)

Manufactured by MORGRO CHEMICAL COMPANY
P.O. Box 651048 . 145 W Central Ave . Salt Lake City, UT 84107

(back panel, 1)

MORGRO

20-2-2 WEED & FEED

MORGRO 20-2-2 WEED & FEED IS A FORMULATION OF QUALITY LAWN FERTILIZERS PLUS HERBICIDE FOR EFFECTIVE CONTROL OF MOST BROADLEAF WEEDS.

- * Contains high nitrogen fertilizer for rapid greening, feeds for 4-6 weeks.
- * Safe to use on all types of turf grasses. Will not burn when used as directed.

Morgro 20-2-2 Weed & Feed effectively controls the following weeds when used as directed:

Black Medic	Lambsquarter	Shepherd's Purse
Blackhorn	Morning Glory	Thistle
Chickweed	Peppergrass	Wild Carrot
Dandelion	Pigweed	Wild Garlic
Dock	Plantains	Wild Onion
Ground Ivy	Ragweed	and other broadleaf weeds

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	20.00%	•••••
Available Phosphoric Acid (P2O5)	2.00%	•••••
Soluble Potash (K2O).....	2.00%	•••••

Derived from Urea, Ammonium Sulfate, Treble Superphosphate, and Muriate of Potash. •••••

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. •••••

Morgro 20-2-2 can be used on Blue Grass, Fescue, Bermuda, and Zoysia lawns. •••••

Apply Morgro 20-2-2 Weed & Feed with a broadcast or drop-type spreader set to deliver 4 pounds per 1,000 sq. ft. WATER LAWN THOROUGHLY BEFORE APPLICATION. Apply several days after mowing to allow for the presence of plenty of leaf surface to catch and retain Morgro Weed & Feed. •••••

After application, sweep particles off walks and driveways to avoid staining. Do not water, mow or

(back panel, cont /2)

For best results apply Morgro 20-2-2 in spring or early fall when weeds are actively growing. Morgro 20-2-2 will not burn grasses when used as directed.

Re-apply Morgro 20-2-2 or another Morgro lawn fertilizer 6 to 8 weeks after application of this product.

This product can reach groundwater from improper handling. To minimize groundwater contamination from spills during loading and cleaning of equipment, take the following steps:

Handling: When handling this product, wear chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. If spills occur, collect the material and dispose of it by following disposal instructions on this label.

Cleaning of Equipment: When cleaning equipment, do not pour the washwater on the ground; spray it down drains over a large area away from wells and other water sources.

SPREADER SETTINGS:

Apply according to spreader manufacturer's recommended settings. When using a wheeled, drop-type spreader, overlap wheel tracks to assure even coverage.

<u>SPREADER TYPE</u>	<u>SETTING</u>
Scotts Standard, Automatic or Precision Flow Control Models	8
Cyclone Spreader	3

SUGGESTED FERTILIZER APPLICATION PROGRAM

Lawn research demonstrates that turf grasses need adequate quantities of plant food to maintain nutrient health and color. Morgro recommends the following application programs:

GOOD - Fertilize twice: early spring and in early fall.

BETTER - Fertilize three times: early spring, late spring or early summer, and early fall.

BEST - Fertilize four times: early spring late spring or early summer, late summer or early fall, and late fall.

If lawn becomes infested with Crabgrass or Spurge, apply Morgro CRABGRASS AND SPURGE KILLER (includes fertilizer) in early spring or late fall. If dandelions or other perennial broadleaf weeds appear, apply Morgro 20-2-2 Weed & Feed or Morgro WEEDIT II SPRAY in early spring and as needed for continued control.

<p>STORAGE AND DISPOSAL</p> <p>Do not store near pesticides or seeds. Do not reuse empty bag. Securely wrap and discard in trash collection.</p>

back panel cont./3)

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

APPLICATION PRECAUTIONS: Do not use where desirable clovers and present or allow product wind drift on flowers, vegetables or ornamental shrubbery. Do not apply to newly seeded lawns. Do not apply in areas overlaid by roots of desirable trees and shrubs.

NON WARRANTY: Manufacturer or Seller makes no warranty, expressed or implied, concerning the use of his product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for any injury or damage caused by this product due to misuse, misbranding or any application not specifically described and recommended on the label.

Manufactured by MORGRO CHEMICAL COMPANY
P.O. Box 65104S - 145 W Central Ave - Salt Lake City, UT 84107

