


Bay Front

ACCEPTED
NOV 17 1962
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 2077-110



TM


MORGRO

BEST DOCUMENT AVAILABLE

... of the annual weed

Back
Back

BEST DOCUMENT AVAILABLE



ACCEPTED
NOV 17 1982
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 7207-116

MORGRO CRABGRASS KILLER Plus FERTILIZER 25-3-3

MORGRO CRABGRASS KILLER PLUS FERTILIZER IS FORMULATION OF QUALITY LAWN FOOD BLENDED WITH PROVEN BENEFIN HERBICIDE FOR PRE-EMERGENCE CONTROL OF CRABGRASS AND OTHER ANNUAL WEEDS IN ESTABLISHED TURF.

- Contains a special formulation of Nitrogen fertilizers to produce rapid greening and provide a steady controlled feeding for up to 8 weeks.
- Use Morgro Crabgrass Killer plus Fertilizer on established bluegrass, ryegrass, fescue, bahiagrass, bermudagrass, centipedegrass, St. Augustine and zoysia turf grasses only. Safe, will not burn when used as directed.
- Morgro Crabgrass Killer plus Fertilizer controls annual weeds by killing their seeds as they germinate — this product will not control established weeds.
- Contains 6% Sulfur to reduce alkali and correct pH balance in western soils.

GUARANTEED ANALYSIS

Total Nitrogen (N).....	25%
1.2% Ammoniacal Nitrogen	
15.8% Urea Nitrogen	
8.0% Coated Slow Release Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	3%
Soluble Potash (K ₂ O).....	3%
Sulfur (S).....	6%

Primary Plant Foods Derived from: Ammoniated Phosphates, Urea, Muriate of Potash and Sulfur Coated Urea. Sulfur derived from Sulfur Coated Urea. Potential Acidity 854 lbs. Calcium Carbonate Equivalent per ton.

Morgro Crabgrass Killer plus Fertilizer is a selective pre-emergence herbicide and fertilizer combination effective in controlling crabgrass, annual bluegrass (poa annual), goosegrass, and other annual weed grasses in established turf.

WHEN TO APPLY

FOR CRABGRASS CONTROL — apply in early spring before crabgrass germinates. Reseeding should be delayed 90 to 120 days after application.

Bag Fruit

CRABGRASS KILLER

PLUS FERTILIZER

25-3-3

ACCEPTED

NOV 17 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2287-110

Contains Benefin, a selective pre-emergence herbicide for control of crabgrass and most other annual weeds in established lawns.

ACTIVE INGREDIENTS:	
N-butyl-N-ethyl-alpha, alpha, alpha-trifluoro-2, 6-dinitro-p-toluidine.....	1.02%
INERT INGREDIENTS.....	98.98%
TOTAL.....	100.00%

EPA Est. No. 42037-UT-1

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
 See Back Panel for Additional Precautions

NET WEIGHT 18 lbs. (8.2 kg.)
FEEDS & TREATS 95,000 Sq. Ft. (464.5 Sq. meters)

Manufactured for
MORGRO CHEMICAL COMPANY
 P.O. Box 151048 145 West Central Avenue Salt Lake City, Utah 84115

BEST DOCUMENT AVAILABLE

HOW TO APPLY

- It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
- Apply Morgro Crabgrass Killer plus Fertilizer evenly over the turf area without skips or misses at a rate of 3.8 pounds per 1,000 sq. ft. (See spreader settings below.) Both drop-type and rotary spreaders may be used.
- Any cultural practices that disturb the soil, such as aeration or verticutting, should be done before application of Morgro Crabgrass Killer plus Fertilizer.
- After application, sweep particles off walks and driveways to avoid staining. Water normally. Do not mow or rake lawn for 48 hours after application.

Bag
Back

SPREADER SETTINGS

Apply according to spreader manufacturer's recommended settings. Most uniform application can be made by spreading half the required amount of product over the area, and then applying the remaining half at right angles or crosswise. When using a wheeled, drop-type spreader, overlap wheel tracks to assure even coverage.

SPREADER TYPE	TWO PASS (CRISSCROSS) APPLICATION SETTING	SINGLE PASS APPLICATION SETTING
Scotts Standard, Automatic or Precision Flow Control models	6X	7X
Scotts Broadcast	B/C	D/E
Cyclone	4-4X	4X-4X

NOTE: Above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. This bag should cover approximately 5,000 square feet (example, 50 ft. x 100 ft.). Calculate the size of area to be treated and do not over or under apply. Close spreader when filling, stopping or turning. **DO NOT HAND SPREAD.**

SUGGESTED FERTILIZER APPLICATION PROGRAM

Lawn research demonstrates that turf grasses need adequate quantities of plant food to maintain good health and color. Morgro recommends the following application programs:

GOOD—Fertilize twice: early spring and in early fall.

BETTER—Fertilize three times: early spring, late spring or early summer, and early fall.

BEST—Fertilize four times: early spring, late spring or early summer, late summer or early fall, and late fall.

If dandelions or other perennial broadleaf weeds appear, apply Morgro COMPARE™ Plus III Weed & Feed or Morgro WEEDIT II SPRAY in early spring and as needed for continued control. If weed control is not necessary, apply a balanced fertilizer formula such as Morgro COMPARE™ SUPER MORGRO or PROFESSIONAL TURF FOOD.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. In case of contact, flush with water. Do not contaminate foodstuffs, or feed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by direct application, cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Storage: Keep container closed and away from food, feedstuff, or domestic water supplies. Disposal: Do not reuse empty container. Wrap container and put in trash collection.

NON-WARRANTY: Manufacturer or Seller makes no warranty expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Manufacturer or Seller is not liable for injury or damage caused by the product due to misuse, misbranding or any application not specifically described and recommended on the label.

Manufactured by

MORGRO CHEMICAL COMPANY

P.O. Box 151048 145 West Central Avenue Salt Lake City, Utah 84115

Product of U.S.A.

©1981 Morgro Chemical Company
Lot No

All rights reserved

MGRCP1

BEST DOCUMENT AVAILABLE