

TEKLOR Sanitizer

KEEP OUT OF REACH OF CHILDREN

WARNING

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione dihydrate 25%
(provides 14% available chlorine)

INERT INGREDIENTS

75%

Harmful if swallowed. Do not get in eyes or on the skin. Do not breathe dust.

If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes, get medical attention.

Rinse empty container thoroughly with water and discard it. See right panel for use directions and for handling and storage directions.

Net Contents 5 lbs. net

Manufactured and Distributed by:
TEK-TROL CHEMICALS, INC.
EPA Reg. No. 42148-1
EPA Est. No. 42148-T2-01
13393 Murphy Road • Stafford, Texas 77477

DIRECTIONS FOR USE

DO NOT MIX WITH OTHER CHEMICALS. Prepare a sanitizing solution by dissolving 1 oz. or 2 oz. of TEK-LOR SANITIZER per 10 gal. of water. This gives a solution containing 100 ppm or 200 ppm available chlorine respectively. Clean and rinse item or surface prior to sanitizing. Then place dishes, glasses, equipment or utensils in the solution or spread it over the surface to be sanitized. Let stand 2 to 5 minutes and drain.

The same solution may be used in the feed tank in immersion or spray type machines providing 2 to 5 minutes of contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional TEK-LOR SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

TEK-LOR SANITIZER is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

DIRECTIONS FOR STORAGE AND HANDLING

Store in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material: Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ACCEPTED
42148-1
DEC 30 1980
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under