Reg # 42177-14

PM-32

DANGER PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

PRACTICAL TREATMENT (FIRST AID):

If swallowed: Drink two glasses of water and see a physician immediately. Do not induce vomiting

Hon skin: Wash skin thoroughly with cold water for at least 15 minutes, If irritation persists, see a physician

if in eyes. Flush with cold water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into takes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to five or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with Jarge volumes of water, if necessary

EPA REG. NO. 42177-14 EPA EST. NO. 42177-TX-1 ACCEPTE

APR # 2 1801

Under the Federal Insecticide, Fungici is and Rodenticide Ac Manufactured be as amenued, for the pesticide registered under EPA Rey No. 43177-/4

CHEMICAL CORPORATION

3309 East Carpenter Freeway Fliving TX 75062

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

How to use LTM

To start your pool. 1. Backwash filter: 2. Utilizing a reliable test kit check pH and adjust to 7:2-7.6 range. Add pH Plus if pH is below 7:2. Add pH Minus if pH is higher than 7.6. Maintain pH range at 7:2-7.6. 3. Use two cups of LTM per 5,000 gallons of water.

After pH range (7.2-7.6) and chlorine residuals (1.0-2.0 ppm) have been established, it is beneficial to add Pool Stabilizer to the pool. Follow directions on the labet. Pool Stabilizer will increase chlorine efficiency by helping to reduce chlorine loss due to the sun's ultraviolet rays.

How to maintain the proper chlorine residual

The chlorine residual should be maintained between 1.0 and 2.0 ppm available chlorine as determined by a chlorine test kit. Under normal conditions, this residual can be maintained by the daily addition of about to cup (2.7 ounces) of LTM for each 5,000 gallons of pool water—if the pool water is properly stabilized with 30-50 ppm of Pool Stabilizer. Severe conditions, such as high temperatures or continued use by many people, will require higher daily dosage, whereas smaller doses may suffice in spring and fall or when the pool is not being subjected to normal bathing loads.

The pool water should be super-chlorinated about once each week. Five times the normal daily addition, or a minimum of one cup feight ounces) per 5,000 gallons of pool water should be added in the evening when the pool will not be used for a minimum of 12 hours. Test the chlorine residual and if above 3.0 ppm do not allow swimming in residual has decreased.

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in itse. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage or disposal, or cleaning of equipment.

APR 02 1991

Under the First and S. Act.
as amended to the registered under EPA Rea No. 42172-14

BEST AVAILABLE COPY