SEP 1 2 1991

York Chemical Corporation 3309 East Carpenter Freeway Irving, TX 75062

Attention: E.J. Castagnoli

Gentlemen:

Subject: Olymic Power Shock

EPA Registration No. 42177-15

Your Amendment Dated March 25, 1991

The labeling submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- 1. Delete Statement of Practical Treatment on back panel.
- 2. Add the following directly under the signal word "Danger" on the front panel:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention.

If In Eyes: Flush with plenty of water for 15 minutes. Get medical attention.

62716:I:WP5.0:Farmer:C.Disk:KEVRIC:07/05/91:CL:WO:CL'S⊨n)

CONCURRENCES								
SYMBOL						_		
SURNAME								
DATE							******	
EPA Form 1320-1 (12-70)								

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If you have any questions, please contact Arvella Farmer at (703) 557-6939.

Sincerely yours,

Ruth G. Douglas
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

2043

Enclosure

VCCEALED with COLDULATE In DOA Latter Delega SEP 1 2 1991

MAR 2 1

Under the first stieres.
Funglished in the stieres stieres stieres water than Reg. No. 42177-15

Completely Soluble Highly Effective Bactericide and Disinfectant

ACTIVE INGREDIENT:

Lithium Hypochlorite 29% INERT INGREDIENTS:71% Available Chlorine 35%

KEEP OUT OF REACH OF CHILDREN

DANGER add tional predautions on back panel. NET WEIGHT: 2 lbs. (907 g.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMA

DANGER: Highly corrosive. Causes slun and eye demage. May be fatal it swello not get in eyes, on skin or on clothing. Wear goggles or face sheld and rubber glothandling limiting to nose and throat. Avoid breathing dust. Remove and wash continued to the clothing before reuse.

PRACTICAL TREATMENT (FIRST AID):

red: Drink two glasses of water and see a physician immediately. Do n vorniting.

If on share Wash skin thoroughly with cold water for at least 15 minutes. If irritation per a physician.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

ENVIRONMENTAL HAZAROS: This product is loxic to fish. Do not disch tekes, streams, ponds, or public waters unless in accordance with an NPDES P guidance contact the regional office of EPA

PHYSICAL AND CHEMICAL HAZARDS: Strong Oxidizing Agent. Mix water. Use clean, dry utensits. Do not add this product to any dispensing device of remnants of any other product. Such use may cause a violent reaction leading to live sion. Contamination with moisture, organic matter, or other chemicals may start a reaction with generation of heat, liberation of hazardous gases, and possible generation and explosion. In case of contamination or decomposition, do not reseat contains sible, isolate container in open air or well ventilated area. Flood with large vo water, if necessary

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with [a

HOW TO USE POWER SHOCK

The pool water should be shock treated about once each wook. Utilizing your po adjust pH of pool to 7.2-7.6. Use one pound (tb.) per 6,000 gallons of water in the when the pool will not be used for a minimum of 12 hours. Test the chlorine residual above 3.0 ppm do not allow swimming until residual has decreased.

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool stated area away from heat or open flame. In case of decomposition, isolate or possible) and flood area with large amounts of water to dissolve all materials before ing this container. Do not reuse empty container but place in trash collection. Do tarninate food or feed by storage or disposal, or cleaning of equipment.

EPA REG. NO. 42177-15

EPA EST. NO. 4217

Add prescribed That in

Manufactured by



3309 East Carpenter Freeway • Irving, TX 75062