UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 0 1 1996

York Chemical Corporation 3309 East John W. Carpenter Freeway Irving, TX 75062

Attention: E.J. Castagnoli

President

Subject: Olympic Chlorinated 1" Tablets

Your Registration Number 42177-17

Your Submission Dated December 18, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

DUZ

Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

59538:I:A-4:Douglas:C.Disk:KENCO:02/27/90:CL:VO:EK:CT

CONCURRENCES									
SYMBOL									
SURNAME	L * * * * * * * * * * * * * * * * * * *								
DATE									
27 1000 1 00 70)									

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage—wear goggles or face shield and rubber gloves when handling. May be harmful or tatal if swallowed. May cause chemical burns. Contact with other materials may cause lire or explosion or result in dangerous pressure, especially if heated. Contact with water or moist air liberates irritating and hazardous

Do not get in eyes, on skin or on clothing. Avoid breathing dust or turnes.

apparatus.

PRACTICAL TREATMENT(FIRST AID): In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. Call a physician. Remove contaminated clothing promptly and wash before reuse. IF SWALLOWED, promptly drink one or two large glasses of water. DO NOT induce vomiting. Get medical attention. Avoid

PHYSICAL AND CHEMICAL HAZARDS: Strong exidizing agent. Contact with other materials may cause lire or explosion, or result in dangerous pressure, especially if heated. Contact with water or moist air

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this

SPILL: Sweep up and while providing adequate ventilation, flush away

IN CASE OF FIRE: Use water spray to cool containers exposed to by flooding with water. heat and flood with water to dilute material. Noxious tumes can be formed. Wear full protective clothing ing self-centained breathing

MAR D 1 1990

Under the Federal Insecticitie, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Manufactured by



3309 East Carpenter Freeway • Irving, TX 75062



Concentrated • Stabilized

ACTIVE INGREDIENT: Trichloro-s-Triazinetrione..... Available Chlorine 90%

KEEP OUT OF REACH OF CHILDREN

Corrosive—See first aid and precautions on side panel.

NET WEIGHT: 16 lbs. (7.25 kg.)





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR SWIMMING POOLS

1. Proper conditioning of pool water is necessary to insure maximum effectiveness of this product. Previously unconditioned pools should be treated with Stabilizer. Follow instructions on the label.

 Adjust pool water pH to 7.2-7.6. Use pH Minus to lower pH and pH Plus to increase pH. Follow instructions on the label of the product used.

 SUPERCHLORINATION is occasionally necessary to maintain a clean and algae free pool (see directions on label of Shock Treatment)

4. MÁINTENANCE DOSE for every 1,000 gallons of water, put into AUTOMATIC CHLORINATOR two tablets every 7-10 days. Check pool water frequently with a test kit and maintain 1.0-1.5 PPM chlorine residual and pH of 7,2-7.6.

5. During extremely hot weather and/or heavy bathing loads, additional dosage may be required. This can be achieved by adding 20 more tablets to the feeder for each 10,000 gallons of pool water. This provides 0.5 PPM additional chlorine dosage during the next 7 days. However, if immediate chlorine dosage is required, see directions on labels of Shock Treatment for quick adjustment of the residual chlorine to 1.1 PPM. After adjustment to 1.1 PPM residual chlorine by the addition of Shock, this product when used as directed, will maintain the residual chlorine level between 1.0 and 1.5 PPM under normal use conditions.

HOW TO CALCULATE POOL CAPACITY				
SHAPE OF POOL	GAL OF WATER			
	(Dimensions in ft.)			
Rectangular	Average depth			
•	X average length			
	X average width X 7.5			
Circular				
	X average depth X 5.9			

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS: Store in original container and place in locked storage area. Keep from freezing. Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

GENERAL: Consult Federal, state or local disposal authorities for approved alternative procedures such as limited burning.

EPA REG. NO. 42177-17 EPA EST. NO. 42177-TX-1

ACCEPTED

MAR 0 1 1890

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 42/17-/7

UN 2468

584/482

3