

CAUTION
 CORROSIVE CAUSES EYE DAMAGE. PROTECT
 EYES WHEN HANDLING. MAY BE HARMFUL OR FA-
 TAL IF SWALLOWED. MAY CAUSE CHEMICAL
 BURNS. CONTACT WITH OTHER MATERIALS MAY
 CAUSE FIRE OR EXPLOSION OR RESULT IN DAN-
 GEROUS PRESSURE. ESPECIALLY IF HEATED
 CONTACT WITH WATER OR MOIST AIR LIBERATES
 IRRITATING AND HAZARDOUS GASES

FIRST AID:

[illegible]

SPILL: SAVING 4. 100% (100% of the spill was saved)

IN CASE OF FIRE:

IN CASE OF FIRE, IMMEDIATELY
 DISPOSE OF ALL FLAMMABLE AND EXPLOSIVE
 MATERIALS IN THE AREA. IF THE
 FIRE IS NOT EXTINGUISHED IMMEDIATELY,
 CALL THE FIRE DEPARTMENT.

EPA REG NO 421225

**YORK CHEMICAL
CORPORATION**



OLYMPICTM CHLORINATED TABLETS 3"

Concentrated, Stabilized

ACTIVE INGREDIENT: Trichloro-s-triazinetriene 99.0%

INERT INGREDIENTS:.....1.0%.

Available Chlorine: 90%

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive — See first aid and precautions on side panel.

NET WEIGHT: 16 lbs. (7.25 kg)



DIAZ

FOR S

FOR
 1. ...
 2. ...
 3. ...
 4. ...
 5. ...
 6. ...
 7. ...
 8. ...
 9. ...
 10. ...
 11. ...
 12. ...
 13. ...
 14. ...
 15. ...
 16. ...
 17. ...
 18. ...
 19. ...
 20. ...
 21. ...
 22. ...
 23. ...
 24. ...
 25. ...
 26. ...
 27. ...
 28. ...
 29. ...
 30. ...
 31. ...
 32. ...
 33. ...
 34. ...
 35. ...
 36. ...
 37. ...
 38. ...
 39. ...
 40. ...
 41. ...
 42. ...
 43. ...
 44. ...
 45. ...
 46. ...
 47. ...
 48. ...
 49. ...
 50. ...
 51. ...
 52. ...
 53. ...
 54. ...
 55. ...
 56. ...
 57. ...
 58. ...
 59. ...
 60. ...
 61. ...
 62. ...
 63. ...
 64. ...
 65. ...
 66. ...
 67. ...
 68. ...
 69. ...
 70. ...
 71. ...
 72. ...
 73. ...
 74. ...
 75. ...
 76. ...
 77. ...
 78. ...
 79. ...
 80. ...
 81. ...
 82. ...
 83. ...
 84. ...
 85. ...
 86. ...
 87. ...
 88. ...
 89. ...
 90. ...
 91. ...
 92. ...
 93. ...
 94. ...
 95. ...
 96. ...
 97. ...
 98. ...
 99. ...
 100. ...

FOR SPAS

Proper conditioning of maximum effectiveness of Oxy-
genated waters should be main-
tained in the State of
2. As a guide, water pH in
lower pH and pH of 8.5
after the previous...

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR SWIMMING POOLS

1. Proper conditioning of pool water is necessary to insure maximum effectiveness of Olympic 3 Tablets. Previously unconditioned pools should be treated with Olympic Stabilizer. Follow instructions on the label.
2. Adjust pool water pH to 7.2-7.6. Use suitable agents such as Olympic PH Minus to lower pH and PH Plus to increase pH. Follow instructions on the label of the products used.
3. SUPERCHLORINATION is occasionally necessary to maintain a clean and algae free pool (see directions on label of Olympic Dy-Chlor II).
4. MAINTENANCE DOSE for every 7,000 gallons of water put into AUTOMATIC CHLORINATOR 1 Olympic 3 Tablet every 7-10 days. Check pool water frequently with a test kit and maintain 1.0-1.5 PPM chlorine residual and pH of 7.2-7.5.
5. During extremely hot weather and/or heavy bathing loads additional dosage may be required. This can be achieved by adding 3 more tablets to the feeder for each 10,000 gallons of pool water. This provides 0.5 PPM additional chlorine dosage during the next 7 days. However if immediate chlorine dosage is required see directions on labels of Olympic Dy-Chlor II for quick adjustment of the residual chlorine to 1.1 PPM. After adjustment to 1.1 PPM residual chlorine by the addition of Dy-Chlor II the 3 Tablets when used as directed will maintain the residual chlorine level between 1.0 and 1.5 PPM under normal use conditions.

FOR SPAS AND HOT TUBS

1. Proper conditioning of pool water is necessary to insure maximum effectiveness of Olympic 3 Tablets. Previously unconditioned pools should be treated with Olympic Stabilizer. Follow instructions on the Stabilizer label.
2. Adjust pool water pH to 7.2-7.6. Use Olympic PH Minus to lower pH and PH Plus to increase pH. Follow instructions on the label of the products used.



3. SUPERCHLORINATE weekly to maintain a clean and algae free pool (see directions of label of Olympic Dy-Chlor II). Check chlorine residual using a reliable test kit and enter pool only when the residual chlorine level is between 2.0 and 3.0 PPM.

4. MAINTENANCE DOSE for every 3,500 gallons of water. Put into an AUTOMATIC CHLORINATOR 1 Olympic 3 Tablet every 7-10 days. Check pool water frequently with a test kit and maintain 1.0-1.5 PPM chlorine residual and pH of 7.2-7.5.

NOTE: Heavy bather usage or the use of oils or lotions may increase the chlorine demand of the pool resulting in the need for more frequent checks on chlorine residual.

HOW TO CALCULATE POOL CAPACITY

SHAPE OF POOL	GAL. OF WATER (Dimensions in ft.)
Rectangular	Average depth X average length X average width X 7.5
Circular	Diameter X diameter X average depth X 5.9
Oval with straight sides	Full width X full length X average depth X 6.7
Irregular	Consult pool builder

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. Keep contents and container dry and off wet floors. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

GENERAL NOTES

Olympic 3 Tablets are a concentrated form of chlorine designed for the chlorination of swimming pools, spas and hot tubs. Olympic 3 Tablets provide the acidity to lower the high pH of water which assists in increasing the effectiveness of residual chlorine.

ACCEPTED
13 OCT 1981
42177-18

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC TOXIC REGISTERED
ED UNDER NO.