

42177-22

9/2/2003

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP - 2 2003

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Robert Rosenwasser, Agent
Alliance Packaging
109 Northpark Blvd. 4th Floor
Covington, LA. 70433

SUBJECT: May 27, 2003 Label Amendment
Olympic Universal Chlorinator Cartridge
EPA Registration 42177-22


Dear Mr. Rosenwasser:

The amendment referred to above, submitted in connection with registration of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is conditionally acceptable provided the following changes are made:

1. Place the "If Inhaled" treatment regimen under "If On Skin" in the First Aid section.
2. Insert the word "separately" between wash and before under the Precautionary statements.
3. Line up Active Ingredient with name of active chemical and change Inert to Other.

A copy of your conditionally accepted stamped label is enclosed. Please submit a copy of your finished label to this office for our files. If you have any questions regarding this letter, please contact Tom Luminello of my staff at (703) 308-8075.

Sincerely yours,



Robert S. Brennis
Product Manager (32)
Regulatory Management Branch II
Antimicrobial Division (7510-C)

Enclosures

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



UNIVERSAL CHLORINATOR

CARTRIDGE

For use in erosion feeders

← Active Ingredient:	
Trichloro-s-triazinetriene:	99%
<i>Other</i> Inert Ingredients:	1%
Total:	100%
Available Chlorine:	90%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID AND PRECAUTIONS ON SIDE PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. Causes irreversible eye damage. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Separately

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call poison control center, or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
"Probable mucosal damage may contraindicate the use of gastric lavage."	

NET WEIGHT: 25 lbs (11.3 kg.)

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP - 2 2003

USE OF THIS PRODUCT
HAS BEEN REVIEWED AND
FOUND TO BE IN
COMPLIANCE WITH
FEDERAL INSECTICIDE ACT

42177-22 *4/c*

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL AND CHEMICAL HAZARDS:

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces, will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to skimmer or floater make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use the product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If the product, is used to shock or superchlorinate a pool, after treatment it is important to brush walls and pool floor to expose algae that may be in cracks or wrinkles that might protect from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other

chemicals. This could lead result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow buildup of dry material in skimmer as gasses generated may cause an explosion.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE IN E-Z CHLOR® FEEDERS:

1. Adjust pool water to 7.2 to 7.6 pH as determined by a test kit.
2. If the pool has not been stabilized, add stabilizer (cyanuric acid) according to instructions on the label.
3. Select the numerically coded dimple on the lower side of the cartridge according to the gallon capacity of your pool as determined by the chart below:
Approx. Gallons
(In Thousands) 5 10 15 20 30
Dimple No. 1 3 5 7 9
4. Punch out appropriate dimple selected from the chart above as well as all dimples below selected number on both sides of the cartridge.
5. Punch out all (8) clear dots on bottom of cap. Push punch through to hilt and turn to get clean full size holes.
6. After the cartridge has been in use for 24 hours, check the chlorine residual level. Chlorine residual should be checked frequently and always maintained between 1.0 and 1.5 ppm.

SEP - 2 2003

42177-22 ^{4/6}

If the residual is below 1.0 ppm, remove the cartridge and punch out next higher numbered dimple. Reinsert the cartridge.

If the chlorine residual is above 1.5 ppm, remove the cartridge and cover the highest numerically coded hole with black electrical tape.

Make additional adjustments as required to maintain desired 1.0 to 1.5 ppm free chlorine

FOR USE IN GUARDEX OR ANTHONY FEEDERS:

1. Adjust pool water to 7.2 to 7.6 pH as determined by a test kit.
2. If the pool has not been stabilized, add stabilizer (cyanuric acid) according to instructions on the stabilizer label.
3. Cut a ¼ " diameter hole in the dimple indicated by the letter "X" on the side of the cartridge where the wide and the narrow portions of the cartridge converge. Also cut away completely the three vertical elongated tabs on the lower sides of the cartridge.
4. To make the initial height setting of the cartridge in the feeder, select the number on the graduated scale on the side of the cartridge according to the gallon capacity of your pool as determined by the chart below:

(In Thousands)	10	15	20	30	35
Number	1	2	3	5	6
5. Insert the cartridge into the feeder until the top of the feeder lip is aligned with the number on the graduated scale from the chart above. Then rotate the cartridge clockwise in the feeder until it stops – about a quarter of a revolution.
6. After the cartridge has been in use for 24 hours, check the chlorine residual level. Chlorine residual should be checked frequently and always maintained between 1.0 to 1.5 ppm.

If the residual reading is below 1.0 ppm, adjust the height setting to the next higher number on the graduated scale (e.g. 1 to 2). The cartridge will now be positioned deeper in the feeder.

If the residual is above 1.5 ppm, adjust the height setting to the next lower number on the graduated scale (e.g. 6 to 5). The cartridge will now be positioned higher in the feeder.

NOTE: Re-entry into treated swimming pools is prohibited above levels of 3.0 ppm of chlorine.

Keep in mind that slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

STORAGE AND DISPOSAL

Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large volumes of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal.

CONTAINER DISPOSAL: Do not reuse container, but place in trash collection. Rinse thoroughly before discarding.

Manufactured for:

Alliance Packaging

109 Northpark Blvd, 4th Floor

Covington, LA 70433

EPA Reg. No. 42177-22

EPA Est. No. 5185-GA-1

ACCEPTED
WITH COMMENTS
Dated:
SEP - 2 2003

Insecticide,
Fungicide Act as
the pesticide,
EPA Reg. No.

42177-22

4/4