

JUL 05 1988

York Chemical Corporation
3309 East Carpenter Freeway
Irving, TX 75062

Attention: Dock D. Cawthon

Gentlemen:

Subject: Olympic Algae Preventor
EPA Registration No. 42177-35
Your Submission Dated May 9, 1988

The amendment referred to above, submitted to change the product name from "Olympic Algaecide 50" to "Olympic Algae Preventor," is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

- a. Delete the word "General Classification."
- b. Delete the word "milk."
- c. In the Environmental Hazards section, revise the sentence "Do not discharge into lakes, streams, ponds, or public waters unless accordance with an NPDES permit" to read:

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority.

- d. On the back panel, remove the statement "Corrosive. Causes severe eye and skin damage. Do not get in eyes" and place it above the "Statement of Practical Treatment" section.

54739:I:Delaney:LL-18:KENCO:6/09/89:7/21/89:CT:vo:rw

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

- e. Refer to PR Notice 87-3 for acceptable Storage and Disposal statements.
2. Submit five (5) copies of your final printed labeling before your release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6982.

Sincerely yours,



John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure



OLYMPIC ALGAE PREVENTOR

**Prevents Algae Growth
In Swimming Pools**

ACTIVE INGREDIENT:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₈, & 5% C₂₀)
dimethyl benzyl ammonium chloride 42.6%
n-Dialkyl (60% C₁₄, 30% C₁₆, 5% C₁₈, & 5% C₂₀)
methyl benzyl ammonium chloride 8.0%

INERT INGREDIENTS: 50.0%

TOTAL: 100.0%

Weight approximately 8 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See back panel for additional precautionary statements.

NET CONTENTS: 1 quart (946 ml.)



BEST AVAILABLE COPY

DANGER PRECAUTIONARY STATEMENT HAZARDS TO HUMANS & DOMESTIC KEEP OUT OF REACH OF CHILD

STATEMENT OF PRACTICAL TREATMENT: In case of contact, wash skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Induce vomiting if necessary. If these are not available, drink large quantities of water. Seek medical attention immediately.

NOTE TO PHYSICIAN: Probable mucousal damage may constitute a hazard. Measures against circulatory shock, as well as oxygen and resuscitation, manually or mechanically may be needed.

CORROSIVE: Causes severe eye and skin damage. Do not get in eyes. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not consume food.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply to streams or public waters unless in accordance with an NPDES permit. For Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near

DIRECTIONS FOR USE GENERAL CLASSIFICATION

This is a violation of Federal law to use this product in a manner inconsistent with the label. **INITIAL APPLICATION:** To A Clean Pool: Add 26 fluid ounces of Algae Preventor to 50,000 gallons of water. If algae growth is visible, apply the initial dose. Repeat the application when algae is visible. Repeat dose as necessary.

CONTINUED APPLICATION: Add 5 fluid ounces of Algae Preventor to 50,000 gallons of water. Repeat the application every 2 weeks. Quarterly Test Water.

BOOSTER APPLICATION: Add 6 fluid ounces of Algae Preventor to 50,000 gallons of water. Repeat the application every 2 weeks. Quarterly Test Water.

The above directions should be followed even when the pool is not in use. Algae Preventor is compatible with many swimming pool chemicals and will not harm the metal, paint, plastic or the surface of the swimming pool. Algae Preventor will help improve the appearance and cleanliness of the swimming pool. It will help prevent the growth of unsightly algae. It will not lose its effectiveness or strength over a long period of time. Algae Preventor requires no special equipment to use. The correct use-dilution may be added directly to the pool in any spot.

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS: Store in original container and place in a cool, dry place. Do not contaminate water, food, or feed by storage or disposal.

SPILL OR LEAK PROCEDURE: Small spills may be mopped up or absorbed with some absorbent material and incinerated.

PESTICIDE DISPOSAL: Containers may be recycled or disposed of in a safe manner.

CONTAINER DISPOSAL: Containers may be recycled or disposed of in a safe manner.

GENERAL: Consult Federal, State, or local health authorities for disposal of this product.

EPA REG. NO. 42177-35

Manufactured by
YORK
CHEMICAL CORPORATION

3409 East Carpenter Freeway, Houston, Texas 77058