

PM 32

42177-73

5/12/97

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 12 1997

Alliance Packaging, Inc.
3309 E. Carpenter Freeway
Irving, TX 75062

Subject: Regal Time-Release Cannister
EPA Registration No. 42177-73
Your Application Dated March 15, 1997

Attn: Edward W. Lyle
Authorized Agent

The revised updated Confidential Statement of Formula dated August 14, 1996 is in compliance with PR Notice 91-2, and agrees with the revised label and both are acceptable.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable, subject to the following comment.

Revised label in the inert ingredient statement under the heading Inert Ingredients this term should be plural.

A stamped copy is enclosed for your records, Submit one (1) copy of the finished printed label before this product is released for shipment.

If you have any question about the comments in this letter contact Drusilla Copeland (703) 308-6224.

Sincerely,

RMJ
Robert Brennis
Acting Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510W)

CONCURRENCES

SYMBOL	Enclosure						
SURNAME	<i>RMJ</i>						
DATE	5/9/97						

ACCEPTED
with COMMENTS
to EPA Letter Dated

MAY 12 1977

Under the Federal Insecticide,
Fungicide, and Rodenticide
Act, as amended, for the pesticide
registered under EPA Reg. No.

42177-73



TRI-CHLOR TIME RELEASE CANISTER

For use in Erosion Feeder

KEEP OUT OF REACH OF CHILDREN
DANGER

See other precautions and first aid on back panel.

Active Ingredient:
Trichloro-s-Triazinetrione 94%
Inert Ingredient: 6%
Available Chlorine 84.6%

NET WT.
5.0 LBS.
(2.27 KG)

APR 24 11:45 97

RECD

TO OPEN
AND USE

CUT OFF
VENTING DIMPLE IN
GROOVE ABOVE

AND

CUT ALONG DOTTED
LINES ON BOTTOM

CAP FROM EACH STAR TO
CENTER

STATEMENT OF PRACTICAL TREATMENT. If swallowed, drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. If on skin, wash with plenty of soap and water. Get medical attention. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention. Note to physician, probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS—

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER, CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish and other aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

POOL PREPARATION. If water is not already conditioned, add Pool Stabilizer to pool water. Follow directions and precautions on the label for that product. Adjust water pH to 7.2 to 7.6 using pH Plus or pH Minus according to label directions for those products. Superchlorinate with a fast dissolving chlorine following directions and precautions for that product before starting chemical feeder.

FOR USE IN E-Z CLOR® E-ABG FEEDER

TO START CONTINUOUS CHLORINATION

1. Continuous chlorination through pool recirculation system takes place when pump is on. Run recirculation system each day sufficient hours to maintain adequate chlorine levels and clear water.
2. With recirculating system on, turn the SMALL POINTED STANDPIPE in the FEEDER counterclockwise until water level is highest without unscrewing standpipe OUT OF ITS SOCKET. This maximum water level provides maximum time-release chlorination rate.
3. Cut off venting dimple in groove above and cut along four dotted lines with arrows on bottom cap from star to center. Push CAP END FIRST into Feeder so that standpipe punctures CAP and rests on bottom of water chamber. You are now chlorinating pool at maximum rate.
4. To find the water level requirements to maintain 1.5 to 2.5 parts per million free chlorine in your pool, lower the FEEDER water level daily until your test kit indicates you are maintaining this free chlorine residual.

TO ADJUST CONTINUOUS CHLORINATION

1. Test pool water regularly for pH and FREE CHLORINE. If less than 1.5 ppm, adjust water level IN FEEDER to HIGHER level. If more than 2.5 ppm, adjust water to LOWER level.

2. Observe tablet level in canister. Insert new canister when old one is empty. DO NOT REUSE container. DESTROY WHEN EMPTY.

PERIODIC SHOCK TREATMENT. A shock treatment should be made every week during hot weather or after heavy rain. Less frequent shock treatments may be made during cool weather. For the shock treatments add a fast dissolving chlorine according to the label directions for that product. Note: Re-entry into treated swimming pool is prohibited above levels of 3 ppm of chlorine.

TO ADJUST CHLORINATION

1. Test pool water regularly. If less than 1.0 ppm, adjust water level IN FEEDER to HIGHER level. If more than 2.5 ppm, adjust water to LOWER level.
2. Observe tablet level in canister. Insert new canister when old one is almost empty. DO NOT REUSE container. DESTROY WHEN EMPTY.
3. Check pH and adjust up or down to proper range of 7.2 to 7.6 according to label directions or precautions for the products used.

FOR USE IN DUAL CHAMBER FEEDER

TO START CONTINUOUS CHLORINATION:

1. With recirculation system off, grip canister by handle and insert into feeder chamber in an upside down position.
2. Push canister down into the chamber with enough thrust to allow it to be pierced by the sharp puncture pieces in the bottom and side of the chamber.
3. Replace lid and tighten knobs to secure seal. Note: If canister has been inserted in an incorrect position, lid will not seal. Set output control to 50% and start recirculation system.
4. Continuous chlorination through pool recirculation system takes place only when pump is on. Run recirculation system each day sufficient hours to maintain adequate chlorine levels and clear water.

TO ADJUST CONTINUOUS CHLORINATION

1. Test pool water regularly for pH and FREE CHLORINE. If chlorine residual is less than 1.5 ppm, adjust OUTPUT CONTROL to HIGHER % selection as necessary to maintain 1.5 to 2.5 ppm. If chlorine residual is more than 2.5 ppm, adjust OUTPUT CONTROL to LOWER chlorine level.
2. Re-test chlorine residual 24 hours after any adjustment.
3. Periodically check tablet level in canister through viewing window on side of feeder. Insert new canister when old one is almost empty. DO NOT REUSE container. DESTROY WHEN EMPTY.

PERIODIC SHOCK TREATMENT. A shock treatment should be made every week during hot weather or after heavy rain. Less frequent shock treatments may be made during cool weather. For the shock treatments, add a fast dissolving chlorine according to the label directions for that product. NOTE: Re-entry into treated swimming pool is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL. STORAGE: Keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Wastes representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

EPA REG. NO. 42177-73 EPA EST. NO. 42177-TX-1

ALLIANCE PACKAGING, INC.
3309 East Carpenter Fwy., Irving, TX 75062

2/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 12 1997

Alliance Packaging, Inc.
3309 E. Carpenter Freeway
Irving, TX 75062

Subject: Regal Time-Release Cannister
EPA Registration No. 42177-73
Your Application Dated March 15, 1997

Attn: Edward W. Lyle
Authorized Agent

The revised updated Confidential Statement of Formula dated August 14, 1996 is in compliance with PR Notice 91-2, and agrees with the revised label and both are acceptable.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended is acceptable, subject to the following comment.

Revised label in the inert ingredient statement under the heading Inert Ingredients this term should be plural.

A stamped copy is enclosed for your records, Submit one (1) copy of the finished printed label before this product is released for shipment.

If you have any question about the comments in this letter contact Drusilla Copeland (703) 308-6224.

Sincerely,

RMJ
Robert Brennis
Acting Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510W)

CONCURRENCES

SYMBOL	EDG 5054						
SURNAME	Robert Brennis						
DATE	5/9/97						

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 12 1997



TRI-CHLOR TIME RELEASE CANISTER

For use in Erosion Feeder

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See other precautions and first aid on back panel.

Active Ingredient:
Trichloro-s-Triazinetrione94%
Inert Ingredient:6%
Available Chlorine 84.6%.

NET WT.
5.0 LBS.
(2.27 Kg)

APR 24 1997

REGD 11/7/97

Under the Federal Insecticide,
Fungicide, and Rodenticide
Act, as amended, for the pesticide
registered under EPA Reg. No.

42177-73

TO OPEN
AND USE

CUT OFF
VENTING DIMPLE IN
GROOVE ABOVE

AND
CUT ALONG DOTTED
LINES ON BOTTOM

CAP FROM EACH STAR TO
CENTER

STATEMENT OF PRACTICAL TREATMENT. If swallowed, drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. If on skin, wash with plenty of soap and water. Get medical attention. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention. Note to physician, probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS--

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish and other aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

POOL PREPARATION. If water is not already conditioned, add Pool Stabilizer to pool water. Follow directions and precautions on the label for that product. Adjust water pH to 7.2 to 7.6 using pH Plus or pH Minus according to label directions for those products. Superchlorinate with a fast dissolving chlorine following directions and precautions for that product before starting chemical feeder.

FOR USE IN E-Z CLOR® E-ABG FEEDER

TO START CONTINUOUS CHLORINATION

- Continuous chlorination through pool recirculation system takes place when pump is on. Run recirculation system each day sufficient hours to maintain adequate chlorine levels and clear water.
- With recirculating system on, turn the SMALL POINTED STANDPIPE in the FEEDER counterclockwise until water level is highest without unscrewing standpipe OUT OF ITS SOCKET. This maximum water level provides maximum time-release chlorination rate.
- Cut off venting dimple in groove above and cut along four dotted lines with arrows on bottom cap from star to center. Push CAP END FIRST into Feeder so that standpipe punctures CAP and rests on bottom of water chamber. You are now chlorinating pool at maximum rate.
- To find the water level requirements to maintain 1.5 to 2.5 parts per million free chlorine in your pool, lower the FEEDER water level daily until your test kit indicates you are maintaining this free chlorine residual.

TO ADJUST CONTINUOUS CHLORINATION

- Test pool water regularly for pH and FREE CHLORINE. If less than 1.5 ppm, adjust water level IN FEEDER to HIGHER level. If more than 2.5 ppm, adjust water to LOWER level.

- Observe tablet level in canister. Insert new canister when old one is empty. DO NOT REUSE container. DESTROY WHEN EMPTY.

PERIODIC SHOCK TREATMENT. A shock treatment should be made every week during hot weather or after heavy rain. Less frequent shock treatments may be made during cool weather. For the shock treatments add a fast dissolving chlorine according to the label directions for that product. Note: Re-entry into treated swimming pool is prohibited above levels of 3 ppm of chlorine.

TO ADJUST CHLORINATION

- Test pool water regularly. If less than 1.0 ppm, adjust water level IN FEEDER to HIGHER level. If more than 2.5 ppm, adjust water to LOWER level.
- Observe tablet level in canister. Insert new canister when old one is almost empty. DO NOT REUSE container. DESTROY WHEN EMPTY.
- Check pH and adjust up or down to proper range of 7.2 to 7.6 according to label directions or precautions for the products used.

FOR USE IN DUAL CHAMBER FEEDER

TO START CONTINUOUS CHLORINATION:

- With recirculation system off, grip canister by handle and insert into feeder chamber in an upside down position.
- Push canister down into the chamber with enough thrust to allow it to be pierced by the sharp puncture pieces in the bottom and side of the chamber.
- Replace lid and tighten knobs to secure seal. Note: If canister has been inserted in an incorrect position, lid will not seal. Set output control to 50% and start recirculation system.
- Continuous chlorination through pool recirculation system takes place only when pump is on. Run recirculation system each day sufficient hours to maintain adequate chlorine levels and clear water.

TO ADJUST CONTINUOUS CHLORINATION

- Test pool water regularly for pH and FREE CHLORINE. If chlorine residual is less than 1.5 ppm, adjust OUTPUT CONTROL to HIGHER % selection as necessary to maintain 1.5 to 2.5 ppm. If chlorine residual is more than 2.5 ppm, adjust OUTPUT CONTROL to LOWER chlorine level.
- Re-test chlorine residual 24 hours after any adjustment.
- Periodically check tablet level in canister through viewing window on side of feeder. Insert new canister when old one is almost empty. DO NOT REUSE container. DESTROY WHEN EMPTY.

PERIODIC SHOCK TREATMENT. A shock treatment should be made every week during hot weather or after heavy rain. Less frequent shock treatments may be made during cool weather. For the shock treatments, add a fast dissolving chlorine according to the label directions for that product. NOTE: Re-entry into treated swimming pool is prohibited above levels of 3 ppm of chlorine.

STORAGE AND DISPOSAL. STORAGE: Keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Wastes representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

EPA REG. NO. 42177-73 EPA EST. NO. 42177-TX-1

ALLIANCE PACKAGING, INC.
3309 East Carpenter Frwy., Irving, TX 75062