

42177-77

7/30/2004

Page 1 of 6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

July 30, 2004

Robert Rosenwasser  
Agent for SCP Distributors, LLC  
Alliance Trading, Inc.  
09 Northpark Blvd, 4<sup>th</sup> Floor  
Covington, LA 70433

Subject: E Z Chlor Litho Shock  
EPA Registration No. 42177-77  
Application Date: July 7, 2004  
Receipt Date: July 7, 2004

Dear Mr. Rosenwasser:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

**Proposed Notification**

- addition of two (2) alternate brand names: "Pool Season Lithium Shock 35"  
"Regal Power Shock"

**General Comments**

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Mitchell  
Product Reviewer (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

**CONCURRENCES**

SYMBOL	7510C	75102					
SURNAME	E. Rosenwasser	Wanda Y. Mitchell					
DATE	7-30-04	7-30-04					



286



United States  
Environmental Protection Agency  
Washington, DC 20460

 Registration  
 Amendment  
 Other

OPP Identifier Number  
301060

### Application for Pesticide - Section I

1. Company/Product Number 42177-77	2. EPA Product Manager E. Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) E Z Clor Litho Shock	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Alliance Trading, Inc. 109 Northpark Blvd, 4th Floor Covington, LA 70433 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

"Notification of Addition of Alternate Brand Names per PR Notice 98-10."

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> on silkscreened container	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Other _____		
			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Robert Rosenwasser		Title Agent for Alliance Trading, Inc.		Telephone No. (Include Area Code) 215-715-6419	
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received <b>(Stamped):</b>
2. Signature 		3. Title Agent for Alliance Trading, Inc.			
4. Typed Name Robert Rosenwasser		5. Date July 7, 2004			



# SCP Pool Corporation

3 8 6

July 7, 2004

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U.S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202-4501

**Attention: E. Mitchell PM-32 (7510C)**

RE: **E Z Clor Litho Shock (EPA Reg. No. 42177-77) OPP# 301060**

## **NOTIFICATION OF ADDITION OF ALTERNATE BRAND NAMES PER PR NOTICE 98-10**

Alliance Trading, Inc., 109 Northpark Blvd., 4<sup>th</sup> Floor, Covington, LA 70433 is submitting this notification to **add two alternate brand names** to our **E Z Clor Litho Shock (EPA Reg. No. 42177-77)** registration.

The names of these **alternate brands** are:

- **Pool Season Lithium Shock 35**
- **Regal Power Shock**

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Please find enclosed:

- An application form that includes the required notification language.
- One copy of each label with the alternate brand names.

If you need additional information, please feel free to call me at (215) 715-6419.

Sincerely yours,

Robert Rosenwasser  
Agent for Alliance Trading, Inc.

"SETTING THE STANDARDS IN DISTRIBUTION"

4th Floor • 109 Northpark Boulevard • Covington, LA 70433-5001 • Phone (985) 892-5521

**STORAGE AND DISPOSAL:** Keep this product dry in its original unopened bag until use. For partially used bags, fold over top of bag and secure with adhesive tape. Store unopened and partially used bags in a secure location away from children. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal. **CONTAINER DISPOSAL:** Rinse empty bag thoroughly. Discard in trash. Do not reuse bag.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER:** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wear goggles or safety glasses, protective clothing and rubber gloves when handling. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.  
**PHYSICAL OR CHEMICAL HAZARDS STRONG OXIDIZING AGENT:** Do not mix with other chemicals, except water. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product

to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.  
**NOTE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA REG. NO. 42177-77  
 EPA EST. NO. 5185-GA-1  
 Manufactured for:  
 Alliance Trading, Inc.  
 109 Northpark Blvd, 4th Floor  
 Covington, LA 70433

[www.regalchemicals.com](http://www.regalchemicals.com)

**REGAL**  
 clean pool system

**power shock**  
 fast dissolving chlorinating shock and superchlorinator.

**ACTIVE INGREDIENT:**  
 Lithium Hypochlorite ..... 29%

**OTHER INGREDIENTS:** ..... 71%

**TOTAL INGREDIENTS:** ..... 100%

(Available Chlorine: ..... 35%)

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER:**

*See back panel for additional precautionary statements*

**FIRST AID - IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-9924. Note to Physician:** Predictable mucosal damage may contraindicate the use of gastric lavage.

**NET WT 1 LB (453.6 g)**

TO OPEN  
 CUT ALONG DOTTED LINE  
 WITH SCISSORS

**FOR POOL SHOCK AND SUPERCHLORINATION**  
 Swimming pool water is subject to accumulation of a wide variety of organic contaminants: perspiration, suntan lotions, hair sprays and cosmetics. This quick-dissolving, non-clouding shock and superchlorinating product will effectively reduce organic contamination in swimming pool water and sparkling, clear water. This product may be used in chlorinated or brominated pools.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions. Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. In chlorinated pools, add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Do not add stabilizer to brominated pools. Before using this product check for metals and if present, add a stain and scale inhibitor to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products. Apply this product at a rate of 1 pound per 6,000 gallons of water every other week (alternatively 1 pound per 12,000 gallons every

week). Add the total recommended amount at one time, broadcasting evenly into the deep end of the pool when the pool is not in use (preferably at night) and with pump running. Reapply after heavy rain showers or following heavy bather loads. To prevent damage to pool surface, use an appropriate pool brush to disperse any undissolved granules which may have settled to the bottom of the pool.

**ALGAE TREATMENT TO REMOVE EXISTING ALGAE GROWTH:** When algae is seen, check and adjust, if needed, all water balance parameters. Brush all surfaces with surface compatible brush. With circulation pump operating, apply 2 lbs. of this product per 10,000 gallons of pool water by broadcasting the product directly into the pool at deep end of pool. Use a pool brush to disperse granules which may have settled to the bottom of the pool to prevent damage to pool surfaces. Continue to operate recirculating pump for at least 8 hours after product addition. Approximately 24 hours after product addition, vacuum dead algae from pool. Then brush all pool surfaces. Following algae removal, recheck pH and adjust if necessary to the proper range of 7.2 - 7.6. Maintain a chlorine residual of 1 - 3 ppm.  
**Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine or 8 ppm bromine due to risk of bodily injury.**

486

# POOL SEASON™



## LITHIUM SHOCK 35

Fast Dissolving Chlorinating Shock  
And Superchlorinator

Active Ingredient:  
Lithium Hypochlorite:..... 29.0%  
Other Ingredients:..... 71.0%  
Total:..... 100%

Available Chlorine:..... 35%

KEEP OUT OF REACH OF CHILDREN  
**DANGER**

SEE FIRST AID AND PRECAUTIONS ON SIDE PANEL

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER: CORROSIVE.** Causes irreversible eye damage or skin burns. May be fatal swallowed. Harmful if inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing dust. Wear goggles or safety glasses, protective clothing and rubber gloves when handling this product. Wash hands thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Call poison control center, or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. <b>IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924</b></p>	
<p><b>NOTE TO PHYSICIAN</b> Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

**NET WEIGHT: 1 lb (453.6 g)**

526

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

**PHYSICAL AND CHEMICAL HAZARDS:**

Strong Oxidizing Agent. Do not mix with other chemicals, except water. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction may start a chemical react and liberate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

**FOR POOL SHOCK AND SUPERCHLORINATION**

Swimming pool water is subject to accumulation of a wide variety of organic contaminants: perspiration, suntan lotions, hair sprays and cosmetics. This quick-dissolving, non-clouding shock and superchlorinating product will effectively reduce organic contamination in swimming pool water and sanitize water, resulting in sparkling, clear water. This product may be used in chlorinated or brominated pools.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. In chlorinated pools, add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Do not add stabilizer to brominated pools. Before using this product check for metals and if present, add a stain and scale inhibitor to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

Apply this product at a rate of 1 pound per 6,000 gallons of water every other week (alternatively 1 pound per 12,000 gallons every

week). Add the total recommended amount at one time, broadcasting evenly into the deep end of the pool when the pool is not in use (preferably at night) and with pump running. Reapply after heavy rain showers or following heavy bather loads.

To prevent damage to pool surface, use an appropriate pool brush to disperse any undissolved granules which may have settled to the bottom of the pool.

**ALGAE TREATMENT TO REMOVE EXISTING ALGAE**

**GROWTH:** When algae is seen, check and adjust, if needed, all water balance parameters. Brush all surfaces with surface compatible brush. With circulation pump operating, apply 2 lbs. of this product per 10,000 gallons of pool water by broadcasting the product directly into the pool at deep end of pool. Use a pool brush to disperse granules which may have settled to the bottom of the pool to prevent damage to pool surfaces. Continue to operate recirculating pump for at least 8 hours after product addition. Approximately 24 hours after product addition, vacuum dead algae from pool. Then brush all pool surfaces. Following algae removal, recheck pH and adjust if necessary to the proper range of 7.2 – 7.6. Maintain a chlorine residual of 1 – 3 ppm.

**Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine or 8 ppm bromine due to risk of bodily injury.**

**STORAGE AND DISPOSAL**

Keep this product dry in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large volumes of water to dissolve all material before discarding this container. Do not contaminate food or feed by storage or disposal.

**CONTAINER DISPOSAL:** Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

Manufactured for:

Alliance Trading, Inc  
109 Northpark Blvd, 4<sup>th</sup> Floor  
Covington, LA 70433

EPA Reg. No. 42177-78  
EPA Est. No. 5185-GA-1

686