

42177-80

5/7/2010

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

MAY 07 2010

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Richard Hanlon, Chemical Product Manager
Alliance Trading, Inc.
109 Northpark Blvd., 4th Floor
Covington, LA. 70433

Subject: Dichloro Dihydrate Granular
EPA Registration Number 42177-80
Application Date: April 9, 2010

Dear Mr. Hanlon:

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 and received by the Agency on April 12, 2010.

Proposed Notifications


- Revisions to Storage and Disposal Statement in accordance with PR Notice 2007-4.
- Additional optional marketing language.
- Addition of alternate brand name: "PoolStyle Pool Products Power Chlor Granular".

General Comments

Based on a review of the material submitted, the notification is acceptable.

Please submit a finished label with the revised language to this Office for our files. If you have questions concerning this letter, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at luminello.tom@epa.gov.

Sincerely,


Wanda Y. Henson
Acting Product Manager 32

Regulatory Management Branch II
Antimicrobials Division (7510-P)



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

<p>United States Environmental Protection Agency Washington, DC 20460</p>	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number _____
--	--	-----------------------------

Application for Pesticide - Section I

1. Company/Product Number 42177-80	2. EPA Product Manager Tom Luminello	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Master Dichloro Dihydrate Granular	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Alliance Trading, Inc. 109 Northpark Blvd. Covington, LA 70433 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification for Master Dichloro Dihydrate Granular (EPA Reg. No. 42177-80); Notification of change to storage and disposal per PR Notice 2007-4, Notification of additional brand name per PR Notice 98-10, Notification of addition of marketing statements to specific directions for use per PR Notice 98-10. Certification Statement for Notification made per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Richard Hanlon	Title Chemical Product Manager	Telephone No. (Include Area Code) 508-962-7238
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) _____
2. Signature 	3. Title Chemical Product Manager	
4. Typed Name Richard Hanlon	5. Date March 9, 2010	



Attention: Mr Tom Luminello / PM 32
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Rm S-4900, One Potamac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

4-9-2010

SUBJECT: EPA Reg. No. 42177-80 Master Dichloro Dihydrate Granular
Notification of update to Storage and Disposal per PR Notice 2007-4
Notification of addition of alternative brand name per PR, Notice 98-10
Notification of addition of optional marketing statements per PR Notice 98-10

Dear Mr. Luminello:

Tom, Per our conversation this week, please replace the notification paperwork sent in last week on this 42177-80 with this corrected one as follows:

- Please process changes to Master Label for EPA Reg. No. 42177-80.
- Change made so that our Master Label will properly reflect the new Storage and Disposal changes required by PR Notice 2007-4. pre-approved by Jeanne Kasai (EPA) 4-7-10 (noted in red)
-Additional Brand name " POOLSTYLE POOL PRODUCTS POWER CHLOR GRANULAR"
- Minor changes to marketing statements, adding accepted statements to specific directions. (noted in red)

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions or need additional information, please feel free to contact me by phone at (508) 435-0050 x 222

Sincerely yours,
Richard Ha
Chemical Product Manager
Enclosures:

Handwritten circular marks and scribbles on the right side of the page.



Date: 4/9/00

Notification for EPA Reg. No. 42177-80

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

A handwritten signature in cursive script that reads "Richard Hanlon".

Richard Hanlon

Chemical Product Manager

A barcode consisting of two columns of vertical bars of varying heights, located in the bottom right corner of the page.

APRIL 9, 2010 NOTIFICATION

EPA REG. NO. 42177-80

{ Master } Dichloro Dihydrate Granular

{ all changes to label are denoted in red }

{ all text in brackets [xxx] is optional and may or may not appear on final label. }
{ all text in braces {xxx} is administrative and will not appear on final label }

{ Optional Marketing Statements that may be used with swimming pool sanitization. }
[Quick Dissolving Stabilized Chlorinating Granules]
[For All Pool Types]
[For All Pool Surfaces]
[Restores Water Clarity]
[Granular Stabilized Chlorinator] { adding to this section, listed below for spa and hot tub }

{ Optional Marketing Statements that may be used with pool superchlorination. }
[Quick Dissolving Stabilized Chlorinating Granules]
[For All Pool Types]
[For All Pool Surfaces]
[Restores Water Clarity]
[Granular Stabilized Chlorinator] { adding to this section, listed below for spa and hot tub }


{ Optional Marketing Statements that may be used with swimming pool algaecide. }
[Fast Acting Granular Algae Killer]
[Quick Dissolving Stabilized Chlorinating Granules]
[For All Pool Types]
[For All Pool Surfaces]
[Restores Water Clarity]

{ Optional Marketing Statements that may be used with spas and hot tub sanitization. }
[Granular Stabilized Chlorinator]
[For Spas and Hot Tubs]
[Quick Dissolving]
[Restores Water Clarity] { adding to this section from swimming pool sanitization }

Active Ingredient:
Sodium dichloro-s-triazinetrihydrate99.0%
Inert Ingredients 1.0%
Total Ingredients 100.0%
Available Chlorine:.....56%

KEEP OUT OF REACH OF CHILDREN
DANGER
See first aid and additional precautions on back panel

NET WT _____ LBS (_____)



{ BACK PANEL }

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: CORROSIVE. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust or vapor. Wear goggles, face shield or safety glasses. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice.

If swallowed: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF MEDICAL EMERGENCY, CALL 1-800-255-3924

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

{ Environmental hazard statement for end-use products in containers less than 50 lbs }
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

{ Environmental hazard statement for end-use products in containers of equal to or greater than 50 lbs (solid, dry weight). }

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewer treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

{ Directions to be used for swimming pool sanitization. }

[FOR SWIMMING POOLS

When used as directed, this product is effective as a swimming pool water sanitizing agent.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Check for metals. Before using this product, add stain and scale inhibitor to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

With pump running, broadcast 4 ounces of this product per 10,000 gallons directly into the water in the deep end of the pool as an initial treatment. Repeat additions until a residual of 1-3 ppm chlorine is established as determined by the use of a test kit. To prevent damage to pool surface, use a pool brush to disperse granules that may have settled to the bottom of the pool.

NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES. Regular use of a test kit is necessary to determine when it is necessary to add another dose of this product to maintain a residual of 1-3 ppm available chlorine in the pool water. An average daily dose requirement is 2-3 oz. of this product per 10,000 gallons of water. After use of this product it is recommended that a preventative algae treatment be added on a weekly basis.

SUPERCHLORINATION: Broadcast one pound of this product per 10,000 gallons directly into the water in the deep end of the pool. To prevent damage to pool surface, use a pool brush to disperse any granules that may have settled to the bottom of your pool. NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES.

In water temperatures less than 70°F, or as an alternate application procedure, predissolve this product prior to applying evenly to the deep end of the pool. Dissolve this product outdoors, in a clean plastic bucket stirring with a clean plastic or wooden spoon. Add this product to water; NEVER add water to product. NEVER add more than 1 pound of this product to less than 3 gallons of cool water. Do not mix with other products when predissolving.

Note: Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of body injury.]

{ Directions to be used for spas and hot tub sanitization. }
[FOR SPAS AND HOT TUBS

When used as directed, this product is effective as a sanitizing agent for spa and hot tub water.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all spa and hot tub equipment is working properly. Backwash/clean the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. When using other products as outlined in the directions for this product, always follow directions on those products.

MAINTENANCE DOSES: With pump on, add 1/2 teaspoon of this product per 100 gallons of water (or 5 teaspoons per 1,000 gallons) as an initial treatment. Repeat at 15 to 20 minute intervals until a residual of 3 - 5 ppm of available chlorine is established as determined by test kit. A test kit must be used regularly to determine the frequency of additional doses of this product needed to maintain the chlorine residual of 3 - 5 ppm.

SUPERCHLORINATION: Use one teaspoon of this product per 100 gallons of water (or 1/4 cup per 1,000 gallons). Super-chlorination may be needed on a nightly basis in a heavily used spa or as infrequently as once a week in a moderately used spa.

NOTE: Reentry into treated spas is prohibited above levels of 3 ppm chlorine due to risk of body injury.]

{ Directions to be used for swimming pool algaecide. }
[SWIMMING POOL ALGAECIDE

When used as directed, this product kills algae and will rid your pool of unsightly algae spots. This product is ideal for use in vinyl lined, fiberglass or colored plaster surface pools.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface. When using other products as outlined in the directions for this product, always follow directions on those products.

Before using this product, brush all surface—clinging algae paying special attention to pool steps, ladder steps and around skimmer and lights. At night or when the pool is not in use, broadcast this product directly into the water into the deep end of the pool with the pump running. Use two pounds of this product per 10,000 gallons for medium to heavy growth or one pound per 10,000 gallons for light algae growth. To prevent possible damage to pool surface, use a pool brush to disperse any granules that may have settled to the bottom of the pool. Brush any remaining algae and clean/backwash filter. If algae is still visible, repeat treatment.

Note: Reentry into treated swimming pools is prohibited above levels of 3 ppm chlorine due to risk of body injury.]

{ these storage and disposal instructions pre-approved by Jeanne Kasai (EPA) 4-7-10}

STORAGE AND DISPOSAL: {Optional statements – usage depends on whether or not product is packaged for household/residential, Non-household/residential use or single-use, non-resealable package..}

{Nonrefillable container - household/residential use}

[STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment. **FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.]**


{Nonrefillable container - non-household/residential use}

[STORAGE: Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Rinse empty container thoroughly with water to dissolve all material prior to disposal.

FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.]

EMERGENCY HANDLING: In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.



Manufactured for:
Alliance Trading, Inc.
109 Northpark Blvd., 4th Floor
Covington, LA 70433

EPA REG. NO. 42177-80