

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (15-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
42198-7

DATE OF ISSUANCE

AUG 17 1993

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

NAC 10

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

National Research & Chemical Co.
15600 New Century Drive
Gardena, CA 90428-2140

5445030 $\frac{160}{18}$

E: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this duct always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase, "EPA Registration No. 42198-7" to your label before you release the product for shipment.

3. Under the "Directions For Use" remove the "Storage and Disposal" statements and place them under the last paragraph with the heading "For Fomes Annosus Control".

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

AUG 17 1993

REG NO. 42198-1, FM-14

pg 143

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosure: 1) Stamped label
2) A-79 Enclosure

NAC 10

**Effectively Controls Fleas on Carpets and Furniture
and
Cockroaches, Ants and Silverfish
In Cracks and Crevices and on Hard Surfaces
and
Fomes Annosus Control**

- ◆ Non-Staining
- ◆ Deodorizes and Whitens Carpets
- ◆ Will Not Damage Furniture

**ACCEPTED
with COMMENTS
in EPA Letter Dated**

AUG 17 1993

*Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.*

42198-7

ACTIVE INGREDIENT:
Sodium Tetraborate Decahydrate 100%
(Boric Oxide Equivalent: 37.5%)

Keep Out of Reach of Children

CAUTION


Statement of Practical Treatment

- If In Eyes: Flush with copious amounts of water. Get medical attention.
- If On Skin: Rinse with water.
- If Swallowed: Drink large amounts of water. Get medical attention.
- If Inhaled: Remove to fresh air.

See Back Panel for Additional Precautionary Statements

NET CONTENTS: _____

EPA Reg. No. 42198-____ EPA Est. 42198-CA-1



BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Wash thoroughly after handling. Avoid contamination of food and feed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This product may be used in homes, restaurants and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, heaters, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

DOMESTIC (HOMEOWNER USE): FLEAS

Use Restrictions: Apply only when children and pets do not have access to treatment areas. Avoid contamination of feed and foodstuffs.

Application Directions for Flea Control: Apply directly on carpets where pets frequently traffic or sleep at the rate of one pound per 50 square feet (63 mg/sq.in.). Work powder deep into fibers and mat. Any powder visible after application must be brushed into carpet fibers or vacuumed. Allow powder to remain for a period of three weeks to achieve maximum flea control in carpets. Reapply if necessary.

DOMESTIC (HOMEOWNER USE): COCKROACHES, ANTS AND SILVERFISH

Use Restrictions: Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

Application Directions for Cockroach, Ant and Silverfish Control: Apply liberally, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs; into openings around drains, water pipes and electrical conduits, and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Any powder visible after application must be brushed into cracks and crevices or removed. Reapply as necessary.

NON-DOMESTIC USE (NONEDIBLE PRODUCT AREAS ONLY)

Use Restrictions: Apply only in areas inaccessible to children and pets. Do not use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying in New and Existing Construction to Control Cockroaches: When treating large areas, such as wall voids, soffit and subcabinet voids, in new and existing construction, dust liberally using dusting application equipment. **Directions for Applying in Sewers and Manhole Cavities:** Apply this product at a rate not to exceed 12 oz. per 190 sq.ft. using portable blowers or air pressure tanks. **Directions for Applying as a Mop Solution to Control Cockroaches:** Mixing and Application Directions: Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs.

FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food or feed is held, processed, prepared or served.

FOOD AREAS (INCLUDING SOME SERVING AREAS): Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Also includes some serving areas.

FOOD SERVING AREAS: Serving areas are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered food areas when food is exposed and the facility is in operation.

BEST AVAILABLE COPY

Follow application directions in this section. If food is not exposed and facility is not in operation, follow application directions under nonfood serving areas below. ✓

Use Restrictions: Food area application is limited to crack and crevice treatment only. Applications to other areas are not permitted. ✓

Application Directions: Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of apply insecticides directly into cracks and crevices, in points between different elements of construction, between equipment and floors openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide. Care should be taken to avoid depositing this product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. ✓

NONFOOD AREAS (INCLUDING SOME SERVING AREAS)

Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Also includes some serving areas. Serving areas are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered nonfood areas when food is not exposed and the facility is not in operation. Follow application directions in this section. If food is exposed and the facility is in operation, follow application directions under Food Serving Areas. ✓

Application Directions: Apply as a spot treatment to selective surfaces such as baseboards and under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food. ✓

OTHER NONFOOD AREAS ✓

Application Directions: Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they enter. ✓

FOR FOMES ANNOSUS CONTROL ✓

Sprinkle this product "salt shaker" style on the freshly cut stump surface. Complete coverage, including exposed side areas and any splinters, is necessary. Also, level rather than sloping stump surfaces is preferred, especially in areas of high rainfall. Apply enough of this product to lightly cover stump surface. At proper rates of application, one pound of this product will adequately cover 50 square feet of stump surfaces.

NATIONAL RESEARCH & CHEMICAL COMPANY
15600 New Century Drive, Gardena, CA 90248
Tel. (213) 515-1700

BEST AVAILABLE COPY