

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. May cause damage or severe skin irritation.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT:

Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

Manufactured by **SURE CHEMICAL CORP.**
UPTON, MA 01568



**EPA REG. NO. 42263-2
EPA EST. NO. 42263-MA-1**

SCC-2500

**DRY GRANULAR
CHLORINATING
POWDER SANITIZER**

ACTIVE INGREDIENTS:

SODIUM DICHLORO-S-TRIAZINETRIONE 30.32%
(Provides 19.1% available chlorine)

INERT INGREDIENTS 69.68%

ACCEPTED

42263-2

FEB 0 9 1981

WARNING

KEEP OUT OF REACH OF CHILDREN

FIRST AID: If swallowed feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact wash with water for about 15 minutes and consult a physician.

DIRECTION FOR USE:

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

Dissolve 1 1/2 oz. SCC-2500 POWDER CHLORINE SANITIZER per 10 gal. of water to provide a solution containing 200 ppm available chlorine. After cleaning surface to be sanitized, apply the sanitizing solution and let stand for 2-5 minutes. Rinse well with potable water and dry. The surface is then ready to use.

The same solution may be used in the feed tanks in immersion or spray type machines providing 2-5 minutes contact time for sanitizing food processing equipment, utensils, glasses and dishes. Clean and rinse items before sanitizing. Rinse well with potable water after sanitizing and dry.

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained add SCC-2500 POWDER CHLORINE SANITIZER to maintain a solution of 200 ppm available chlorine.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight or heat. In case of spill flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.