


AWS - A - 45 MICROBIOLOGICAL CONTROL

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	20.0%
Octyl decyl dimethyl ammonium chloride	15.0%
Diocetyl dimethyl ammonium chloride	7.5%
Didecyl dimethyl ammonium chloride	7.5%
INERT INGREDIENTS:	50.0%



NET
CONTENTS
LBS

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Medication against convulsion may be needed.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact the regional office of the Environmental Protection Agency.

PHYSICAL HAZARD: Do not use or store near heat or open flame.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control algae and bacterial slimes, use AWS A 45 as directed. For best results, slug feed. The frequency of addition of microbicide needed depends on many factors. To optimize your use of AWS A 45, follow this procedure.

Recirculating Cooling Towers

1. Initially use 6 fluid ounces per 1000 gallons of water to be treated (20 ppm active quaternar). Should the above dosage not give satisfactory results, use 9 fluid ounces per 1000 gallons of water.

Repeat the initial dose every seven days or increase the frequency if needed.

2. When the above treatment level is successful, use 2 or 3 fluid ounces per 1000 gallons of water to maximize efficiency. Repeat weekly as needed.

Should slime develop again, go back to initial dosage.

Cooling tower waters that are inherently low in algae growth and bacteria count may be adequately controlled by the lower range of these dosages; slug fed every seven days.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide that cannot be used or chemically reprocessed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Dispose of in an incinerator or land fill approved for pesticide containers or bury in a safe place.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

Distributed by:

**ALLEGHENY WATER SERVICES CORP.
2415 SOUTH BIRCH STREET
SANTA ANA, CALIFORNIA 92707**

EPA REG. NO. 42322-1-2322

EPA EST. NO. 42322 CaO